INCH-POUND

MIL-DTL-22442/5B(AS)
5 January 1998
SUPERSEDING
MIL-C-22442/5A(AS)
24 May 1991

DETAIL SPECIFICATION SHEET

CABLE ASSEMBLY, AIRCRAFT AUDIO, CONNECTOR

This specification sheet is approved for use by the Naval Air Systems Command, Department of the Navy, and is available for use by all Departments and Agencies of the Department of Defense.

The requirements for acquiring the product described herein shall consist of this specification sheet and the issue of MIL-DTL-22442 listed in the issue of the Department of Defense Index of Specifications and Standards (DoDISS) specified in the solicitation.



FIGURE l. Connector P/N M22442/5-l (U-75/U), P/N M22442/5-2, and P/N M22442/5-4.

DISTRIBUTION STATEMENT A: Approved for public release; distribution is unlimited

Source: https://assist.dla.mil -- Downloaded: 2026-10-19T12:23Z
Check the source to verify that this is the current version before use.



* FIGURE 2. Connector P/N M22442/5-3.

TABLE I. PART NUMBERS

*

Part Number	
M22442/5-1 (U-75/U)	Without Transformer
M22442/5-2	With 1 transformer (M22442/1-3)
M22442/5-3	With 2 Transformers (M22442/1-3)
M22442/5-4	With 1 Transformer (M22442/1-7)

Source: https://assist.dla.mil -- Downloaded: 2026-10-19T12:23Z
Check the source to verify that this is the current version before use.

APPLICABLE DOCUMENTS:

MIL-J-64l	-	Jacks, Telephone, General Specification for
MIL-P-642	-	Plugs, Telephone and Accessory Screws, General Specification for

AIR FORCE DRAWINGS:

57Bl2662	-	Connector, Plug Electrical U-l73/U
57Bl2664	-	Tip - Electrical, Plug Connector

REQUIREMENTS:

*l. Each connector shall be capable of mating with P/N M22442/4-l (U-61/U) and M22442/4-2.

*2. The rear of the M22442/5-3 connector shall contain a jack capable of mating with Air Force Drawings 57Bl2662 and 57Bl2664 which govern the requirements of connector U-l73/U.

3. Sampling and testing procedures shall be in accordance with MIL-P-642.

4. Each connector shall meet the following requirements when tested in accordance with MIL-P-642.

a. Visual and mechanical.

b. Dielectric strength.

c. Contact resistance.

d. Insertion and withdrawal force. 1/

e. Salt spray.

f. insulation resistance.

g. Moisture resistance.

5. The insertion force shall be 8 lb. maximum. The withdrawal force shall be 6 ± 2 lb. 1/

6. After the spring life test the withdrawal force shall be greater than 60 percent of the withdrawal force measured prior to test. 1/

Source: https://assist.dla.mil -- Downloaded: 2026-10-19T12:23Z
Check the source to verify that this is the current version before use.

7. The connector insulating materials shall be made of black plastic that shall meet the requirements of the general specification.

8. Plating of metal parts shall be sufficient to prevent corrosion of the base metal when tested in accordance with MIL-J-641.

9. The M22442/5-2 connector shall contain an impedance matching transformer in accordance with M22442/l-3.

*10. The M22442/5-3 connector shall contain two impedance matching transformers in accordance with M22442/1-3.

11. The pins shall be capable of moving slightly in any direction to ensure compatibility with the mating connector.

12. Each connector shall meet the spring life requirement when tested in accordance with MIL-J-64l. l/

l/ These requirements apply to the rear of the M22442/5-3 connector only.

NOTES:

l. All dimensions are in inches.

2. Tolerances are unless otherwise specified:

Metal Parts ± .005

Molded Sections ± .05

3. This specification supersedes USAF Drawing 46D40934.

*4. The parts specified on this specification sheet are for use on completed and tested cable assemblies. Qualification of individual parts and components is not required.

CHANGES FROM PREVIOUS ISSUE: The margins of this specification are marked with asterisks to indicate where changes from the previous issue were made. This was done as a convenience only and the Government assumes no liability whatsoever for any inaccuracies in these notations. Bidders and contractors are cautioned to evaluate the requirements of this document based on the entire content irrespective of the marginal notations and relationship to the last previous issue.

Preparing activity:
Navy - AS
(Project No. 5995-0l28-04)

Source: https://assist.dla.mil -- Downloaded: 2026-10-19T12:23Z
Check the source to verify that this is the current version before use.