FED SUP CLASS
5340




TABLE I. DASH NUMBERS AND DIMENSIONS

B LENGTH	A-LENGTH						
	.562	.625	.688	.750	.812	.875	.938
	DASH NUMBERS						
.438	-005 1/	-035 1/	-065 1/	-095 1/	-125	-155 1/	-185
.500	-006 1/	-036 1/	-066 1/	-096 1/	-126	-156 1/	-186
.562	-007 1/	-037 1/	-067 1/	-097 1/	-127	-157 1/	-187
.625	-008 1/	-038 1/	-068 1/	-098 1/	-128	-158 1/	-188
.688	-009 1/	-039 1/	-069 1/	-099 1/	-129	-159 1/	-189
.750	-010 1/	-040 1/	-070 1/	-100 1/	-130	-160 1/	-190
.812	-011	-041	-071	-101	-131	-161	-191
.875	-012 1/	-042 1/	-072 1/	-102 1/	-132	-162 1/	-192
.938	-013	-043	-073	-103	-133	-163	-193
1.000	-014 1/	-044 1/	-074 1/	-104 1/	-134	-164 1/	-194
1.062	-015	-045	-075	-105	-135	-165	-195
1.125	-016 1/	-046 1/	-076 1/	-106 1/	-136	-166 1/	-196
1.188	-017	-047	-077	-107	-137	-167	-197
1.250	-018 1/	-048 1/	-078 1/	-108 1/	-138	-168 1/	-198
1.312	-019	-049	-079	-109	-139	-169	-199
1.375	-020 1/	-050 1/	-080 1/	-110 1/	-140	-170 1/	-200
1.438	-021	-051	-081	-111	-141	-171	-201
1.500	-022 1/	-052 1/	-082 1/	-112 1/	-142	-172 1/	-202

1/ PREFERRED SIZES

Ⓐ ENTIRE STANDARD REVISED

PA NAVY-AS Other Cust AIR FORCE-82	INTERNATIONAL INTEREST	TITLE BRACKET, ANGLE, 90°, CRES, 190 x .375 BOLT	MILITARY STANDARD MS9595
PROCUREMENT SPECIFICATION NONE	SUPERSEDES MS9104		PAGE 1 OF 3

DD FORM 672-1 (REVERSE STYLE)

5340-1748

APPROVED 22 NOV 66 REVISED Ⓐ 18 JUN 87

USER ACTIVITIES

REVIEWER ACTIVITIES
DLA - IS

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.
This military standard is approved for use by all Departments and Agencies of the Department of Defense. Beneficial comments (recommendations, additions, deletions) and any pertinent data which may be of use in improving this document should be addressed to: Commander, Defense Logistics Agency, ATTN: DLA-IS, Cameron Station, Alexandria, VA 22304-6100 by using the self-addressed Standardization Document Improvement Proposal (DD Form 1426) appearing at the end of this document or by letter.

AMSC N/A

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T13:21Z
Check the source to verify that this is the current version before use.

TABLE I. DASH NUMBERS AND DIMENSIONS - CONTINUED

B LENGTH	A-LENGTH 1.000	1 062	1 125	1.188	1.250	1.312
	DASH NUMBERS					
.438	-215 1/	-245	-275 1/	-305	-335 1/	-365
500	-216 1/	-246	-276 1/	-306	-336 1/	-366
.562	-217 1/	-247	-277 1/	-307	-337 1/	-367
.625	-218 1/	-248	-278 1/	-308	-338 1/	-368
.688	-219 1/	-249	-279 1/	-309	-339 1/	-369
.750	-220 1/	-250	-280 1/	-310	-340 1/	-370
.812	-221	-251	-281	-311	-341	-371
.875	-222 1/	-252	-282 1/	-312	-342 1/	-372
.938	-223	-253	-283	-313	-343	-373
1.000	-224 1/	-254	-284	-314	-344 1/	-374
1.062	-225	-255	-285	-315	-345	-375
1.125	-226 1/	-256	-286 1/	-316	-346 1/	-376
1.188	-227	-257	-287	-317	-347	-377
1.250	-228 1/	-258	-288 1/	-318	-348 1/	-378
1.312	-229	-259	-289	-319	-349	-379
1.375	-230 1/	-260	-290 1/	-320	-350 1/	-380
1.438	-231	-261	-291	-321	-351	-381
1.500	-232 1/	-262	-292 1/	-322	-352 1/	-382

1/ PREFERRED SIZES

TABLE I. DASH NUMBERS AND DIMENSIONS - CONTINUED

B LENGTH	A-LENGTH 1.375	1 438	1 500	1.625	1 750	1.875	2 000
	DASH NUMBERS						
.438	-395 1/	-425	-455 1/	-515 1/	-575 1/	-635 1/	-695 1/
.500	-396 1/	-426	-456 1/	-516 1/	-576 1/	-636 1/	-696 1/
.562	-397 1/	-427	-457 1/	-517 1/	-577 1/	-637 1/	-697 1/
625	-398 1/	-428	-458 1/	-518 1/	-578 1/	-638 1/	-698 1/
.688	-399 1/	-429	-459 1/	-519 1/	-579 1/	-639 1/	-699 1/
750	-400 1/	-430	-460 1/	-520 1/	-580 1/	-640 1/	-700 1/
.812	-401	-431	-461	-521	-581	-641	-701
.875	-402 1/	-432	-462 1/	-522 1/	-582 1/	-642 1/	-702 1/
.938	-403	-433	-463	-523	-583	-643	-703
1.000	-404 1/	-434	-464 1/	-524 1/	-584 1/	-644 1/	-704 1/
1.062	-405	-435	-465	-525	-585	-645	-705
1.125	-406 1/	-436	-466 1/	-526 1/	-586 1/	-646 1/	-706 1/
1.188	-407	-437	-467	-527	-587	-647	-707
1 250	-408 1/	-438	-468 1/	-528 1/	-588 1/	-648 1/	-708 1/
1.312	-409	-439	-469	-529	-589	-649	-709
1 375	-410 1/	-440	-470 1/	-530 1/	-590 1/	-650 1/	-710 1/
1.438	-411	-441	-471	-531	-591	-651	-711
1.500	-412 1/	-442	-472 1/	-532 1/	-592 1/	-652 1/	-712 1/

1/ PREFERRED SIZES

APPROVED 22 NOV 66 REVISED (A) FOR CHANGES SEE PAGES 1, 2 AND 3

PA NAVY-AS Other Cust AIR FORCE-82	INTERNATIONAL INTEREST	TITLE BRACKET, ANGLE, 90°, CRES, .190 x .375 BOLT	MILITARY STANDARD MS9595
PROCUREMENT SPECIFICATION NONE	SUPERSEDES MS 9104		PAGE 2 OF 3

DD FORM 672-1 (COORDINATED) 5340-1748

USER ACTIVITIES

REVIEWER ACTIVITIES
DLA-IS

This military standard is approved for use by all Departments and Agencies of the Department of Defense. Selection for all new engineering and design applications and for reprocure use shall be made from this document when applicable.

Source: https://assist.dla.mil - Downloaded: 202610-23T13:21Z
Check the source to verify that this is the current version before use.

FED SUP CLASS
5340

REQUIREMENTS:

1. MATERIAL. CORROSION RESISTANT STEEL IN ACCORDANCE WITH AMS 5510
2. DIMENSIONING AND TOLERANCING. DIMENSIONING AND TOLERANCING SHALL BE IN ACCORDANCE WITH ANSI Y14 5M
3. TOLERANCES. UNLESS OTHERWISE SPECIFIED, TOLERANCES SHALL BE FOR LINEAR DIMENSIONS ±.010, ANGULAR DIMENSIONS ±5°.
4. PART NUMBER. THE PART NUMBER SHALL CONSIST OF THE BASIC MS NUMBER FOLLOWED BY A DASH NUMBER FROM TABLE I.

EXAMPLE: MS9595-005

DASH NUMBER

BASIC MS NUMBER

MS9595-005 INDICATES- BRACKET, ANGLE, 90° CRES, .190 X .375 BOLT, LENGTH A, .562, LENGTH B, .438.

NOTES:

1. ALL DIMENSIONS ARE IN INCHES.
2. DO NOT USE UNASSIGNED DASH NUMBERS.
3. REMOVE BURRS AND BREAK SHARP EDGES.
4. APPROXIMATE WEIGHT LB/100 = 1.316 (A+B) + .221.
5. IN THE EVENT OF A CONFLICT BETWEEN THE TEXT OF THIS STANDARD AND THE REFERENCES CITED HEREIN, THE TEXT OF THIS STANDARD SHALL TAKE PRECEDENCE.
6. REFERENCED GOVERNMENT (OR NON-GOVERNMENT) DOCUMENTS OF THE ISSUE LISTED IN THAT ISSUE OF THE DEPARTMENT OF DEFENSE INDEX OF SPECIFICATIONS AND STANDARDS (DODISS) SPECIFIED IN THE SOLICITATION FORM A PART OF THIS STANDARD TO THE EXTENT SPECIFIED HEREIN.
7. AS AND AMS ARE SOCIETY OF AUTOMOTIVE ENGINEERS, INC. PUBLICATIONS.
8. THIS STANDARD WAS DEVELOPED COOPERATIVELY WITH THE ENGINE AND PROPELLER UTILITY PARTS COMMITTEE OF THE SAE.

APPROVED 22 NOV 66 REVISED (A) FOR CHANGES SEE PAGES 1, 2 AND 3

P.A. NAVY-AS Other Cust AIR FORCE-82	INTERNATIONAL INTEREST	TITLE BRACKET, ANGLE, 90°, CRES, .190 x .375 BOLT	MILITARY STANDARD MS9595
PROCUREMENT SPECIFICATION NONE	SUPERSEDES MS9104		PAGE 3 OF 3

DD FORM 672-1 (COORDINATED) PREVIOUS EDITIONS IN THE STOCK ARE OBSOLETE 5340-1748

USER ACTIVITIES

REVIEWER ACTIVITIES
DLA-IS

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited. This military standard is approved for use by all Departments and Agencies of the Department of Defense for all new engineering and design applications and for repetitive use shall be made from the document when applicable.

AMSC N/A

Source: https://assist.dla.mil -- Downloaded: 202610-23T13:21Z
Check the source to verify that this is the current version before use.