FED SUP CLASS
5340




TABLE I. DASH NUMBERS AND DIMENSIONS

B LENGTH	A-LENGTH 500	.562	625	688	750	.812	875
	DASH NUMBERS						
.438	-005[1]	-035[1]	-065[1]	-095[1]	-125[1]	-155	-185[1]
.500	-006[1]	-036[1]	-066[1]	-096[1]	-126[1]	-156	-186[1]
.562	-007[1]	-037[1]	-067[1]	-097[1]	-127[1]	-157	-187[1]
.625	-008[1]	-038[1]	-068[1]	-098[1]	-128[1]	-158	-188[1]
.688	-009[1]	-039[1]	-069[1]	-099[1]	-129[1]	-159	-189[1]
.750	-010[1]	-040[1]	-070[1]	-100[1]	-130	-160	-190[1]
.812	-011	-041	-071	-101	-131	-161	-191[1]
.875	-012[1]	-042[1]	-072[1]	-102[1]	-132	-162	-192[1]
.938	-013	-043	-073	-103	-133	-163	-193[1]
1.000	-014[1]	-044[1]	-074[1]	-104[1]	-134	-164	-194[1]
1.062	-015	-045	-075	-105	-135	-165	-195
1 125	-016[1]	-046[1]	-076[1]	-106[1]	-136[1]	-166	-196[1]
1.188	-017	-047	-077	-107	-137	-167	-197
1.250	-018[1]	-048[1]	-078[1]	-108[1]	-138[1]	-168	-198[1]
1 312	-019	-049	-079	-109	-139	-169	-199
1 375	-020[1]	-050[1]	-080[1]	-110[1]	-140[1]	-170	-200[1]
1.438	-021	-051	-081	-111	-141	-171	-201
1.500	-022[1]	-052[1]	-082[1]	-112[1]	-142[1]	-172	-202[1]

[1] PREFERRED SIZES

Ⓑ ENTIRE STANDARD REVISED

P A NAVY-AS / Other Cust AIR FORCE-82	INTERNATIONAL INTEREST	TITLE BRACKET, ANGLE, 90°, CRES, 190 x .250 BOLT	MILITARY STANDARD MS9601
PROCUREMENT SPECIFICATION NONE	SUPERSEDES MS9229		PAGE 1 OF 3

DD FORM 672-1 (COORDINATED) 5340-1750

APPROVED 22 NOV 66 REVISED Ⓑ 18 JUN 87

USER ACTIVITIES

REVIEWER ACTIVITIES
DLA-IS

DISTRIBUTION STATEMENT A Approved for public release; distribution is unlimited

This military standard is approved for use by all Departments and Agencies of the Department of Defense. Selection for all new engineering and design applications and for repetitive use shall be made from this document when applicable

AMSC N/A

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T13:21Z
Check the source to verify that this is the current version before use.

TABLE I DASH NUMBERS AND DIMENSIONS - CONTINUED

B LENGTH	A-LENGTH .938	1.000	1 125	1 250
	DASH NUMBERS			
.438	-215	-245 1/	-305 1/	-365 1/
.500	-216	-246 1/	-306 1/	-366 1/
.562	-217	-247 1/	-307 1/	-367 1/
.625	-218	-248 1/	-308 1/	-368 1/
.688	-219	-249 1/	-309 1/	-369 1/
.750	-220	-250 1/	-310 1/	-370 1/
.812	-221	-251	-311	-371
.875	-222	-252 1/	-312 1/	-372 1/
.938	-223	-253	-313	-373
1.000	-224	-254 1/	-314 1/	-374 1/
1.062	-225	-255	-315	-375
1.125	-226	-256 1/	-316 1/	-376 1/
1.188	-227	-257	-317	-377
1.250	-228	-258 1/	-318 1/	-378 1/
1.312	-229	-259	-319	-379
1.375	-230	-260 1/	-320 1/	-380 1/
1.438	-231	-261	-321	-381
1.500	-232	-262 1/	-322 1/	-382 1/

1/ PREFERRED SIZES

TABLE I DASH NUMBERS AND DIMENSIONS - CONTINUED

B LENGTH	A-LENGTH 1.375	1.500	1.625	1.750	1.875
	DASH NUMBERS				
.438	-425 1/	-485 1/	-545 1/	-605 1/	-665 1/
.500	-426 1/	-486 1/	-546 1/	-606 1/	-666 1/
.562	-427 1/	-487 1/	-547 1/	-607 1/	-667 1/
.625	-428 1/	-488 1/	-548 1/	-608 1/	-668 1/
.688	-429 1/	-489 1/	-549 1/	-609 1/	-669 1/
.750	-430 1/	-490 1/	-550 1/	-610 1/	-670 1/
.812	-431	-491	-551	-611	-671
.875	-432 1/	-492 1/	-552 1/	-612 1/	-672 1/
.938	-433	-493	-553	-613	-673
1.000	-434 1/	-494 1/	-554 1/	-614 1/	-674 1/
1.062	-435	-495	-555	-615	-675
1.125	-436 1/	-496 1/	-556 1/	-616 1/	-676 1/
1.188	-437	-497	-557	-617	-677
1.250	-438 1/	-498 1/	-558 1/	-618 1/	-678 1/
1.312	-439	-499	-559	-619	-679
1.688	-440 1/	-500 1/	-560 1/	-620 1/	-680 1/
1.750	-441	-501	-561	-621	-681
1.875	-442 1/	-502 1/	-562 1/	-622 1/	-682 1/

1/ PREFERRED SIZES

USER ACTIVITIES
REVIEWER ACTIVITIES
DLA-IS
This military standard is approved for use by all Departments and Agencies of the Department of Defense
Selection for all new engineering and design applications and for repetitive use shall be made from this
document when applicable.

APPROVED 22 NOV 66 REVISED (8) FOR CHANGES SEE PAGES 1, 2 AND 3

PA NAVY-AS / Other Cust AIR FORCE-82	INTERNATIONAL INTEREST	TITLE BRACKET, ANGLE, 90°, CRES, 190 x .250 BOLT	MILITARY STANDARD MS9601
PROCUREMENT SPECIFICATION NONE	SUPERSEDES MS9229		PAGE 2 OF 3

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T13:21Z
Check the source to verify that this is the current version before use.

REQUIREMENTS:

1. MATERIAL. CORROSION RESISTANT STEEL IN ACCORDANCE WITH AMS 5504
2. HEAT TREATMENT AND CLEANING. HEAT TREATMENT AND CLEANING SHALL BE IN ACCORDANCE WITH AMS 2550.
3. HARDNESS. 30-38 HRC.
4. DIMENSIONING AND TOLERANCING. DIMENSIONING AND TOLERANCING SHALL BE IN ACCORDANCE WITH ANSI Y14.5M.
5. TOLERANCES. UNLESS OTHERWISE SPECIFIED, TOLERANCES SHALL BE FOR LINEAR DIMENSION ±.010 ANGULAR DIMENSIONS ±5°.
6. PART NUMBER. THE PART NUMBER SHALL CONSIST OF THE BASIC MS NUMBER FOLLOWED BY A DASH NUMBER FROM TABLE I.

EXAMPLE MS9601-005

- DASH NUMBER
- BASIC MS NUMBER

MS9601-005 INDICATES - BRACKET, ANGLE, 90°, CRES, .190 X .250 BOLT, LENGTH A, 500, LENGTH B, 438.

NOTES.

1. ALL DIMENSIONS ARE IN INCHES.
2. DO NOT USE UNASSIGNED DASH NUMBERS
3. REMOVE BURRS AND BREAK SHARP EDGES
4. APPROXIMATE WEIGHT LB/100= .877 (A+B) + .145 .
5. IN THE EVENT OF A CONLICT BETWEEN THE TEXT OF THIS STANDARD AND THE REFERENCES CITED HEREIN, THE TEXT OF THIS STANDARD SHALL TAKE PRECEDENCE.
6. REFERENCED GOVERNMENT (OR NON-GOVERNMENT) DOCUMENTS OF THE ISSUE LISTED IN THAT ISSUE OF THE DEPARTMENT OF DEFENSE INDEX OF SPECIFICATIONS AND STANDARDS (DODISS) SPECIFIED IN THE SOLICITATION FORM A PART OF THIS STANDARD TO THE EXTENT SPECIFIED HEREIN.
7. AS AND AMS ARE SOCIETY OF AUTOMOTIVE ENGINEERS, INC. PUBLICATIONS.
8. THIS STANDARD WAS DEVELOPED COOPERATIVELY WITH THE ENGINE AND PROPELLER UTILITY PARTS COMMITTEE OF THE SAE.

APPROVED 22 NOV 66 REVISED (B) FOR CHANGES SEE PAGES 1, 2 AND 3

USER ACTIVITIES
REVIEWER ACTIVITIES
DLA - IS
This military standard is approved for use by all Departments and Agencies of the Department of Defense. Selection for all new engineering and design applications and for repetitive use shall be made from this document when applicable.

PA NAVY-AS / Other Cust AIR FORCE-82	INTERNATIONAL INTEREST	TITLE: BRACKET, ANGLE, 90°, CRES, .190 x .250 BOLT	MILITARY STANDARD MS9601
PROCUREMENT SPECIFICATION: NONE	SUPERSEDES: MS9229		PAGE 3 OF 3

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T13:21Z
Check the source to verify that this is the current version before use.