INCH-POUND

A-A-59417A
6 September 2005
SUPERSEDING
A-A-59417
15 December 2003

COMMERCIAL ITEM DESCRIPTION
THERMAL IMAGING SYSTEM

The General Services Administration has authorized the use of the Commercial Item Description (CID) for all federal agencies.

1. SCOPE. This Commercial Item Description (CID), describes a portable Thermal Imaging System (TIS). This CID is intended as a minimum requirement for the Thermal Imaging System in which only those manufacturers that meet or surpass the following requirements are supplied per this CID.

2. SALIENT CHARACTERISTICS.

2.1 Performance. The TIS shall be waterproof and must be capable of operating in temperatures up to 500 degrees Fahrenheit for short periods of time (5 minutes minimum). The TIS shall have a liquid crystal display (LCD) for easy viewing. The TIS shall be capable of detecting individuals, hot spots, and electrical systems. The TIS shall allow personnel using it the ability to see through smoke, fog, or any other low visibility condition. The TIS shall have the capability of transmitting information to a remote location. The TIS shall capture a field of view between 50 and 60 degrees. The TIS shall have an ergonomic and durable design. The TIS must remain fully operational if it exposed to dust, immersed in a minimum of 1 foot of water, exposed to high temperatures (up to 500 degrees Fahrenheit for a minimum of 5 minutes) or if it is dropped from a height of 3 feet. The LCD should maintain a clear resolution when subjected to the aforementioned circumstances.

2.2 Operation. The control buttons on the TIS should be easy to access. All features necessary for operation should be clearly marked. The TIS shall be easily operated by the user while wearing full fire fighting gear. The TIS should not require more than one person for operation and shall be capable of being easily operated in any position.

Beneficial comments, recommendations, additions, deletions, clarifications, etc. and any data that may improve this document should be sent to: WR-ALC/LEEE, 420 Second Street, Suite 100, Robins AFB, GA 31098-1640. Since contact information can change, you may want to verify the currency of this address information using the ASSIST Online database at http://assist.daps.dla.mil.

FSC 5855

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T10:13Z
Check the source to verify that this is the current version before use.

2.3 Liquid Crystal Display (LCD). The TIS shall have a glare free LCD color display with a minimum screen size of 3.5 inches diagonal, for easy viewing of images.

2.4 Electrical Power Source. The TIS shall operate off of a nickel metal hydride rechargeable battery. The rechargeable battery needs to supply the TIS power for a minimum operating time of 1.5 hours. The TIS shall be supplied with an extra rechargeable battery. The TIS shall be supplied with a low battery indicator.

2.5 Dimensions and Weight. The size of the equipment shall be consistent with current commercial capabilities. The TIS, with battery, shall weigh no more than 10 pounds.

2.6 Durability. The TIS shall have a sturdy design. The TIS shall meet all operational requirements if it is exposed to water, dust, high temperatures, or if it is dropped from a height of 3 feet.

2.7 Carrying/Storage. The TIS shall be supplied with a waterproof carrying/storage case that can withstand high temperatures. The TIS carrying/storage case shall be capable of storing the entire system (imager, charger, extra battery or battery case, carrying strap, owner's manual, etc.). The TIS shall be supplied with a removable carrying strap.

3. REGULATORY REQUIREMENTS.

3.1 Recycled/Recovered Materials. The offeror/contractor is encouraged to use recovered materials to the maximum extent practicable, in accordance with paragraph 23.403 of the Federal Acquisition Regulation (FAR).

4. PRODUCT CONFORMANCE PROVISIONS.

4.1 Product Conformance. The products provided shall meet the salient characteristics of this CID, conform to the producer's own drawings, specifications, standards and quality assurance practices, and be the same product offered for sale in the commercial marketplace. Small businesses that cannot offer products with established commercial market acceptability may compete by submission of bid samples. The government reserves the right to require proof of such conformance.

5. PACKAGING.

5.1 Preservation, Packing, and Marking. Preservation, packing, and marking shall be as specified in the contract or order.

6. NOTES.

6.1 Sources of documents.

6.1.1 The Federal Acquisition Regulations (FAR) paragraph 23.403 (Application for copies should be addressed to the U.S. Government Printing Office, North Capitol and H streets NW, Washington. DC 20402.)

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T10:13Z
Check the source to verify that this is the current version before use.

6.2 Known NSNs. NSN 5855-01-485-3429

6.3 Ordering data. The contract or order should specify the following:
a. CID document number, revision, and CID PIN.
b. Product conformance provisions.
c. Packaging requirements.

6.4 Key words.

Imaging
Portable
Thermal

MILITARY INTEREST

Custodian:
Air Force – 99

Preparing activity:
Air Force - 84

Agent:
Air Force – 99

(Project 5855-2005-002)

NOTE: The activities listed above were interested in this document as of the date of this document. Since organizations and responsibilities can change, you should verify the currency of the information above using the ASSIST Online database at http://assist.daps.dla.mil.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T10:13Z
Check the source to verify that this is the current version before use.