NOTICE OF CANCELLATION

INCH-POUND

AN814 REV 14
NOTICE 1
28 September 1999

AIR FORCE/NAVY AERONAUTICAL STANDARD

PLUG AND BLEEDER – SCREW THREAD

AN814 REV 14, dated 17 May 1984, is hereby cancelled. Future acquisitions for this item should refer to Society of Automotive Engineers (SAE) Aerospace Standard (AS) AS5169, "Fitting, Port Plug and Bleeder."

Table 1 provides a detailed cross-reference of cancelled AN814 Part or Identifying Numbers (PINs) and replacement AS5169 PINs. The use of "AS" parts is preferable, but "AN" parts may be used for a period of three years from the date of this notice to deplete existing stock. Users are cautioned to evaluate replacements for their particular application.

(DoD activities may obtain copies of SAE AS5169 from the DoDSSP, Standardization Document Order Desk, 700 Robbins Avenue, Building 4D, Philadelphia, PA 19111-5094. The private sector and other Government agencies may purchase copies from the Society of Automotive Engineers International, 400 Commonwealth Drive, Warrendale, PA 15096-0001.)

Custodians:
Army - AV
Navy - AS
Air Force - 99
DLA - CC

Review activity:
Air Force - 82

Preparing activity:
DLA - CC

(Project 4730-0780)

AMSC N/A

FSC 4730

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:16Z
Check the source to verify that this is the current version before use.

TABLE 1 - Cross-Reference Data

Cancelled AN PIN	Tube Size	Replacement AS PIN
AN814-2	.125	AS5169-02
AN814-2L	.125	AS5169-02L
AN814-2D	.125	AS5169D02
AN814-2DL	.125	AS5169D02L
AN814-2J	.125	AS5169J02
AN814-2JL	.125	AS5169J02L
AN814-2K	.125	AS5169K02
AN814-2KL	.125	AS5169K02L
AN814-2S	.125	AS5169R02
AN814-2SL	.125	AS5169R02L
AN814-2T	.125	AS5169T02
AN814-2TL	.125	AS5169T02L
AN814-2W	.125	AS5169W02
AN814-2WL	.125	AS5169W02L
AN814-3	.188	AS5169-03
AN814-3L	.188	AS5169-03L
AN814-3D	.188	AS5169D03
AN814-3DL	.188	AS5169D03L
AN814-3J	.188	AS5169J03
AN814-3JL	.188	AS5169J03L
AN814-3K	.188	AS5169K03
AN814-3KL	.188	AS5169K03L
AN814-3S	.188	AS5169R03
AN814-3SL	.188	AS5169R03L
AN814-3T	.188	AS5169T03
AN814-3TL	.188	AS5169T03L
AN814-3W	.188	AS5169W03
AN814-3WL	.188	AS5169W03L
AN814-4	.250	AS5169-04
AN814-4L	.250	AS5169-04L
AN814-4D	.250	AS5169D04
AN814-4DL	.250	AS5169D04L
AN814-4J	.250	AS5169J04
AN814-4JL	.250	AS5169J04L
AN814-4K	.250	AS5169K04
AN814-4KL	.250	AS5169K04L
AN814-4S	.250	AS5169R04
AN814-4SL	.250	AS5169R04L
AN814-4T	.250	AS5169T04
AN814-4TL	.250	AS5169T04L
AN814-4W	.250	AS5169W04
AN814-4WL	.250	AS5169W04L

Cancelled AN PIN	Tube Size	Replacement AS PIN
AN814-5	.312	AS5169-05
AN814-5L	.312	AS5169-05L
AN814-5D	.312	AS5169D05
AN814-5DL	.312	AS5169D05L
AN814-5J	.312	AS5169J05
AN814-5JL	.312	AS5169J05L
AN814-5K	.312	AS5169K05
AN814-5KL	.312	AS5169K05L
AN814-5S	.312	AS5169R05
AN814-5SL	.312	AS5169R05L
AN814-5T	.312	AS5169T05
AN814-5TL	.312	AS5169T05L
AN814-5W	.312	AS5169W05
AN814-5WL	.312	AS5169W05L
AN814-6	.375	AS5169-06
AN814-6L	.375	AS5169-06L
AN814-6D	.375	AS5169D06
AN814-6DL	.375	AS5169D06L
AN814-6J	.375	AS5169J06
AN814-6JL	.375	AS5169J06L
AN814-6K	.375	AS5169K06
AN814-6KL	.375	AS5169K06L
AN814-6S	.375	AS5169R06
AN814-6SL	.375	AS5169R06L
AN814-6T	.375	AS5169T06
AN814-6TL	.375	AS5169T06L
AN814-6W	.375	AS5169W06
AN814-6WL	.375	AS5169W06L
AN814-8	.500	AS5169-08
AN814-8L	.500	AS5169-08L
AN814-8D	.500	AS5169D08
AN814-8DL	.500	AS5169D08L
AN814-8J	.500	AS5169J08
AN814-8JL	.500	AS5169J08L
AN814-8K	.500	AS5169K08
AN814-8KL	.500	AS5169K08L
AN814-8S	.500	AS5169R08
AN814-8SL	.500	AS5169R08L
AN814-8T	.500	AS5169T08
AN814-8TL	.500	AS5169T08L
AN814-8W	.500	AS5169W08
AN814-8WL	.500	AS5169W08L

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:16Z
Check the source to verify that this is the current version before use.

TABLE 1 - Cross-Reference Data (Continued)

Cancelled AN PIN	Tube Size	Replacement AS PIN
AN814-10	.625	AS5169-10
AN814-10L	.625	AS5169-10L
AN814-10D	.625	AS5169D10
AN814-10DL	.625	AS5169D10L
AN814-10J	.625	AS5169J10
AN814-10JL	.625	AS5169J10L
AN814-10K	.625	AS5169K10
AN814-10KL	.625	AS5169K10L
AN814-10S	.625	AS5169R10
AN814-10SL	.625	AS5169R10L
AN814-10T	.625	AS5169T10
AN814-10TL	.625	AS5169T10L
AN814-10W	.625	AS5169W10
AN814-10WL	.625	AS5169W10L
AN814-12	.750	AS5169-12
AN814-12L	.750	AS5169-12L
AN814-12D	.750	AS5169D12
AN814-12DL	.750	AS5169D12L
AN814-12J	.750	AS5169J12
AN814-12JL	.750	AS5169J12L
AN814-12K	.750	AS5169K12
AN814-12KL	.750	AS5169K12L
AN814-12S	.750	AS5169R12
AN814-12SL	.750	AS5169R12L
AN814-12T	.750	AS5169T12
AN814-12TL	.750	AS5169T12L
AN814-12W	.750	AS5169W12
AN814-12WL	.750	AS5169W12L

Cancelled AN PIN	Tube Size	Replacement AS PIN
AN814-16	1.000	AS5169-16
AN814-16L	1.000	AS5169-16L
AN814-16D	1.000	AS5169D16
AN814-16DL	1.000	AS5169D16L
AN814-16J	1.000	AS5169J16
AN814-16JL	1.000	AS5169J16L
AN814-16K	1.000	AS5169K16
AN814-16KL	1.000	AS5169K16L
AN814-16S	1.000	AS5169R16
AN814-16SL	1.000	AS5169R16L
AN814-16T	1.000	AS5169T16
AN814-16TL	1.000	AS5169T16L
AN814-16W	1.000	AS5169W16
AN814-16WL	1.000	AS5169W16L
AN814-20	1.250	AS5169-20
AN814-20L	1.250	AS5169-20L
AN814-20D	1.250	AS5169D20
AN814-20DL	1.250	AS5169D20L
AN814-20J	1.250	AS5169J20
AN814-20JL	1.250	AS5169J20L
AN814-20K	1.250	AS5169K20
AN814-20KL	1.250	AS5169K20L
AN814-20S	1.250	AS5169R20
AN814-20SL	1.250	AS5169R20L
AN814-20T	1.250	AS5169T20
AN814-20TL	1.250	AS5169T20L
AN814-20W	1.250	AS5169W20
AN814-20WL	1.250	AS5169W20L

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:16Z
Check the source to verify that this is the current version before use.

TABLE 1 - Cross-Reference Data (Continued)

Cancelled AN PIN	Tube Size	Replacement AS PIN
AN814-24	1.500	AS5169-24
AN814-24L	1.500	AS5169-24L
AN814-24D	1.500	AS5169D24
AN814-24DL	1.500	AS5169D24L
AN814-24J	1.500	AS5169J24
AN814-24JL	1.500	AS5169J24L
AN814-24K	1.500	AS5169K24
AN814-24KL	1.500	AS5169K24L
AN814-24S	1.500	AS5169R24
AN814-24SL	1.500	AS5169R24L
AN814-24T	1.500	AS5169T24
AN814-24TL	1.500	AS5169T24L
AN814-24W	1.500	AS5169W24
AN814-24WL	1.500	AS5169W24L
AN814-28	1.750	AS5169-28
AN814-28L	1.750	AS5169-28L
AN814-28D	1.750	AS5169D28
AN814-28DL	1.750	AS5169D28L
AN814-28J	1.750	AS5169J28
AN814-28JL	1.750	AS5169J28L
AN814-28K	1.750	AS5169K28
AN814-28KL	1.750	AS5169K28L
AN814-28S	1.750	AS5169R28
AN814-28SL	1.750	AS5169R28L
AN814-28T	1.750	AS5169T28
AN814-28TL	1.750	AS5169T28L
AN814-28W	1.750	AS5169W28
AN814-28WL	1.750	AS5169W28L

Cancelled AN PIN	Tube Size	Replacement AS PIN
AN814-32	2.000	AS5169-32
AN814-32L	2.000	AS5169-32L
AN814-32D	2.000	AS5169D32
AN814-32DL	2.000	AS5169D32L
AN814-32J	2.000	AS5169J32
AN814-32JL	2.000	AS5169J32L
AN814-32K	2.000	AS5169K32
AN814-32KL	2.000	AS5169K32L
AN814-32S	2.000	AS5169R32
AN814-32SL	2.000	AS5169R32L
AN814-32T	2.000	AS5169T32
AN814-32TL	2.000	AS5169T32L
AN814-32W	2.000	AS5169W32
AN814-32WL	2.000	AS5169W32L

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:16Z
Check the source to verify that this is the current version before use.