TIER II ADOPTION NOTICE

ASTM E1417/E1417M, “Liquid Penetrant Examination, Standard Practice for,” was adopted on 5 March 2021 for use by the Department of Defense (DoD). Proposed changes by DoD activities must be submitted to the DoD Adopting Activity: AFLCMC/EZSS, 2145 Monahan Way, Area B, Bldg 28, Wright-Patterson AFB, OH 45433 or email to ENGINEERING.STANDARDS@US.AF.MIL. This document may be obtained from www.astm.org. or ASTM International, 100 Barr Harbor Drive, P.O. Box C700, West Conshohocken, PA 19428-2959.

Future acquisition for DoD applications for this item should refer to ASTM E1417/E1417M, Liquid Penetrant Examination, Standard Practice for.

Custodians:
Army – MR
Navy – AS
Air Force – 20

Adopting activity:
Air Force – 20
Agent:
Air Force – 110

(Project NDTI-2021-005)

Review activities:
Army – AR, EA, MI
Navy – OS, SH
Air Force – 68
DLA – GS

NOTE: The activities listed above were interested in this document as of the date of this document. Since organizations and responsibilities can change, you should verify the currency of the information above using the ASSIST Online database at https://assist.dla.mil.

AMSC N/A

FSC NDTI

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T15:39Z
Check the source to verify that this is the current version before use.