MIL-C-7958A
AMENDMENT 2
9 JANUARY 1987
SUPERSEDING
AMENDMENT 1
18 MARCH 1980

MILITARY SPECIFICATION

CONTROLS, PUSH-PULL FLEXIBLE AND RIGID

This amendment forms a part of MIL-C-7958A, dated 28 Jul 71, and is approved for use within the Department of the Air Force and is available for use by all Departments and Agencies of the Department of Defense.

PAGE 1

* Delete "2.1" and add: "2.1 Government documents."

* Add: "2.1.1 Specifications, standards, and handbooks. The following specifications, standards, and handbooks form a part of this specification to the extent specified herein. Unless otherwise specified, the issues of these documents shall be those listed in the issue of the Department of Defense Index of Specifications and Standards (DODISS) and supplement thereto, cited in the solicitation."

* Under SPECIFICATIONS, Federal, delete "QQ-P-416", "QQ-Z-325", PPP-B-601", and PPP-B-636".

Add boxed paragraph to bottom center of page.

Beneficial comments (recommendations, additions, deletion) and any pertinent data which may be of use in improving this document should be addressed to: Oklahoma City Air Logistics Center/MMEDO, Tinker AFB OK 73145-5990 using the self-addressed Standardization Document Improvement Proposal (DD Form 1426) appearing at the end of this document or by letter.

PAGE 2

* Under SPECIFICATIONS, Military add: "MIL-C-83488 Coatings Aluminum, Ion Vapor Deposited".

Under STANDARDS, Military: Add "MIL-STD-130 Identification Marking Of U.S. Military Property".

* Add: "2.2 Other publications. The following document(s) form a part of this specification to the extent specified herein. Unless otherwise specified, the issues of the documents which are DOD adopted shall be those listed in the issue of the DODISS specified in the solicitation. Unless otherwise specified, the issues of documents not listed in the DODISS shall be te issue of the nongovernment documents which is current on the date of the solicitation. American Society for Testing and Materials.

ASTM B633 Electrodeposited Coatings of Zinc or Iron and Steel.

ASTM D3951 Packaging, Commercial.

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T09:40Z
Check the source to verify that this is the current version before use.

(Application for copies should be addressed to: ASTM, 1916 Race St, Philadelphia PA 19103.)

(Nongovernemnt standards and other publications are normally available from the organizaton which prepare or which distribute the documents. These documents also may be available in or through libraries or other informational services.)"

2.3 Order of precedence. In the event of a conflict between the text of this specification and the reference cited herein (except for associated detail specifications, specification sheets or MS standards), the text of this specification shall take precedence. Nothing in this specification, however, shall supersede applicable laws and regulations unless a specific exemption has been obtained.

3.01 Delete and add: 3.01 First article. When specified, the contractor shall furnish sample units for first article inspection and approval (see 4.2 and 6.2).

PAGE 5

Delete "3.2.6.2 and add: "3.2.6.2 Steel parts. All exposed steel parts, unless fabricated of corrosion resisting steel, shall be coated with ion vapor deposited aluminum in accordance with MIL-C-83488, or zinc plated in accordance with ASTM B633.

3.3.1 Delete "at a convenient location" and subsequent information and add: "in accordance with MIL-STD-130:

Design Activities FMSC No. _____
Part Number _____
Manufacturer's FMSC No. _____
Date _____ Qtr _____ Year _____
Contract No. _____

Additional information may be specified by the contracting activity."

PAGE 6

* Add: "3.7 Recovered materials. Recovered materials shall be used to the maximum extent possible without jeopardizing the end use of the item."

PAGE 7

* Add: "4.01.1 Responsibility for compliance. All items must meet all requirements of sections 3 and 5. The inspection set forth in this specification a part of the contractor's overall inspection system or quality program. The absence of any inspection requirements in the specification shall not relieve the contractor of the responsibility of assuring that all products or supplies submitted to the government for acceptance comply with all requirements of the contracct. Sampling in quality conformance does not authorize submission of known defective material, either indicated or actual, nor does it commit the government to acceptance of defective material."

4.2.1 Delete and add:

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T09:40Z
Check the source to verify that this is the current version before use.

4.2.1 First article test sample. This test sample shall consist of a control of the type and grade for which approval is desired. Two samples will be required if the control is permanently assembled type. Samples shall be accompanied by two complete sets of detail and assembly drawings and a complete test report showning the following information:

(1) Report on all examinations and tests, graphically presented when possible. In addition, the report shall indicate conformance to all inspection and performance requirements of this specification referring specifically to paragraph numbers of this specification.
(2) Copies of test log sheets.
(3) Diagrams and descriptions of test set-ups.
(4) Photographs when available.

Samples shall be identified in accordance with paragraph 3.3.1 and any additional identification required by the contracting activity.

PAGE 10

4.5.1 Add to the end of sentence: "and to the design activities drawings and specifications".

PAGE 11

Delete Section 5 in its entirety and add:

5 PACKAGING

5.1 Preservation-packaging. Preservation-packaging shall be level A, C, or Industrial, as specified (see 6.2).

5.1.1 Level A. Unless otherwise specified by the contracting activity, each push-pull control shall be individually preserved and packaged according to MIL-STD-794. The method of preservation shall conform to submethod 1C-1 of MIL-P-116.

5.1.2 Level C. Each push-pull control shall be preserved and packaged in a manner which will afford adequate protection against corrosion, deterioration, and physical damage during shipments from supply source to the first receiving activity for immediate use.

5.1.3 Industrial. The Industrial preservation of push-pull control shall be in accordance with ASTM D3951.

5.2 Packing. Packing shall be level A, B, C, or Industrial as specified (see 6.2).

5.2.1 Level(s) A, B, or C. The level of packing shall be specified by the contracting activity. The level of packing shall be accomplished in accordance with the requirements outlined in MIL-STD-794.

5.2.2 Industrial. The packaged push-pull control shall be packed in accordance with ASTM D3951.

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T09:40Z
Check the source to verify that this is the current version before use.

5.3 Marking. In addition to any special marking required by the contracct or order, marking shall be in accordance with Military Standard MIL-STD-129.

5.4 Inspection and test. Test of methods of preservation and packaging shall be accomplished in accordance with Section 4 of MIL-P-116 to insure compliance with section 5 of this specification.

PAGE 12

6.2 Delete (a) (b) (c) (d) and add:

(a) Title, number and date of this specification.

(b) Drawing or template for the desired control installation showing length of control, radii and angle of bends, off-sets, length of stroke and number of self-aligning ends.

(c) Type and grade of push-pull control required.

(d) Level of packing that is required. (See section 5)

(e) Additional information. (See 3.3.1 and 4.2.1)

6.2.1 Contract data. Data Item Description DI-T-3721A and data specified in paragraph 4.2.1 will be required. These Data Item Description numbers and data specified in paragraph 4.2.1 will be listed on DD Form 1423 incorporated into the contract for delivery of data.

The margins of this amendment are marked with an asterisk to indicate where changes (additions, modifications, corrections, deletions) from the previous amendment were made. This was as a convenience only and the government assumes no liability whatsoever for any inaccuracies in these notations. Bidders and contractors are cautioned to evaluate the requirements of this document based on the entire content irrespective of the marginal notations and relationship to the last previous amendment.

Custodians:
AIR FORCE - 99
ARMY - AV
NAVY - AS

Preparing activity:
AIR FORCE - 71

Project No.
2995 - 0157

User:
ARMY - AT ME

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T09:40Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

(See Instructions – Reverse Side)

1. DOCUMENT NUMBER	2. DOCUMENT TITLE

3a. NAME OF SUBMITTING ORGANIZATION	4. TYPE OF ORGANIZATION *(Mark one)*
	☐ VENDOR
b. ADDRESS *(Street, City, State, ZIP Code)*	☐ USER
	☐ MANUFACTURER
	☐ OTHER *(Specify)*: _____

5. PROBLEM AREAS

a. Paragraph Number and Wording:

b. Recommended Wording:

c. Reason/Rationale for Recommendation:

6. REMARKS

7a. NAME OF SUBMITTER *(Last, First, MI)* – Optional	b. WORK TELEPHONE NUMBER *(Include Area Code)* – Optional
c. MAILING ADDRESS *(Street, City, State, ZIP Code)* – Optional	8. DATE OF SUBMISSION *(YYMMDD)*

(TO DETACH THIS FORM, CUT ALONG THIS LINE.)

DD FORM 82 MAR 1426 PREVIOUS EDITION IS OBSOLETE.

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T09:40Z
Check the source to verify that this is the current version before use.

INSTRUCTIONS: In a continuing effort to make our standardization documents better, the DoD provides this form for use in submitting comments and suggestions for improvements. All users of military standardization documents are invited to provide suggestions. This form may be detached, folded along the lines indicated, taped along the loose edge *(DO NOT STAPLE)*, and mailed. In block 5, be as specific as possible about particular problem areas such as wording which required interpretation, was too rigid, restrictive, loose, ambiguous, or was incompatible, and give proposed wording changes which would alleviate the problems. Enter in block 6 any remarks not related to a specific paragraph of the document. If block 7 is filled out, an acknowledgement will be mailed to you within 30 days to let you know that your comments were received and are being considered.

NOTE: This form may not be used to request copies of documents, nor to request waivers, deviations, or clarification of specification requirements on current contracts. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document*(s)* or to amend contractual requirements.

(Fold along this line)

(Fold along this line)

DEPARTMENT OF THE AIR FORCE

NO POSTAGE NECESSARY IF MAILED IN THE UNITED STATES

OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE $300

BUSINESS REPLY MAIL
FIRST CLASS PERMIT NO. 73236 WASHINGTON D. C.

POSTAGE WILL BE PAID BY THE DEPARTMENT OF THE AIR FORCE

OC-ALC/MMEDO
Tinker AFB, OK 73145

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T09:40Z
Check the source to verify that this is the current version before use.