
PROJECT NO. 4930-0257

FED. SUP CLASS
5920


USER SYMBOLS: ARMY - AV NAVY - SH

REVIEWER SYMBOLS: USAF - 11

"Review/user information is current as of the date of this document. For future coordination of changes to this document, draft amendments should be based on the information in the current DODISS."



MILITARY PART NO.	DESCRIPTION
MS25384-1	JUMPER W/CONNECTOR



MILITARY PART NO.	DESCRIPTION
MS25384-3	STUD

© ENTIRE STANDARD REVISED AND REDRAWN

APPROVED 5 JAN 1960 REVISED © 13 JUL 73

This military standard is approved for use by all Departments & Agencies of the Department of Defense. Selection for all new engineering and design applications and for repetitive use shall be made from this document.

P.A.	INTERNATIONAL INTEREST	TITLE
NAVY - AS Other Cust ARMY - ME USAF - 62	INTERNATIONAL INTEREST *	ELECTROSTATIC DISCHARGER JUMPER, FUEL NOZZLE - TO - AIRCRAFT
PROCUREMENT SPECIFICATION: NONE	SUPERSEDES: AN2553 AND AAF DWG 41A6906	

MILITARY STANDARD
MS 25384
SHEET 1 OF 2


DD FORM 1 MAR 72 672-1 (Coordinated)

PLATE NO. 27989

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T15:09Z
Check the source to verify that this is the current version before use.

USER SYMBOLS: ARMY - AV NAVY - SH
REVIEWER SYMBOLS: USAF - 11
"Review/new information is current as of the date of this document. For future coordination of changes to this document, draft direction should be based on the information in the current DODISS."
This military standard is approved for use by all Departments & Agencies of the Department of Defense. Retention for all new engineering and design applications and for repetition use shall be made from this document.

FED. SUP CLASS
5920



MILITARY PART NO.	DESCRIPTION
MS25384-5	JUMPER W/O CONNECTOR

NOTES:

1. A JUMPER IS NOT REQUIRED ON SINGLE POINT (PRESSURE TYPE) REFUELING.

ADDITIONAL REQUIREMENTS:

1. DIMENSIONS IN INCHES. UNLESS OTHERWISE SPECIFIED; TOLERANCES: DECIMALS ±.016 ANGLES ±1/2° DIMENSIONING AND TOLERANCING IN ACCORDANCE WITH ANSI Y14.5 - 1966.
2. MATERIAL: STUDS - STAINLESS STEEL, CORROSION RESISTANT, IN ACCORDANCE WITH MIL-S-7720, COMPOSITION 302, PHYSICAL CONDITION A.
   WIRE ROPE, STEEL (CORROSION RESISTING), NYLON COATED, 3/32 INCH DIAMETER, IN ACCORDANCE WITH MIL-W-83343.
   1ST ALTERNATE - WIRE ROPE, STEEL (CORROSION RESISTING), FLEXIBLE, PREFORMED (FOR AERONAUTICAL USE), 3/32 INCH DIAMETER, IN ACCORDANCE WITH MIL-W-5424.
   2ND ALTERNATE - WIRE ROPE, STEEL (CARBON), FLEXIBLE, PREFORMED, 3/32 INCH DIAMETER IN ACCORDANCE WITH MIL-W-1511.
3. BREAK ALL SHARP EDGES .010 MAX.
4. THREADS SHALL BE IN ACCORDANCE WITH MIL-S-7742.
5. WIRE SHALL NOT PULL OUT OF PLUG OR STUD WHEN SUBJECTED TO A PULL OF 100 POUNDS MINIMUM.

* CERTAIN PROVISIONS OF THIS STANDARD ARE THE SUBJECT OF INTERNATIONAL STANDARDIZATION AGREEMENT ASCC 17/4 AND STANAG 3207. WHEN REVISION OR CANCELLATION OF THIS STANDARD IS PROPOSED WHICH WILL AFFECT OR VIOLATE THE INTERNATIONAL AGREEMENT CONCERNED, THE PREPARING ACTIVITY WILL TAKE APPROPRIATE RECONCILIATION ACTION THROUGH INTERNATIONAL STANDARDIZATION CHANNELS, INCLUDING DEPARTMENTAL STANDARDIZATION OFFICES, IF REQUIRED.

FOR DESIGN FEATURE PURPOSES, THIS STANDARD TAKES PRECEDENCE OVER PROCUREMENT DOCUMENTS REFERENCED HEREIN. REFERENCED DOCUMENTS SHALL BE OF THE ISSUE IN EFFECT ON DATE OF INVITATIONS FOR BID

APPROVED 5 JAN 1960 REVISED © FOR CHANGES SEE SHEETS 1 AND 2

P.A.		TITLE	
NAVY - AS Other Coat ARMY - ME USAF - 82	INTER-NATIONAL INTEREST *	ELECTROSTATIC DISCHARGER JUMPER, FUEL NOZZEL - TO - AIRCRAFT	MILITARY STANDARD MS 25384
PROCUREMENT SPECIFICATION NONE		SUPERSEDES AN 2553 AND AAF DWG 41A6908	SHEET 2 OF 2

DD FORM 1 MAR 72 672-1 (Coordinated) PREVIOUS EDITION OF THIS FORM ARE OBSOLETE PLATE NO 23883

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T15:09Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

OMB Approval
No. 22-R255

INSTRUCTIONS: The purpose of this form is to solicit beneficial comments which will help achieve procurement of suitable products at reasonable cost and minimum delay, or will otherwise enhance use of the document. DoD contractors, government activities, or manufacturers/vendors who are prospective suppliers of the product are invited to submit comments to the government. Fold on lines on reverse side, staple in corner, and send to preparing activity. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or to amend contractual requirements. Attach any pertinent data which may be of use in improving this document. If there are additional papers, attach to form and place both in an envelope addressed to preparing activity.

DOCUMENT IDENTIFIER AND TITLE MS25384C ELECTROSTATIC DISCHARGER JUMPER, FUEL NOZZLE - TO - AIRCRAFT

NAME OF ORGANIZATION AND ADDRESS

CONTRACT NUMBER

MATERIAL PROCURED UNDER A

☐ DIRECT GOVERNMENT CONTRACT ☐ SUBCONTRACT

1. HAS ANY PART OF THE DOCUMENT CREATED PROBLEMS OR REQUIRED INTERPRETATION IN PROCUREMENT USE?
   A. GIVE PARAGRAPH NUMBER AND WORDING.

   B. RECOMMENDATIONS FOR CORRECTING THE DEFICIENCIES

2. COMMENTS ON ANY DOCUMENT REQUIREMENT CONSIDERED TOO RIGID

3. IS THE DOCUMENT RESTRICTIVE?
   ☐ YES ☐ NO (If "Yes", in what way?)

4. REMARKS

SUBMITTED BY (Printed or typed name and address - Optional)

TELEPHONE NO.

DATE

DD FORM 1 JAN 72 1426 REPLACES EDITION OF 1 JAN 66 WHICH MAY BE USED

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T15:09Z
Check the source to verify that this is the current version before use.