A-A-51436A
25 March 1987
SUPERSEDING
A-A-0051436(DM)
25 April 1986

COMMERCIAL ITEM DESCRIPTION

LIDOCAINE HYDROCHLORIDE INJECTION, USP

The General Services Administration has authorized the use of this Commercial Item Description.

Salient Characteristics:

Shall be Lidocaine Hydrochloride Injection, USP.

Shall be in accordance with the requirements of the USP.

For Strength 1, shall be a 0.5 percent solution of Lidocaine Hydrochloride containing 5 mg of Lidocaine Hydrochloride per ml. within the applicable assay limits.

For Strength 2, shall be a 1 percent solution of Lidocaine Hydrochloride containing 10 mg of Lidocaine Hydrochloride per ml. within the applicable assay limits.

For Strength 3, shall be a 2 percent solution of Lidocaine Hydrochloride containing 20 mg of Lidocaine Hydrochloride per ml. within the applicable assay limits.

For Strength 4, shall be a 4 percent solution of Lidocaine Hydrochloride containing 40 mg of Lidocaine Hydrochloride per ml within the applicable assay limits. Shall be suitable for continuous intravenous infusion.

For Strength 5, shall be a 20 percent solution of Lidocaine Hydrochloride containing 200 mg of Lidocaine Hydrochloride per ml within the applicable assay limits. Shall be suitable for use with intravenous infusion solution in treating cardiac arrythmias. Shall be labeled to indicate that it is not for direct injection.

MSC/NA

FSC 6505

ISTRIBUTION STATEMENT A. Approved for public release; istribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:55Z
Check the source to verify that this is the current version before use.

Workmanship. The injection shall be free from defects which detract from its appearance or impair its serviceability.

Unit. Package (PG).

For Size 1, shall be supplied 1 gram (25 ml) in a commercially available single use vial, together with a separate sterile transfer unit. One package containing one vial and one transfer unit, as specified, constitutes one unit.

For Size 2, shall be supplied 2 grams (50 ml) in a commercially available single use vial, together with a separate sterile transfer unit. One package containing one vial and one transfer unit, as specified, constitutes one unit.

For Size 6, shall be supplied 2 ml in a commercially available ampul. One package containing 10 ampuls, as specified, constitutes one unit.

For Size 11, shall be supplied 10 ml in a commercially available intravenous additive syringe. Syringe shall be compatible with glass, flexible or semi-rigid infusion containers. One package containing 10 syringes, as specified, constitutes one unit.

For Size 9, shall be supplied 10 ml in a commercially available, clear, colorless, cylindrical, flat-bottom, graduated, threaded rubber stoppered glass vial with plastic plug cap. Each vial shall be packaged together with a translucent, plastic vial-injector containing a plastic cylinder, threaded at one end and attached to the base of the injector barrel at the other, and a 22 gage x 1-1/2 inch needle (exposed) extending the length of and projecting from the barrel. The injector shall be sealed with a plastic needle guard and a plastic snap cap. The fluid pathway of all components shall be sterile. Shall be suitable for use with the Cardiopulmonary Resuscitator Kit, specified in the Note Section of this document. One package containing 10 disposable syringe-needle units, as specified, constitutes one unit.

For Size 7, shall be supplied 10 ml in a commercially available, clear, colorless, cylindrical, flat-bottom, graduated, threaded rubber stoppered glass vial with plastic plug cap. Each vial shall be packaged together with a translucent, plastic vial-injector containing a plastic cylinder, threaded at one end and attached to the base of the

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:55Z
Check the source to verify that this is the current version before use.

injector barrel at the other, and an 18 gage needle extending the length of and projecting from the barrel. The projected portion of the needle shall be surrounded by a protective plastic hood allowing only 3/8 inch needle exposure to protect against direct intravenous infusion yet facilitate injection into a flexible intravenous container. The injector shall be sealed with a plastic needle guard and a plastic snap cap. The fluid pathway of all components shall be sterile. Shall be suitable for use with the Cardiopulmonary Resuscitator Kit, specified in the Note Section of this document. One package containing 10 disposable syringe-needle units, as specified, constitutes one unit.

For Size 8, shall be supplied in a 5 ml commercially available disposable syringe-needle unit. The needle shall be 21 or 22 gage, 1-1/2 inch (3.8 cm). The labeling shall indicate suitability for intravenous use. One package containing 10 disposable syringe-needle units, as specified, constitutes one unit.

For Size 10, shall be supplied in a 5 ml commercially available disposable syringe-needle unit. The needle shall be 22 gage, 15/16 or 1-1/2 inches. The labeling shall indicate suitability for intravenous use. One package containing 10 disposable syringe-needle units, as specified, constitutes one unit.

For Size 12, shall be supplied 5 ml in a commercially available vial. One package containing 50 vials, as specified, constitutes one unit.

Bottle (BT).

For Size 3, shall be supplied 50 ml in a commercially available multidose vial. (Bottle). One bottle, as specified, constitutes one unit.

For Size 4, shall be supplied 20 ml in a commercially available multidose vial. (Bottle). One bottle, as specified, constitutes one unit.

Vial (VI).

For Size 5, shall be supplied 20 ml in a commercially available vial. One vial, as specified, constitutes one unit.

Source: https://assist.dla.mil -- Downloaded: 202610-26T08:55Z
Check the source to verify that this is the currentversion before use.

Each (EA).

For Size 13, shall be supplied in a 10 ml Bottle with Disposable Syringe-Needle Unit. Needle size shall be 22 gage by 1-1/2 inches. Shall be supplied as a ready-mix unit dose.

Contractor certification. The contractor shall certify that the product offered meets the salient characteristics of this description and conforms to the producers' own drawings, specifications, standards, and quality assurance practices. The Government reserves the right to require proof of such conformance prior to first delivery and thereafter as may be otherwise provided for under the provisions of the contract.

Regulatory requirements.

Federal Food, Drug and Cosmetic Act. If the product covered by this document has been determined by the U.S. Food and Drug Administration to be under its jurdisdiction, the offeror/contractor shall comply, and be responsible for compliance by its subcontractors/suppliers, with the requirements of the Federal Food, Drug and Cosmetic Act, as amended, and regulations promulgated thereunder. In addition, the offeror/contractor shall comply, and be responsible for compliance by its subcontractors/suppliers, with the requirements of all other applicable Federal, State, and local statutes, ordinances, and regulations.

Recovered materials. The offeror/contractor is encouraged to use recovered material in accordance with Public Law 94-580 to the maximum extent practical.

Preservation, packaging, packing, labeling, and marking. Unless otherwise specified, preservation, packaging, and packing shall be to a degree of protection to preclude damage to containers and/or contents thereof under normal shipping conditions, handling, etc., involving shipment from the supply source to receiving activity, plus reshipment from receiving activity, and shall conform to applicable carrier's rules and regulations. Intermediate and exterior package quantities and labeling and marking shall be as specified in the contract and/or order.

Source: https://assist.dla.mil -- Downloaded: 202610-26T08:55Z
Check the source to verify that this is the current version before use.

NOTE: The following National Stock Numbers are covered by this document:

NSN	ITEM IDENTIFICATION	STRENGTH	SIZE
6505-00-139-4512	LIDOCAINE HYDROCHLORIDE INJECTION, USP, 2%, Syringe-Needle Unit, 5 ml, 10s	3	10
6505-00-300-4657	LIDOCAINE HYDROCHLORIDE INJECTION, USP, 40 mg per ml, 25 ml	4	1
6505-00-334-3461	LIDOCAINE HYDROCHLORIDE INJECTION, USP, 40 mg per ml, 50 ml	4	2
6505-00-490-4033	LIDOCAINE HYDROCHLORIDE INJECTION, USP, 1%, 20 ml	2	5
6505-00-598-6115	LIDOCAINE HYDROCHLORIDE INJECTION, USP, 0.5% 50 ml	1	3
6505-00-598-6116	LIDOCAINE HYDROCHLORIDE INJECTION, USP, 1%, 50 ml	2	3
6505-00-598-6117	LIDOCAINE HYDROCHLORIDE INJECTION, USP, 2%, 20 ml	3	4
6505-01-072-2406	LIDOCAINE HYDROCHLORIDE INJECTION, USP, 200mg per ml, 10 ml, 10s	5	11
6505-01-092-0417	LIDOCAINE HYDROCHLORIDE INJECTION, USP, 20%, Syringe-Needle Unit, 10 ml, 10s	5	7
6505-01-093-2382	LIDOCAINE HYDROCHLORIDE INJECTION, USP, 1%, Syringe-Needle, 10 ml, 10s	2	9
6505-01-105-4179	LIDOCAINE HYDROCHLORIDE INJECTION, USP, 1%, 2 ml, 10s	2	6
6505-01-156-1797	LIDOCAINE HYDROCHLORIDE INJECTION, USP, 1%, Syringe-Needle Unit, 5 ml, 10s	2	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:55Z
Check the source to verify that this is the current version before use.

NSN	ITEM IDENTIFICATION	STRENGTH	SIZE
6505-01-161-1937	LIDOCAINE HYDROCHLORIDE INJECTION, USP, 20%, 5 ml, 50s	5	12
6505-00-009-4957	LIDOCAINE HYDROCHLORIDE INJECTION, USP, 1%, Syringe-Needle Unit, 10 ml.	2	13

NOTE ON CARDIOPULMONARY RESUSCITATOR KIT. The Cardiopulmonary Resuscitator Kit specified herein is described by the requirements for NSN 6545-01-079-4253.

Ordering data. Expiration dating required, intermediate/exterior package quantities and labeling and marking must be specified in the contract and/or order.

MILITARY INTERESTS:

Custodians:

Army - MD
Navy - MS
Air Force - 03

PREPARING ACTIVITY:

DoD - MB

Agent:

DLA-DM

CIVIL AGENCY COORDINATING ACTIVITY:

VA-OSS
PHS
FDA-MPQAS

PGC 05936
06041

Project No. 6505-2299

Source: https://assist.dla.mil -- Downloaded: 202610-26T08:55Z
Check the source to verify that this is the current version before use.

(Fold along this line)

DEFENSE LOGISTICS AGENCY

NO POSTAGE NECESSARY IF MAILED IN THE UNITED STATES

OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE $300

BUSINESS REPLY MAIL
FIRST CLASS PERMIT NO. 4966 WASHINGTON D. C.

POSTAGE WILL BE PAID BY THE DEFENSE LOGISTICS AGENCY

Commander
Defense Personnel Support Center
ATTN: DPSC-ATTS
Philadelphia, PA 19101

INSTRUCTIONS: In a continuing effort to make our standardization documents better, the DoD provides this form for use in submitting comments and suggestions for improvements. All users of military standardization documents are invited to provide suggestions. This form may be detached, folded along the lines indicated, taped along the loose edge *(DO NOT STAPLE)*, and mailed. In block 5, be as specific as possible about particular problem areas such as wording which required interpretation, was too rigid, restrictive, loose, ambiguous, or was incompatible, and give proposed wording changes which would alleviate the problems. Enter in block 6 any remarks not related to a specific paragraph of the document. If block 7 is filled out, an acknowledgement will be mailed to you within 30 days to let you know that your comments were received and are being considered.

NOTE: This form may not be used to request copies of documents, nor to request waivers, deviations, or clarification of specification requirements on current contracts. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document*(s)* or to amend contractual requirements.

(Fold along this line)

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:55Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

(See Instructions – Reverse Side)

USP

1. DOCUMENT NUMBER	2. DOCUMENT TITLE
A-A-20514 36A	LIDOCAINE HYDROCHLORIDE INJECTION

3a. NAME OF SUBMITTING ORGANIZATION	4. TYPE OF ORGANIZATION *(Mark one)*
	☐ VENDOR
b. ADDRESS *(Street, City, State, ZIP Code)*	☐ USER
	☐ MANUFACTURER
	☐ OTHER *(Specify)*: _____

5. PROBLEM AREAS

a. Paragraph Number and Wording:

b. Recommended Wording:

c. Reason/Rationale for Recommendation:

6. REMARKS

7a. NAME OF SUBMITTER *(Last, First, MI)* – Optional	b. WORK TELEPHONE NUMBER *(Include Area Code)* – Optional
c. MAILING ADDRESS *(Street, City, State, ZIP Code)* – Optional	8. DATE OF SUBMISSION *(YYMMDD)*

DD FORM 82 MAR 1426 PREVIOUS EDITION IS OBSOLETE.

(TO DETACH THIS FORM, CUT ALONG THIS LINE.)

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:55Z
Check the source to verify that this is the current version before use.