INCH-POUND

A-A-55173
08 February 1993

COMMERCIAL ITEM DESCRIPTION

BELT, MILITARY POLICE, 1-3/4 INCH WIDE, MAN'S

The General Services Administration has authorized the use of this Commercial Item Description in preference to MIL-B-1718.

Abstract. This document covers one type of leather waist belt and is designed for use by Military Police.

Classification. The belt sizes and lengths shall be as specified on page 2.

Salient Characteristics. The waist belt shall be comprised of three piece leather construction: main body, keeper and loop. The main body shall be 1-3/4 inch wide. The keeper shall be 3/4 inch wide and 5-1/4 inch in length. The loop shall be 7/16 inch wide and 4-3/4 inch in length. Edges of the belt shall be rounded with a size no. 1 edger. The belt is not furnished with a center bar buckle.

Material.

Leather. The leather shall be top grain cattlehide, mildew resistant treated type and shall be dyed black and finished smoothly on the grain side. The thickness shall be as follows; main body 8 ounce, keeper 4 ounce, loop 6 ounce. The thickness tolerances shall be plus 1 ounce and minus 1/2 ounce. The leather shall be black in color, insuring a long-lasting smooth finish. The finished grain side will be used for all visible facings. The edges of the belt shall be dye treated to match the color of the belt.

Beneficial comments (recommendations, additions, deletions) and any pertinent data which may be of use in improving this document should be addressed to: Defense Personnel Support Center, Clothing and Textiles Directorate, Attn: DPSC-FSSD, 2800 South 20th Street,Philadelphia, PA 19101-8419, by using the self-addressed Standardization Document Improvement Proposal (DD Form 1426) appearing at the end of this document or by letter.

AMSC N/A

FSC 8465

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:44Z
Check the source to verify that this is the current version before use.

Fastener, Snap. The snap fasteners shall conform to a small wire spring clamp type, with a black finish. The snap fastener shall consist of the following components: button, socket, stud and eyelet. The button shall be 1/2 inch in diameter, and all other components shall interface with the button. A total of three snap fasteners are required.

Sizes and Lengths. The belt shall be provided in the following sizes and overall lengths: (Length tolerance, ± 1/8 inch)

Size	26	28	30	32	34	36	38	40	42	44	46	48	50
Length	34	36	38	40	42	44	46	48	50	52	54	56	58

Label/Marking. The letters "US"; and the belt size shall be indented or legibly stamped with black or red indelible marking ink, in 3/16 inch high characters. The manufacturer's name, year manufactured and contract number shall be in 3/32 inch high characters. All markings shall appear on the flesh side.

Workmanship. After completion, the finished belt shall be thoroughly cleaned, and all foreign matter removed. Leather components shall be free from any cut, damaged grain, scratch, hole, brand, hip mark and loose spongy leather. The items shall be uniform in quality and shall be free from irregularities or defects which adversely affect appearance, reliability or durability.

Product Demonstration Model. When required, offerers shall submit samples of their intended production. The Product Demonstration Model will consist of units independently developed. Product Demonstration Models will be analyzed and evaluated by the government. Evaluation criteria and basis for award are contained in the solicitation. Product Demonstration Models will be retained by the government. One (1) Product Demonstration Model approved by DPSC under the resultant contract will serve as a manufacturing standard for the corresponding production items delivered under this contract. Offerers are advised that the Product Demonstration Model does not relieve the successful offerer of his responsibility to perform in accordance with the Commercial Item Description specified above.

Quality Assurance

Certification. The contractor shall certify that the product offered meets the salient characteristics of this description and that the product conforms to the producer's own drawings, specifications, standards and quality assurance practices. The government reserves the right to require proof of such conformance prior to the first delivery and thereafter as may be otherwise provided for, under the provisions of the contract.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:44Z
Check the source to verify that this is the current version before use.

Reliance on contractor QA systems shall not relieve the contractor of the responsibility of ensuring that all products or supplies submitted to the government for acceptance comply with all requirements of the contract.

Examination. Belt lots shall be inspected in accordance with "Sampling Procedures and Tables for Inspection by Attributes", ANSI/ASQC Z1.4, published by the American Society for Quality Control.

Visual Examination. The belt shall be examined for the defects listed below. The lot size shall be expressed in units of belts. The sample unit is one belt. The inspection level shall be II and the acceptable quality level (AQL), expressed in terms of defects per hundred units, shall be 2.0.

Defects. The belt shall be examined for the following defects: color or finish not as specified, color not uniform, grain side not smooth finished, tacky or cracked finish. Leather; any hole, cut, tear, wrinkle, color not as specified; any spot or stain (grain side or flesh side) marking missing, incorrect, or illegible; measurement of item not as specified, fastener not functioning properly (i.e., fails to snap closed to provide a secure closure or to open freely), failure to interface with a center bar buckle.

Dimensional Examination. The finished belt shall conform to the dimensions specified. Any dimension that is not within the established tolerance shall be classified as a defect. The sample unit shall be one belt; the inspection level shall be S-3 and the AQL, expressed in terms of defects per hundred units, shall be 1.5.

Packaging Examination. The fully packaged shipping containers shall be examined in accordance with defects listed below. The lot size shall be the number of shipping containers in the inspection lot. The inspection level shall be S-2 and AQL, expressed in terms of defects per hundred units, shall be 1.0.

EXAMINE	DEFECT
Marking (exterior and interior)	Omitted; incorrect; illegible; of improper size, location, or method of application
Materials	Any component missing, damaged, or not as specified
Workmanship	Inadequate application of components, such as: incomplete closure of container flaps, loose strapping, improper taping, or inadequate stapling

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:44Z
Check the source to verify that this is the current version before use.

Content	Number of items in container is more or less than required
	NSN shown on one or more items not as specified on shipping container
Palletization	Length, width, or height exceeds specified maximum requirements
	Pallet type not as specified
	Load not bonded as specified

Regulatory Requirements. The offeror/contractor is encouraged to use recovered materials in accordance with Public Law 94-580 to the maximum extent practicable.

Preservation, Packing, and Marking. The preservation, packing, and marking shall be as specified in the contract or order.

Source of Government Documents. Copies of Military and Federal documents are available from:

Standardization Documents Order Desk
Bldg. 4D
700 Robbins Avenue
Philadelphia, PA 19111-5094

Sources of Non-Government Documents.

ANSI/ASQC Z1.4 - Sampling Procedures and Tables For Inspection By Attributes

(Applications for copies should be addressed to American National Standards Institute, 1430 Broadway, New York, NY 10018-3308.)

ASTM-D 3951 - Standard Practice for Commercial Packaging

(Applications for copies should be addressed to American Society For Testing and Materials, 1916 Race Street, Philadelphia, PA 19103.)

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:44Z
Check the source to verify that this is the current version before use.

Custodians:
Air Force-99

Review Activity:
Army-GL
Air Force-45
Air Force-82

User Activity:
Navy-MC

Civil Agency Coordinating Activity:
GSA-FSS

Preparing Activity:
DLA-CT

Project No. 8465-0113

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:44Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

INSTRUCTIONS

1. The preparing activity must complete blocks 1, 2, 3, and 8. In block 1, both the document number and revision letter should be given.
2. The submitter of this form must complete blocks 4, 5, 6, and 7.
3. The preparing activity must provide a reply within 30 days from receipt of the form.

NOTE: This form may not be used to request copies of documents, nor to request waivers, or clarification of requirements on current contracts. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or to amend contractual requirements.

I RECOMMEND A CHANGE:	1. DOCUMENT NUMBER	2. DOCUMENT DATE (YYMMDD)
	A-A-55173	93/02/08

3. DOCUMENT TITLE

Belt, Military Police, 1-3/4 Inch Wide, Man's

4. NATURE OF CHANGE *(Identify paragraph number and include proposed rewrite, if possible. Attach extra sheets as needed.)*

5. REASON FOR RECOMMENDATION

6. SUBMITTER

a. NAME (Last, First, Middle Initial)	b. ORGANIZATION	
c. ADDRESS (Include Zip Code)	d. TELEPHONE (Include Area Code) (1) Commercial (2) AUTOVON (If applicable)	7. DATE SUBMITTED (YYMMDD)

8. PREPARING ACTIVITY

a. NAME	b. TELEPHONE (Include Area Code)	
Defense Personnel Support Center ATTN: DPSC-FSSD (12-3-D)	(1) Commercial 215-737-8105	(2) AUTOVON 444-8105
c. ADDRESS (Include Zip Code) 2800 South 20th Street P. O. Box 8419 Philadelphia, Pennsylvania 19101-8419	IF YOU DO NOT RECEIVE A REPLY WITHIN 45 DAYS, CONTACT: Defense Quality and Standardization Office 5203 Leesburg Pike, Suite 1403, Falls Church, VA 22041-3466 Telephone (703) 756-2340 AUTOVON 289-2340	

DD Form 1426, OCT 89 *Previous editions are obsolete.* 198:

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:44Z
Check the source to verify that this is the current version before use.