INCH-POUND

A-A-55193

29 MARCH 1993

# COMMERCIAL ITEM DESCRIPTION

## HOLDER, CARTRIDGE, BELT, CAL. .38, LEATHER, BLACK, 6-ROUND

The General Services Administration has authorized the use of this Commercial Item Description in preference to MIL-H-13102.

Abstract. The cartridge holder is intended for wear on a leather belt to hold six rounds of 38-caliber ammunition.

Salient Characteristics. The holder shall be comprised of two piece leather construction: main body with a 1-3/8 inch belt slot and retaining strip. The color of the flesh side shall be natural. For finishing the edges of the leather, a colorless aqueous solution shall be used. The overall dimensions of the holder shall be 6-1/8 inch (+ 1/8, -1/16 inch) by 2 inches. (See Figure 1).

Materials.

Leather. The leather shall be vegetable tanned, top grain cattlehide. The leather shall be dyed black and finished smoothly on the grain side, insuring a long-lasting lustrous finish. The thickness shall be as follows: main body 8 ounce, retaining strip 4 ounce. The thickness tolerances for both pieces shall be plus 1 ounce and minus 1/2 ounce.

Beneficial comments (recommendations, additions, deletions) and any pertinent data which may be of use in improving this document should be addressed to: Defense Personnel Support Center, Clothing and Textiles Directorate, Attn: DPSC-FSSD, 2800 South 20th Street, Philadelphia, PA 19101-8419, by using the Standardization Document Improvement Proposal (DD Form 1426) appearing at the end of this document or by letter.

AMSC N/A FSC 8465

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 202610-26T09:44Z
Check the source to verify that this is the current version before use.

Thread. The thread for stitching shall be either 100-percent polyester or 100-percent nylon, soft or bonded finish, black, and 3-ply. The thread shall have a minimum breaking strength of 24 pounds.

Label/marking. The letters "US" shall be indented on the grain side of the holder and shall be located in the middle (Figure 1). The contract number shall be indented on the flesh side of the holder. All characters shall be 3/8 inch in height.

Workmanship. The finished holder shall conform to the quality of product established by this document. The occurrence of defects shall not exceed the applicable acceptable quality levels.

Product Demonstration Model. When required, offerers shall submit samples of their intended production. The Product Demonstration Model will consist of units independently developed. Product Demonstration Models will be analyzed and evaluated by the government. Evaluation criteria and basis for award are contained in the solicitation. Product Demonstration Models will be retained by the government. One (1) Product Demonstration Model approved by DPSC under the resultant contract will serve as a manufacturing standard for the corresponding production items delivered under this contract. Offerers are advised that the Product Demonstration Model does not relieve the successful offerer of his responsibility to perform in accordance with the Commercial Item Description specified above.

Quality Assurance

Certification. The contractor shall certify that the product offered meets the salient characteristics of this description and that the product conforms to the producer's own drawings, specifications, standards and quality assurance practices. The government reserves the right to require proof of such conformance prior to the first delivery and thereafter as may be otherwise provided for, under the provisions of the contract. Reliance on contractor QA systems shall not relieve the contractor of the responsibility of ensuring that all products or supplies submitted to the government for acceptance comply with all requirements of the contract.

Examination. Holder lots shall be inspected in accordance with "Sampling Procedures and Tables for Inspection by Attributes", ANSI/ASQC Z1.4, published by the American Society for Quality Control.

Visual Examination. The holder shall be examined for the defects listed below. The lot size shall be expressed in units of holders. The sample unit is one holder. The inspection level shall be II and the acceptable quality level (AQL), expressed in terms of defects per hundred units, shall be 3.0.



Source: https://assist.dla.mil Downloaded: 202610-26T09:44Z
Check the source to verify that this is the current version before use.

Defects. The holder shall be examined for the following defects: any hole, cut, tear, color not as specified; any spot or stain (grain side); thread ends not removed; marking missing, incorrect, or illegible; thread not as specified or color of thread not as specified, not able to hold rounds of ammunition securely, measurement of item not as specified.

Dimensional Examination. The finished holder shall conform to the dimensions specified. Any dimension that is not within the established tolerance shall be classified as a defect. The sample unit shall be one holder; the inspection level shall be S-3 and the AQL, expressed in terms of defects per hundred units, shall be 1.5.

Packaging Examination. The fully packaged shipping containers shall be examined in accordance with defects listed below. The lot size shall be the number of shipping containers in the inspection lot. The inspection level shall be S-2 and AQL, expressed in terms of defects per hundred units, shall be 1.0.

| EXAMINE | DEFECT |
|---|---|
| Marking (exterior and interior) | Omitted; incorrect; illegible; of improper size, location, or method of application. |
| Materials | Any component missing, damaged, or not as specified. |
| Workmanship | Inadequate application of components, such as: incomplete closure of container flaps, loose strapping, improper taping, or inadequate stapling. |
| Content | Number of items in container is more or less than required. |
| | NSN shown on one or more items not as specified on shipping container. |
| Palletization | Length, width, or height exceeds specified maximum requirements. |
| | Pallet type not as specified. |
| | Load not bonded as specified. |



Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:44Z
Check the source to verify that this is the current version before use.

Regulatory Requirements. The offeror/contractor is encouraged to use recovered materials in accordance with Public Law 94-580 to the maximum extent practicable.

Preservation, Packing, and Marking. The preservation, packing, and marking shall be as specified in the contract or order.

Source of Government Documents. Copies of Military and Federal documents are available from:

Standardization Documents Order Desk
Bldg. 4D
700 Robbins Avenue
Philadelphia, PA 19111-5094

Sources of Nongovernment Documents.

ANSI/ASQC Z1.4 - Sampling Procedures and Tables For Inspection By Attributes

(Applications for copies should be addressed to American National Standards Institute, 1430 Broadway, New York, NY 10018-3308.)

ASTM-D 3951 - Standard Practice for Commercial Packaging

(Applications for copies should be addressed to American Society For Testing and Materials, 1916 Race Street, Philadelphia, PA 19103.)

Custodian:
DLA-CT


Review Activity:
Army-GL

Civil Agency Coordinating Activity:
GSA - FSS

Preparing Activity:
DLA - CT

Project No. 8465-0125

Source: https://assist.dla.mil - Downloaded: 2026-10-26T09:44Z
Check the source to verify that this is the current version before use.




# FIGURE 1

# HOLDER, CARTRIDGE, BELT, CAL. .38, LEATHER, BLACK, 6-ROUND



Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:44Z
Check the source to verify that this is the current version before use.

# STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

## INSTRUCTIONS

1. The preparing activity must complete blocks 1, 2, 3, and 8. In block 1, both the document number and revision letter should be given.
2. The submitter of this form must complete blocks 4, 5, 6, and 7.
3. The preparing activity must provide a reply within 30 days from receipt of the form.

NOTE: This form may not be used to request copies of documents, nor to request waivers, or clarification of requirements on current contracts. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or to amend contractual requirements.

| I RECOMMEND A CHANGE: | 1. DOCUMENT NUMBER | 2. DOCUMENT DATE (YYMMDD) |
|---|---|---|
| | A-A-55193 | 93-03-29 |

3. DOCUMENT TITLE: Holder, Cartridge, Belt, Cal. .38, Leather, Black, 6-Round

4. NATURE OF CHANGE (Identify paragraph number and include proposed rewrite, if possible. Attach extra sheets as needed.)

5. REASON FOR RECOMMENDATION

6. SUBMITTER

| a. NAME (Last, First, Middle Initial) | b. ORGANIZATION | |
|---|---|---|
| c. ADDRESS (Include Zip Code) | d. TELEPHONE (Include Area Code)<br>(1) Commercial<br>(2) AUTOVON (If applicable) | 7. DATE SUBMITTED (YYMMDD) |

8. PREPARING ACTIVITY

| a. NAME | b. TELEPHONE (Include Area Code) | |
|---|---|---|
| Defense Personnel Support Center<br>ATTN: DPSC-FSSD (12-3-D) | (1) Commercial<br>215-737-8105 | (2) AUTOVON<br>444-8105 |
| c. ADDRESS (Include Zip Code)<br>2800 South 20th Street<br>P. O. Box 8419<br>Philadelphia, Pennsylvania 19101-8419 | IF YOU DO NOT RECEIVE A REPLY WITHIN 45 DAYS, CONTACT:<br>Defense Quality and Standardization Office<br>5203 Leesburg Pike, Suite 1403, Falls Church, VA 22041-3466<br>Telephone (703) 756-2340 AUTOVON 289-2340 | |

DD Form 1426, OCT 89 — Previous editions are obsolete

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:44Z
Check the source to verify that this is the current version before use.