INCH-POUND
A-A-55194A
06 October 2000
SUPERSEDING
A-A- 55194
01 April 1993

COMMERCIAL ITEM DESCRIPTION

PROTECTOR, TROUSERS, PISTOL HOLSTER

This Genera1 Services Administration has authorized the use of this Commercial Item Description in preference to MIL-P-22295.

1. Scope. This commercial item description covers the requirements for one type and size trousers protector. The protectors are intended to worn with the leather pistol holster by military police of the Marine Corps and part of the Marine police equipment set.

2. Salient Characteristics. The trouser protector shall consist of two pieces of basic material each for the body, pistol holster side retainer and bottom support, stitched together with binding. The raw edges of the item shall be bound stitched (type 304) with cotton tape, (see Figure 1). The two pieces for the side retainer shall be bound together with cotton tape at the top and bottom. The bottom support pieces shall be bound together at the top raw edge. The two curvature body pieces shall be bound starting at the top and continuing around the entire protector with the side retainer and the bottom support positioned on the front part a notches and each caught in the binding (See Figure 1). Two grommets shall be provided for attaching the protector to the pistol holster. The finished protector shall be in accordance with the dimension stated on Figure 1 and capable of being worn with the leather pistol holster.

Beneficial comments, recommendations, additions, deletions, clarifications, etc. and any data which may be of use in improving this document should be addressed to: Defense Personnel Support Center, Clothing and Textiles Directorate, Attn: DPSC-COET, Bldg 6D, 700 Robbins Avenue, Philadelphia, PA 19111-5092.

AMSC N/A FSC 8465

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:44Z
Check the source to verify that this is the current version before use.

2.1 Materials.

2.1.1 Basic material. The basic material shall be cloth, uniform twill, cotton, 8.0 ounce white shade 3006, combed lxl yarn. As an alternate; cloth, twill, polyester/cotton 6.8 ounce white shade 3053 may be used.

2.1.2 Tape. The tape for binding the raw edges of the protector shall be cotton; bleached, 5/8 inch wide stay bindings, herring bone twill weave.

2.1.3 Grommets Grommets with washers shall be brass, plain type, bright finish

2.1.4 Thread. The thread shall be cotton conforming to A-A-52094, soft finish, bleached white, ticket No. 40, 3 ply for all seaming and stitching. As an alternate thread: Polyester, cotton covered; white shade, size 70 may be used.

2.2 Shade marking. The component parts shall be marked to insure a uniform shade throughout the protector. Any method of shade marking may be used except:

(a) Corrosive metal devices,

(b) Adhesive type tickets which show discoloration or leaves traces of paper or adhesive mass to the material upon removal of the tickets.

2.3 Patterns. The government shall furnish pattern. The pattern generally provides for a seam allowance of 1/8 inch for joining seams. Commercial patterns may be used in lieu of the government-furnished pattern provided they conform to the cited design and finished measurements.

2.4 Sizes and Measurements. The finished protector shall conform to the measurements on Figure 1.

2.5 Workmanship. After completion, the finished protector shall be thoroughly cleaned and all loose thread, and foreign matter removed. The item shall be free from irregularities or defects which adversely affect appearance, performance, reliability or durability, such as cuts, holes or damaged material, incomplete stitch closures, improper taping, 1oose straps, skipped stitching, damaged, omitted on inadequate stapling of grommets and washers.

3. REGULATORY REQUIREMENTS. The offeor/contractor is encouraged to use recovered materials to the maximum extent practicable, in accordance with paragraph 23.403 of the Federal Acquisition Regulation (FAR).

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:44Z
Check the source to verify that this is the current version before use.

4. QUALITY ASSURANCE PROVISISONS

4.1 Certification. The products provided shall meet the salient characteristics of this Commercial Item Description, conform to the producer's own drawings, specifications, standards and quality assurance practices, and be the same product offered for sale in the commercial market place. The Government reserves the right to require proof of such conformance.

4.2 Product Demonstration Model. When required, offerers shall submit samples of their intended production. The Product Demonstration Model will consist of units independently developed. Product Demonstration Models will be analyzed and evaluated by the government. Evaluation criteria and basis for award are contained in the solicitation. Product Demonstration Models will be retained by the government. One (1) Product Demonstration Model approved by DSCP under the resultant contract will serve as a manufacturing standard for the corresponding production items delivered under this contract, Offerers are advised that the Product Demonstration Model does not relieve the successful offerer of his responsibility to perform in accordance with the Commercial Item Description specified above.

4.3 Examination. Trouser Protector lots shall be inspected in accordance with "sampling Procedures and Tables for Inspection by Attributes", ANSI/ASQC Z1.4, published by the American Society for Quality Control and shall be inspected for the defects listed below:

4.3.1 Defects. The protector shall be examined for the following defects: any hole, cut, tear, color not as specified; any spot or stain (outside); thread ends not removed any part shaded; tape not tightly woven, frayed edges improperly or loosely applied, ends not overlapped, Grommets with washers broken, split/ malformed, misplaced or omitted, not securely clinched, clinched to tightly, improperly set, location not within specified tolerance, not proper size specified; seams/stitching open, broken or skipped stitches, wrong seam or stitch type, loose tension, puckering of fabric on seams, measurement of item not as specified; bar code omitted or not readable by scanner; human-readable interpretation (HRI) omitted or illegible; bar code not visible on folded, packaged item; bar code causes damage to the item; any items not packaged in accordance with the contract or purchase order.

4.4 Acceptance criteria. Acceptance criteria shall be as specified in the contract or purchase order.

5. PACKAGING

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:44Z
Check the source to verify that this is the current version before use.

5.1 Preservation, Packing. and Marking. The preservation, packing, and marking shall be as specified in the contract or order.

6. NOTES

6.1 Source of Government Documents. Copies of Military and Federal documents are available from:

Standardization Documents Order Desk
Bldg. 4D
700 Robbins Avenue
Philadelphia' PA 19111-5094

Sources of Nongovernment documents.

ANSI/ASQC Z1.4 – Sampling procedures and Tables for Inspection by Attributes.

(Applications for copies should be addressed to American Nationa1 Standards Institute, 1430 Broadway, New York, NY 10018-3308.)

ASTM-D 3951 – Standard Practice for Commercial Packaging

(Applications for copies should be addressed to American Society for Testing and Materials, 100 Barr Harbor Drive, Philadelphia, PA 19428.)

Custodian:
Navy - MC

Civil Agency Coordinating Activity;
GSA ~ FSS

Preparing Activity:
DLA - CT

Project No . 8 4 6 5 - 0 310

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:44Z
Check the source to verify that this is the current version before use.




FIGURE 1. PROTECTOR, TROUSERS, PISTOL HOLSTER

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:44Z
Check the source to verify that this is the current version before use.