INCH-POUND
MIL-S-22885/108B
AMENDMENT 1
1 July 1997

MILITARY SPECIFICATION SHEET

SWITCHES, PUSHBUTTON, ILLUMINATED, 4-LAMP, 0.750 SQUARE, SPDT, DPDT, 4PDT SILVER CONTACTS - 2 CIRCUIT (5 AMPERES) OR SPDT (7.5 AMPERES); GOLD CONTACTS - LOW LEVEL TO 1 AMPERE, SUNLIGHT READABLE DISPLAY (DRIPPROOF, WATERTIGHT, SPLASHPROOF, EMI/RFI SHIELDING, HIGH IMPACT SHOCK RESISTANT, COMMON TERMINATION SYSTEM, NIGHT VISION GOGGLE COMPATIBLE)

This amendment forms a part of MIL-S-22885/108B, dated 10 December 1991, and is approved for use by all Departments and Agencies of the Department of Defense.

PAGE 24

Material, panel mounting spacer: Delete and substitute:

"Panel mounting spacer: Corrosion resistant steel, black, or thermoplastic, black for type I, type III and type V. Thermoplastic, black for type II, type IV and type VI."

PAGE 25

Weight: Delete "Connector..." and substitute "4 pole connector (CTS): 6 grams maximum."

Type I (solder terminations): Delete "18" and substitute "19".

Type II (solder terminations): Delete "20" and substitute "21".

PAGE 26

Sunlight readability (display type S), requirements, second sentence, delete: "(0.4 minimum for blue)" and substitute: "(and NVIS red)".

PAGE 27

Night vision imaging system (NVIS) compatibility: Add:

"NVIS Green A: Shall meet all MIL-L-85762 requirements for illuminated controls for type I, class A and type II, class B equipment."

After NVIS Yellow: Add:

"NVIS Red: Shall meet all MIL-L-85762 requirements for warning signals for type II, class B equipment."

After night vision paragraph: Add:

"Lens module pushbutton caps containing NVIS compatible displays are marked with NVIS Type ( ), Class ( ), in accordance with MIL-L-86762."

PAGE 28

After Group A inspection: Add:

"Group B inspection: See table XVII."

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-19T14:37Z
Check the source to verify that this is the current version before use.

PAGE 30

TABLE III: Delete and substitute:

"TABLE III. Illuminated chromaticity limits and luminance for NVIS night vision goggle compatible, sunlight readable displays (type S).

Color	Color code	u' 1/	v' 1/	r 1/	Minimum average character luminance with or without EMI/RFI shielding
NVIS Green A	P	.088	.543	.037	200 foot Lamberts
NVIS Green B 2/	J	.131	.623	.057	200 foot Lamberts
NVIS Yellow 2/	K	.274	.622	.083	200 foot Lamberts
NVIS Red 2/	S	.450	.550	.060	200 foot Lamberts

1/ Chromaticity is expressed as u' and v' coordinates of the 1976 UCS diagram. The values shown describe a circle with center at u', v', and of radius r.
2/ The area enclosed by the described circle intersecting the spectral locus is the envelope limiting the acceptable color space."

PAGE 36

Add:

"TABLE XVII. Group B inspection.

Inspection 1/	Test sample PIN's and sample numbers																
	M22885/108544E2								M22885/1085861E2				M22885/ 1083444E2		M22885/ 108BC4E2		
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	2/
Visual and mechanical	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
Solderability													X	X			
Shock I	X	X															
Shock II									X	X							
Moisture resistance	X	X							X	X							
Salt spray			X	X													
Overload cycling					X	X									X	X	
Electrical endurance - inductive dc															X	X	
Electrical endurance - resistive dc					X	X											
Mechanical endurance							X	X									
Low level life											X	X					
Color																	X
Luminance																	X
Sunlight readability																	X
NVIS compatibility																	X
Dielectric withstanding voltage					X	X									X	X	
Operating characteristics	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	
Seal									X	X							
Marking visibility	X	X	X	X					X	X							

1/ All tests shall be performed as required by table XV.
2/ Two samples of each color."

Source: https://assist.dla.mil -- Downloaded: 2026-10-19T14:37Z
Check the source to verify that this is the current version before use.

Custodians:
Army - CR
Navy - EC
Air Force - 85

Review activities:
Army - AR, AV, MI
Navy = AS, MC, OS, SH
Air Force - 19, 99

Preparing activity:
DLA - CC

(Project 5930-1627)

Source: https://assist.dla.mil -- Downloaded: 2026-10-19T14:37Z
Check the source to verify that this is the current version before use.