MILITARY SPECIFICATION

CHART SET, ANATOMICAL

1. SCOPE

1.1 This specification covers a complete set of anatomical charts, especially designed for use by medical personnel, mounted in a map case for wall mounting.

2. APPLICABLE SPECIFICATIONS AND STANDARDS

2.1 Specifications. - The following specifications and standards, of the issue in effect on date of invitation for bids, form a part of this specification.

FEDERAL SPECIFICATIONS

NN-B-621	Boxes; Wood, Nailed and Lock-Corner.
LLL-B-631	Boxes; Fiber, Corrugated (for Domestic Shipment).
LLL-B-636	Boxes; Fiber, Solid (for Domestic Shipment).

MILITARY SPECIFICATIONS

JAN-P-106	Packaging and Packing for Overseas Shipment - Boxes, Wood, Nailed.
JAN-P-125	Packaging and Packing for Overseas Shipment - Barrier-Materials, Waterproof, Flexible.
JAN-P-140	Packaging and Packing for Overseas Shipment - Adhesives, Water-Resistant, Case-Liner.
MIL-M-3157	Marking of Domestic Shipments by Contractors For Supplies and Equipment Consigned to the Medical Departments of the Armed Services.

MILITARY STANDARD

MIL-STD-105	Sampling Procedures and Tables for Inspection by Attributes.

(Copies of specifications and standards required by contractors in connection with specific procurement functions should be obtained from the procuring agency or as directed by the contracting officer.)

(Army. - Copies of specifications should be obtained from the procuring agency or as directed by that agency. Both the title and identifying number or

Source: https://assist.dla.mil -- Downloaded: 2026-10-18T09:01Z
Check the source to verify that this is the current version before use.

symbol should be stipulated when requesting copies.)

(Navy. - Copies of Federal, Military, and Navy Department specifications may be obtained upon application to the Bureau of Supplies and Accounts, Navy Department, Washington 25, D. C., except that activities of the Armed Forces should make application to the Commanding Officer, Naval Supply Depot, Scotia 2, N. Y. Both the title and identifying number or symbol should be stipulated when requesting copies.)

(Air Force. - Copies of Federal and Military specifications may be obtained upon application to the Commanding General, Air Materiel Command, Wright-Patterson Air Force Base, Dayton 1, Ohio. Both the title and identifying number or symbol should be stipulated when requesting copies.)

3. REQUIREMENTS

3.1 Material. - Material shall be of the highest quality throughout, durable and suitable in all respects for the purpose intended, and as hereinafter specified.

3.1.1 Charts. - Charts shall be lithographed in natural colors on best quality offset paper, backed with durable muslin and hand mounted.

3.1.2 Chart case. - Chart case shall be of the best quality hardwood, sanded smooth, having all corners and edges rounded.

3.2 Construction. - Each chart set shall consist of a hardwood mounting frame holding ten life size charts. Frame shall be constructed of not less than 3 by 3/4 inch sides and ends with spring roller mounting side inserts of the same material. Side inserts shall be provided with necessary hardware to permit insertion and removal of individual charts. Frame shall be sturidly constructed and bolted together to provide a rigid frame with necessary hardware for wall mounting. Frame shall be finished with clear lacquer or enamel. All hardware shall be black oxidized or given a similar rust-resistant treatment.

3.2.1 Charts. - Each chart shall be provided with a spring roller, bottom roller and dustproof cover of artificial leather. Each chart shall be labeled with the title and number. A finger ring shall be located in the center of each bottom roller.

3.2.2 Dimensions. - Over-all dimensions of chart shall be approximately 64 inches in length by 42 inches in width.

3.2.3 Identification marking. - Each chart shall be permanently and legibly marked with the name of the manufacturer or registered trademark.

3.2.4 Description. - The chart set shall consist of ten charts comprising 76 illustrations, life-sized or larger of the various parts of the human body, all accurately lithographed in nonfading natural colors. The charts shall be the American Frohse Anatomical Charts as published by A. J. Nystrom & Company. The illustrations shall be subdivided as follows:

Source: https://assist.dla.mil -- Downloaded: 20260-18T09:01Z
Check the source to verify that this is the current version before use.

Chart No.	Title
1	(1a- Human Skeleton, Front View (1b- Human Skeleton, Back View
2	(2a- The muscles, Front View (2b- The muscles, Back View
3	(3a- The Nervous System (3b- Circulatory System
4	(4a- Schematic Diagram of Circulation (4b- The Heart and Principal Blood Vessels greatly magnified (4c- The skin, greatly magnified
5	(5a- The Ear, greatly magnified (5b- The Eye, greatly magnified
6	(6a- Viscera of the Chest and Abdomen A (6b- Viscera of the Chest and Abdomen B (6c- Viscera of the Chest and Abdomen C (6d- Viscera of the Chest and Abdomen D

Sequence charts showing the internal organs by 4 successive stages of elimination.

Chart No.	Title
7	The Head, Mouth and Throat in five figures
8	The Digestive System
9	The Endocrine Glands
10	(10a - Male Genito - Urinary Organs (10b - Female Genito - Urinary Organs

3.3 Manual. - Each chart set shall be provided with a manual or index in book-form. Each anatomical part shall be numbered on the charts and the manual shall list the numbers with the corresponding names of the numbered parts in both English and Latin.

3.4 Workmanship. - Workmanship shall be first class throughout. Charts shall be free from defects which detract from their appearance or may impair their serviceability.

4. SAMPLING, INSPECTION, AND TEST PROCEDURES

4.1 Sampling. - Unless otherwise specified, samples will be submitted in accordance with instructions furnished by the procuring activity. In addition, inspection at contractor's facility by inspector will be conducted in accordance with the procedures set forth in Standard MIL-STD-105.

Source: https://assist.dla.mil -- Downloaded: 202640-18T09:01Z
Check the source to verify that this is the currentversion before use.

4.2 Inspection. - Inspection may be made throughout the entire process of manufacture. The passing as satisfactory of any detail of construction or materials shall not relieve the contractor of responsibility for faulty workmanship or materials which may be discovered at any time prior to final acceptance. Final inspection of the finished article shall be made either at point of production or at point of delivery designated in the contract or purchase order of procuring agency. In case of factory inspection, every facility shall be afforded inspectors, by the manufacturer, for the prosecution of their work.

4.3 Tests. - Tests shall be conducted in accordance with applicable specifications, as necessary, to determine compliance with this specification.

5. PREPARATION FOR DELIVERY

5.1 Packaging. -

5.1.2 Unit packaging. - One chart set, as specified, constitutes one unit. Each unit shall be packaged in a solid fiberboard or double-faced corrugated fiberboard carton, of appropriate size and design, constructed in accordance with Specification LLL-B-631 or LLL-B-636. Each carton shall be adequately secured to prevent accidental opening. Carton shall be designed with suitable interior fittings or shall contain sufficient cushioning material to insure against shifting of, or damage to the contents.

5.2 Packing.-

5.2.1 For domestic shipment. - Each unit carton (1 unit) shall be overpacked in an exterior container constructed in accordance with Specification NN-B-621.

5.2.2 For overseas shipment. - Each unit carton (1 unit) shall be overpacked in an exterior container designed for type 2 load, and constructed in accordance with Specification JAN-P-106. Closure and strapping shall comply with appendix thereto. Each box shall be lined with a waterproof barrier (bag) conforming to Specification JAN-P-125. Closures shall be completely sealed by a continuous seam of water-resistant adhesive at least 3/4 inch wide and conforming to Specification JAN-P-140.

5.3 Marking. -

5.3.1 Interior packages. -Each carton shall be marked with stock number, nomenclature, unit, quantity, and name of contractor.

5.3.2 Shipping container. - Shipping container shall be marked in accordance with Specification MIL-M-3157.

6. NOTES

6.1 Ordering data. - Procurement documents should specify the following:

a. Title, number, and date of this specification.
b. Sampling required (see 4.1).
c. Inspection required (see 4.2).
d. Place of final inspection (see 4.2).

Source: https://assist.dla.mil -- Downloaded: 202610-18T09:01Z
Check the source to verify that this is the current version before use.

e. Whether domestic or overseas shipment is required (see 5.2).

6.2 This specification covers the following item appearing in the Armed Services Catalog of Medical Materiel:

7-749-010 Chart Set, Anatomical.

6.3 This specification does not include all types, classes, grades, sizes, etc., of the commodity indicated by the title of the specification, or which are commercially available, but is intended to cover the types, etc., which are normally procured to meet Military requirements.

Notice. When Government drawings, specifications, or other data are used for any purpose other than in connection with a definitely related Government procurement operation, the United States Government thereby incurs no responsibility nor any obligation whatsoever; and the fact that the Government may have formulated, furnished, or in any way supplied the said drawings, specifications, or other data is not to be regarded by implication or otherwise as in any manner licensing the holder or any other person or corporation, or conveying any rights or permission to manufacture, use, or sell any patented invention that may in any way be related thereto.

Custodian:
BuM&S

Source: https://assist.dla.mil -- Downloaded: 2026-10-18T09:01Z
Check the source to verify that this is the current version before use.

Source: https://assist.dla.mil -- Downloaded: 2026-10-18T09:01Z
Check the source to verify that this is the current version before use.