MILITARY SPECIFICATION

SUPPRESSORS, VOLTAGE-SURGE; SELENIUM TYPE

This amendment forms a part of Military Specification MIL-S-24602(SH), dated 19 May 1981, and is approved for use by the Naval Sea Systems Command, Department of the Navy and is available for use by all Departments and Agencies of the Department of Defense.

PAGE 1

At the bottom of page, Beneficial comments statement, lines 3 and 4: Delete "3112" and substitute "55Z3". Add "-5101" after "20362".

PAGE 5

1.2.1.9, last line: Delete "assigned when qualification is granted (see 1.2.1.10)."

PAGE 6

3.1: Delete and substitute:

"3.1 First article. When specified (see 6.2.1), a sample shall be subjected to first article inspection (see 4.3 and 6.3)."

PAGE 10

3.15.1, line 2: Delete "qualification" and substitute "first article".

PAGE 11

3.15.1, lines 8 through 14: Delete "A data list ---- standards, and publications."

3.15.1.1, item (a), lines 2 and 3: Delete "qualification" and substitute "first article".

3.15.1.2, item (e), line 3: Delete "qualification" and substitute "first article".

PAGE 12

3.15.2, line 4: Delete "qualification" and substitute "first article".

3.15.2, item (c), line 3: Delete "qualification" and substitute "first article".

FSC 6130

DISTRIBUTION STATEMENT A Approved for public release; distribution unlimited

Source: https://assist.dla.mil -- Downloaded: 2026-10-19T23:14Z
Check the source to verify that this is the current version before use.

PAGE 13

3.15.3, line 13: Delete "qualification" and substitute "first article".

4.2, item (a): Delete "Qualification" and substitute "First article".

PAGE 14

4.3: Delete and substitute:

"4.3 First article inspection. First article inspection shall be conducted at a laboratory satisfactory to the Naval Sea Systems Command (NAVSEA). First article inspection shall consist of the examination and tests specified in tables III, IV, and V, as applicable. For purposes of inspecting a series of products of a particular family or product line, sampling shall be as specified in 4.3.1 with first article inspection in accordance with 4.3.2 and 4.3.3. For purposes of inspecting individual suppressors independently of a series or product line, sampling and inspection shall be as specified in 4.3.4."

4.3.1, line 1: Delete "qualification" and substitute "first article".

4.3.1, line 3: Delete "qualification" and substitute "first article".

4.3.1, line 11: Delete "qualified" and substitute "inspected".

4.3.1, line 14: Delete "qualified" and substitute "inspected".

PAGE 15

Table III, title: Delete "Qualification" and substitute "First article".

Table IV, title: Delete "Qualification" and substitute "First article".

4.3.4: Delete and substitute:

"4.3.4 Sampling and first article inspection (for individual suppressors). Offerers may sample individual suppressors in lieu of a series or family line. In such cases, a sample of each different suppressor shall be subjected to the first article inspection in accordance with table V. A sample shall consist of two specimens, or, at the offerer's option, one specimen may be subjected to all of the tests of table V. Examination and test shall be conducted in the order listed in table V. Specimens subjected to first article inspection are not acceptable for delivery as part of a production lot."

Source: https://assist.dla.mil -- Downloaded: 2026-10-19T23:14Z
Check the source to verify that this is the current version before use.

PAGE 16

Table V, title: Delete "Qualification" and substitute "First article".

4.3.5: Delete and substitute:

"4.3.5 Data required with request for authorization of first article tests. In submitting requests for authorization of first article tests, the contractor shall include the following information for use by NAVSEA in selecting the sizes of cells to be tested:

(a) Three prints of a master drawing as specified in 3.15.1 for each type and process (including forming) for which first article is desired and three prints of each tabulated detail drawing as specified in 3.15.2 for each family group of products for which first article is desired.
(b) Description of the methods to be employed in conducting the inspection tests in accordance with the option of 4.5.1.1, evidence of correlation of the acceptance criteria under the test conditions with the specified requirements, and certification of compliance with the requirements of 4.5.1.1 together with substantiating evidence."

PAGE 17

4.4.4, lines 14 and 15: Delete "qualification" and substitute "first article".

4.4.4, line 17: Delete "on the qualified products list".

4.4.4, lines 20 and 21: Delete "from the qualified products list."

PAGE 18

4.5.1, line 1: Delete "qualification" and substitute "first article".

PAGE 20

4.5.7.2.1, line 1: Delete "qualification" and substitute "first article".

PAGE 25

6.2.1, add item (f):

"(f) Whether first article inspection is required (see 4.3 and 6.3)."

Source: https://assist.dla.mil -- Downloaded: 2026-10-19T23:14Z
Check the source to verify that this is the current version before use.

6.2.2, add:


"4.3	First article inspection report	DI-T-4902"

6.3: Delete and substitute:

"6.3 First article inspection. Invitations for bids should provide that the Government reserves the right to waive the requirement for samples for first article inspection as to those bidders offering a product which has been previously acquired or tested by the Government, and that bidders offering such products, who wish to rely on such production or test, must furnish evidence with the bids that prior Government approval is presently appropriate for the pending contract."

6.3.1: Delete.

Preparing activity:
Navy - SH
(Project 6130-N248)



Source: https://assist.dla.mil -- Downloaded: 2026-10-19T23:14Z
Check the source to verify that this is the current version before use.