MIL-D-28728/3A
6 December 1971
SUPERSEDING
MIL-D-28728/3
27 February 1970


MILITARY SPECIFICATION SHEET

DIAL, CONTROL, MULTITURN COUNTERS

10-TURN COUNTER, CONCENTRIC (1.810-INCH DIAMETER)

The complete requirements for procuring the dial described herein shall consist of this document and the latest issue of Specification MIL-D-28728.

This specification is mandatory for use by all Departments and Agencies of the Department of Defense.



INCHES	MM	INCHES	MM	INCHES	MM
.001	.03	.251	6.38	1.000	25.40
.010	.25	.29	7.37	1.063	27.00
.031	.79	.50	12.70	1.81	45.97
.032	.81	.69	17.53		
.25	6.35	.75	19.05		

NOTES:
1. Dimensions are in inches.
2. Metric equivalents (to the nearest .01 mm) are given for general information only and are based upon 1 inch = 25.4 mm.
3. Unless otherwise specified, tolerances are ±.02(.51 mm) for decimals and ±5° for angles.
4. Application data; for use with tuning or selecting mechanism having 3/8-32 UNEF-2A bushing.
5. Numerals and graduations - indented and black filled.
6. Increment scale detail shall be as shown.
7. One or more set screws permitted.

Ⓐ denotes change.

FSC 5355

Source: https://assist.dla.mil -- Downloaded: 20261010-20T13:51Z
Check the source to verify that this is the current version before use.

REQUIREMENTS:

Form and dimensions: See figure.

Numeral size: .100 inch high.

Rotation: Continuous clockwise or counterclockwise; clockwise for increase in count.

Number of turns: 10.

Materials:
Cover - metal.
Knob - black polydtyrol.
Counting dial - zinc die cast.

Colors:
Lusterless gray, no. 36231
Lusterless white, no. 37875
} per FED-STD-595.

Weight: 3 ounces maximum.

Method of count: Concentric scale increment dial has 100 divisions; turnscounting dial numbered 0 through 10. Epicyclic gear movement.

Operating temperature range: -55°C to +85°C.

Locking brake torque: 12 inch-pounds minimum.

Readout accuracy: .01 percent of full count.

Part number: M28728/3-001.

Custodians:
Army - EL
Navy - EC
Air Force - 11

Review activities:
Army - MI
Navy -
Air Force - 11, 80
DSA - ES

User activities:
Army - MU, ME
Navy - SH, OS
Air Force - 17

Preparing activity:
Navy - EC

Agent:
DSA - ES

(Project 5355-0098)

Source: https://assist.dla.mil -- Downloaded: 20260-20T13:51Z
Check the source to verify that this is the current version before use.

SPECIFICATION ANALYSIS SHEET

Form Approved
Budget Bureau No. 22-R255

INSTRUCTIONS: This sheet is to be filled out by personnel, either Government or contractor, involved in the use of the specification in procurement of products for ultimate use by the Department of Defense. This sheet is provided for obtaining information on the use of this specification which will insure that suitable products can be procured with a minimum amount of delay and at the least cost. Comments and the return of this form will be appreciated. Fold on lines on reverse side, staple in corner, and send to preparing activity. Comments and suggestions submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or serve to amend contractual requirements

SPECIFICATION

ORGANIZATION

CITY AND STATE | CONTRACT NUMBER

MATERIAL PROCURED UNDER A

☐ DIRECT GOVERNMENT CONTRACT ☐ SUBCONTRACT

1. HAS ANY PART OF THE SPECIFICATION CREATED PROBLEMS OR REQUIRED INTERPRETATION IN PROCUREMENT USE?

A. GIVE PARAGRAPH NUMBER AND WORDING.

B. RECOMMENDATIONS FOR CORRECTING THE DEFICIENCIES

2. COMMENTS ON ANY SPECIFICATION REQUIREMENT CONSIDERED TOO RIGID

3. IS THE SPECIFICATION RESTRICTIVE?

☐ YES ☐ NO *(If "yes", in what way?)*

4. REMARKS *(Attach any pertinent data which may be of use in improving this specification. If there are additional papers, attach to form and place both in an envelope addressed to preparing activity)*

SUBMITTED BY *(Printed or typed name and activity - Optional)* | DATE

DD FORM 1 JAN 66 1426

REPLACES EDITION OF 1 OCT 64 WHICH MAY BE USED.

S/N-0102-014-1801 C-25354

Source: https://assist.dla.mil -- Downloaded: 202610-20T13:51Z
Check the source to verify that this is the current version before use.

FOLD

DEPARTMENT OF THE NAVY
NAVAL ELECTRONIC SYSTEMS COMMAND
WASHINGTON, D. C. 20360

POSTAGE AND FEES PAID
NAVY DEPARTMENT

OFFICIAL BUSINESS

COMMANDER
NAVAL ELECTRONIC SYSTEMS COMMAND
DEFENSE STANDARDIZATION PROGRAM BRANCH
DEPARTMENT OF THE NAVY
WASHINGTON, D. C. 20360

FOLD

Source: https://assist.dla.mil -- Downloaded: 2026-10-20T13:51Z
Check the source to verify that this is the current version before use.

NOTICE OF GROUP VALIDATION

INCH-POUND

MIL-D-28728B
NOTICE 1
25 February 1991

MILITARY SPECIFICATION

DIAL, CONTROL, MULTI-TURN COUNTERS
GENERAL SPECIFICATION FOR

The following military specification sheets of MIL-D-28728B have been reviewed and are determined to be valid for use in acquisition as listed below:

Document	Date
MIL-D-28728/2B	03 September 1986
/3A	06 December 1971
/7	15 May 1970

Preparing activity:
Navy - EC

Agent:
DLA-GS

AMSC N/A

FSC 5355

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-20T13:51Z
Check the source to verify that this is the current version before use.