

FED. SUP CLASS
1670





ASSEMBLY

PART NO. MS70085-1
SIZE 1/2"

DASH NO
-1

ENTIRE STANDARD REVISED

APPROVED 19FEB 63 REVISED 4-30DEC 64, 8-23AUG 68, C-31DEC 69, D-30MAR 84

USER ACTIVITIES:

REVIEWER ACTIVITIES:
ARMY - AV
USAF - 11, 82

This military standard is approved for use by all Departments and Agencies of the Department of Defense. Selection for all new engineering and design applications and for repetitive use shall be made from this document

P. A. ARMY-GL Other Cust USAF-99	INTERNATIONAL INTEREST	TITLE: CLEVIS, TIE DOWN, AIR DELIVERY TYPE II	MILITARY STANDARD MS 70085
PROCUREMENT SPECIFICATION MIL-C-40137	SUPERSEDES:		SHEET 1 OF 3


DD FORM 1 MAY 73 672-1 (COORDINATED)

PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE


PROJECT NUMBER 1670-0689

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:25Z
Check the source to verify that this is the current version before use.

FED. SUP CLASS
1670



ITEM	PART NO
ASSEMBLY SIZE 5/8"	MS70085-2
BODY	MS70085-2-1
SLEEVE	MS70085-2-2



ASSEMBLY

REQUIREMENTS:

EXCEPT AS SPECIFIED HEREIN, REQUIREMENTS SHALL BE IN ACCORDANCE WITH THE PROCUREMENT SPECIFICATION

MATERIAL	- -1, -2, CLEVIS BODY - STEEL, ALLOY AISI/SAE 4130/4140 CONFORMING TO COMPOSITION REQUIREMENTS OF FED. STD.NO. 66
	- SLEEVE - TUBE, STEEL, SEAMLESS, CD, CONFORMING TO ASTM A 513 or ASTM A 519
METHOD OF FORMING	- FORGING
TOLERANCES	- UNLESS OTHERWISE SPECIFIED, COMMERCIAL, TOLERANCES FOR IMPRESSION DIE FORGINGS DEVELOPED BY THE DROP FORGING ASSOCIATION SHALL APPLY
HEAT TREATMENT	- -1, -2, CLEVIS BODY - HEAT TREAT TO 150,000 - 170,000 PSI ULTIMATE TENSILE STRENGTH IN ACCORDANCE WITH MIL-H-6875
AS FORGED SURFACES	- 250 RHR MAX. MACHINED SURFACES - AS SHOWN, IN ACCORDANCE WITH AMERICAN NATIONAL STANDARD - ANSI 46.1
PROTECTIVE FINISH	-1, -1, CLEVIS BODY AND -2 SLEEVE COATING, IMMERSION ZINC FLAKE/ CHROMATE DISPERSION PER MIL-C-87115, CLASS 3

NOTES:

1. FOR DESIGN FEATURE PURPOSES, THIS STANDARD TAKES PRECEDENCE OVER PROCUREMENT DOCUMENTS REFERENCED HEREIN.
2. REFERENCED DOCUMENTS SHALL BE OF THE ISSUE IN EFFECT ON DATE OF INVITATIONS FOR BIDS, OR REQUEST FOR PROPOSAL, EXCEPT THAT REFERENCED ADOPTED INDUSTRY DOCUMENTS SHALL GIVE THE DATE OF THE ISSUE ADOPTED

USER ACTIVITIES:

REVIEWER ACTIVITIES:
ARMY - AV
USAF - 11, 82

APPROVED 19 FEB 63 REVISED 0 - 30 MAR 84

This military standard is approved for use by all Departments and Agencies of the Department of Defense. Selection for all new engineering and design applications and for repetitive use shall be made from this document

P. A.	INTERNATIONAL INTEREST	TITLE	MILITARY STANDARD
ARMY-GL Other Cust USAF-99		CLEVIS, TIE DOWN, AIR DELIVERY TYPE II	MS 70085
PROCUREMENT SPECIFICATION MIL-C-40137	SUPERSEDES:		SHEET 2 OF 3

DD FORM 1 MAY 73 672-1 (COORDINATED) PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE


PROJECT NUMBER 1670-0689


Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:25Z
Check the source to verify that this is the current version before use.

END ITEM EXAMINATION


CRITICAL DIMENSION - CRITICAL FUNCTION TEST


FED. SUP CLASS 1670





DASH NO
-1





DASH NO
-2

CRITICAL DIMENSIONS: AS SHOWN

CRITICAL FUNCTION TEST - PROOF LOADS

APPROVED 30 MAR 84 REVISED

USER ACTIVITIES:

REVIEWER ACTIVITIES:
ARMY - AV
USAF - 11, 82

This military standard is approved for use by all Departments and Agencies of the Department of Defense. Selection for all new engineering and design applications and for repetitive use shall be made from this document

P. A. ARMY - GL Other Cust USAF - 99	INTERNATIONAL INTEREST	TITLE CLEVIS, TIE DOWN, AIR DELIVERY TYPE II	MILITARY STANDARD MS 70085
PROCUREMENT SPECIFICATION MIL-C-40137	SUPERSEDES:		SHEET 3 OF 3

DD FORM 1 MAY 73 672-1 (COORDINATED)

PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:25Z
Check the source to verify that this is the current version before use.