INCH-POUND

MIL-DTL-3943/231C
21 July 2016
SUPERSEDING
MIL-DTL-3943/231B
11 April 2016

DETAIL SPECIFICATION SHEET

MEDAL, ARMED FORCES RESERVE

This specification is approved for use by all
Departments and Agencies of the Department of Defense

The requirements for acquiring the product described herein shall consist of this specification sheet and the latest issue of MIL-DTL-3943.



OBVERSE



ARMY
REVERSE



MARINE CORPS
REVERSE



NAVY
REVERSE

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T01:36Z
Check the source to verify that this is the current version before use.



NATIONAL GUARD

REVERSE



AIR FORCE

REVERSE



COAST GUARD

REVERSE

DASH NO.
- -1: Air Force, Regular Size
- -2: Army, Regular Size
- -3: Coast Guard, Regular Size
- -4: Navy, Regular Size
- -5: Marine Corps, Regular Size
- -6: National Guard Regular Size
- -7: Air Force, Miniature Size
- -8: Army, Miniature Size
- -9: Navy, Miniature Size
- -10: Marine Corps, Miniature Size
- -11: National Guard, Miniature Size

MATERIAL (-1 and -2): Red Brass 85/15 (UNS Alloy No. C230)

FINISH: Brass, Oxidized, Buffed Relieved and shall match The Institute of Heraldry (TIOH) Metal Finish Chip Number 4.

DIMENSION:

DIAMETER:
- -1 through -6: 1-1/4 inches (REF)
- -7 through -11: 5/8 inch (REF)

THICKNESS (At thickest point):
- -1, -3, -6: 0.165 inch $\pm$ 0.010 inch
- -2, -4, -5: 0.170 inch $\pm$ 0.010 inch
- -7 through -11: 0.110 inch $\pm$ 0.010 inch

DECORATION SET: The decoration set shall consist of a regular size medal and a service ribbon. The presentation case shall be as specified by the procuring agency.

NOTES:

1. The term (REF) refers to the measurements taken from the Government furnished hub or die.

2. The specification slash sheet for the ribbon for the pendant drape and service ribbon is MIL-DTL-11589/13.

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T01:36Z
Check the source to verify that this is the current version before use.

3. For commercial sale only may be manufactured using 24K Gold Plate Mirror-like Polished and shall match TIOH Metal Finish Chip Number 6.

CHANGES FROM PREVIOUS ISSUE: The margins of this specification are marked with vertical lines to indicate where changes from the previous issue were made. This was done as a convenience only and the Government assumes no liability whatsoever for any inaccuracies in these notations. Bidders and contractors are cautioned to evaluate the requirements of this document based on the entire content irrespective of the marginal notations and relationship to the last previous issue.

Custodians:
Army - IH
Air Force - 11
Navy - NU

Preparing activity:
Army - IH

Review activities:
Navy - MC, CG1
DLA - CT

(Project No. 8455-2016-629)

NOTE: The activities listed above were interested in this document as of the date of this document. Since organizations and responsibilities can change, you should verify the currency of the information above using the ASSIST Online database at https://assist.dla.mil.

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T01:36Z
Check the source to verify that this is the current version before use.