METRIC
A-A-52559A
20 October 2010
SUPERSEDING
A-A-52559
27 February 1996

COMMERCIAL ITEM DESCRIPTION

GUARD, ROADWAY CROSSING (METRIC)

The General Services Administration has authorized the use of this commercial item description (CID) for all federal agencies.

1. SCOPE. This CID covers a roadway crossing guard made of sheet steel to be used with a 102 millimeter (mm) (4 inch (in.)), lightweight, collapsible hoseline system.

2. SALIENT CHARACTERISTICS

2.1 Material. Unless otherwise specified (see 6.2), material shall be sheet steel in accordance with ASTM A1008/A1008M or A1011/A1011M. Material not specified shall be selected by the contractor and shall be subject to all provisions of this specification.

2.1.1 Material deterioration prevention and control. The guard shall be fabricated from compatible materials, inherently corrosion resistant or treated to provide protection against the various forms of corrosion and deterioration that may be encountered in any of the applicable operating and storage environments.

2.1.2 Dissimilar metals. Dissimilar metals shall not be used in intimate contact with each other unless protected against galvanic corrosion.

2.2 Design and construction. Guards shall be as specified in figure 1.

2.2.1 Performance.

Beneficial comments, recommendations, additions, deletions, clarifications, etc. and any data that may improve this document should be sent to DAMI_STANDARDIZATION@conus.army.mil or U.S. Army RDECOM, Tank Automotive Research, Development and Engineering Center, ATTN: RDTA-EN/STND/TRANS MS #268, 6501 E. 11 Mile Road, Warren, MI 48397-5000. Since contact information can change, you may want to verify the currency of this address information using the ASSIST Online database at https://assist.daps.dla.mil.

ASMC N/A FSC 3835

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:13Z
Check the source to verify that this is the current version before use.

2.2.1.1 Treatment and painting. Unless otherwise specified in the contract or order (see 6.2), the guard shall be cleaned, treated and painted in accordance with the contractor's commercial practice.

2.3 Identification and markings. Identification and markings of the guard shall be permanent and legible and shall include, as a minimum, the manufacturer's identification code (CAGE), the contract number, the part identification number (PIN) AA52559-1 (see 6.2), and the national stock number (NSN).

3. REGULATORY REQUIREMENTS

3.1 Recovered material. Recycled, recovered, or environmentally preferable materials should be used to the maximum extent possible provided that the material meets or exceeds the operational and maintenance requirements, and promotes economically advantageous life cycle costs. The offeror/contractor is encouraged to use recovered materials to the maximum extent practicable, in accordance with paragraph 23.403 of the Federal Acquisition Regulation (FAR).

4. QUALITY ASSURANCE PROVISIONS


4.1 Responsibility for inspection. The contractor is responsible for the performance of all inspections (examinations and tests).

4.2 Contractor certification. The contractor shall certify and maintain substantiating evidence that the product offered meets the salient characteristics of this CID and that the product conforms to the producer's own drawings, specifications, workmanship standards, and quality assurance practices. Items with known defects shall not be submitted for Government acceptance. The Government reserves the right to require proof of such conformance prior to the first delivery and thereafter as may be otherwise provided for under the provisions of the contract.

5. PACKAGING

5.1 Preservation, packing, and marking. Preservation, packing, and marking shall be as specified in the contract or order (see 6.2).

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:13Z
Check the source to verify that this is the current version before use.



NOTE: All dimensions are in millimeters. Unless otherwise specified, tolerances are as follows:
one place (.X) nominal
two places (.XX) ±1.5 mm

FIGURE 1. Roadway crossing guard.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:13Z
Check the source to verify that this is the current version before use.

6. NOTES

(This section contains information of a general or explanatory nature that may be helpful, but is not mandatory.)

6.1 Addresses for obtaining copies of referenced documents.

6.1.1 Government publications. Copies of the Federal Acquisition Regulation (FAR) can are available from Government Printing Office, 732 North Capitol St. NW, Washington, DC 20401 or website: http://www.acquisition.gov/FAR/.

6.1.2 Non-Government documents. Copies of ASTM A1008/1008M and ASTM A1011/1011M are available from American Society for Testing and Materials (ASTM), 100 Barr Harbor Drive, West Conshohocken, PA 19428-2959 or www.astm.org.

6.2 Ordering data. Acquisition documents should specify the following:

a. Title, number, and date of this CID.
b. If required, the specific issue of individual documents referenced.
c. Material, if other than as specified or if to be specified by the contractor (see 2.1)
d. Treatment and painting, if other than as specified (see 2.2.1.1).
e. PIN and quantity of guards required (see 2.3).
f. Selection of applicable level and packaging requirements (see 5.1).

6.3 Cross-reference data. Guards conforming to this CID are interchangeable/substitutable with guards conforming to MIL-G-52346C.

6.4 Thickness of guard. Thickness of the guard was increased to 1.6 mm (0.063 in.) from 1.524 mm (0.060 in.) to conform to metric size standards.

6.5 Part identification number (PIN). The following PIN procedure is for government purposes and does not constitute a requirement for the contractor. This example describes a part numbering system for the commercial item description A-A-52559. The PIN used for the 100 mm (nom.) or 4-inch (nom.) using this CID is generated as follows:

AA52559-1; where -1 indicates a 4-inch or 100 mm nominal road crossing guard.

6.6 Key words.

Petroleum distribution
Hoseline system

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:13Z
Check the source to verify that this is the current version before use.

MILITARY INTERESTS:

Custodian:
Army - AT

Review Activity:
DLA - CC

CIVIL AGENCY COORDINATING ACTIVITY:
GSA - FSS

Preparing Activity:
Army - AT

(Project 3835-2010-002)

NOTE: The activities listed above were interested in this document as of the date of this document. Since organizations and responsibilities can change, you should verify the currency of the information above using the ASSIST Online database at https://assist.daps.dla.mil.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:13Z
Check the source to verify that this is the current version before use.