INCH POUND

A-A-52560
1 February 1996

COMMERCIAL ITEM DESCRIPTION

STOOL, STRAIGHT

The General Services Administration has authorized the use of this commercial item description as a replacement for Military Specification MIL-S-52791A(ME) for all federal agencies

1 SCOPE This commercial item description covers a straight, general purpose stool

2 CLASSIFICATION. The stool covered by this CID shall be one of the following types

Type I Nonadjustable height

Type II Adjustable height

3 SALIENT CHARACTERISTICS

3 1 Stools The stools shall be as illustrated in figure 1 and as specified herein. The stools shall consist of a nonadjustable seat, mounted on, at least, four legs The construction shall include leg bracing as illustrated in figure 1.

3 1 1 Type I stools Type I stools shall be 24 00 ± 1 00 inches in height and shall have nonadjustable-height legs

3 1 2 Type II stools Type II stools shall be 24 00 ± 1 00 inches and, minimally, adjustable to 30.00 ± 1 00 inches in height As illustrated in figure I the Type II stool legs shall be adjustable in 1 00 inch increments over the 6 00 inch, or greater, height adjustment range

3 2 Material Unless otherwise specified (see 7 2), the composition and temper of the steel shall be at the option of the contractor (see 4 1) The material selected, however, shall produce stools required to support the weight of a 202 lb person, with a safety factor of X 4

3 3 Construction The stool shall have four legs, minimum, with leg bracing positioned to also serve as a footrest The seat shall have a minimum support area of 16 00 inches in diameter The stool shall withstand a functional load of 225 lb (300 lb proof) and the footrest shall withstand a momentary applicator of a 200 lb force anywhere along its periphery

Beneficial comments, recommendations, additions, deletions, clarifications etc., and any other data which may improve this document should be sent to US ARMY TOPOGRAPHIC ENGRG CTR, ATTN CETEC-PD-TE, 7701 TELEGRAPH RD, ALEXANDRIA VA 22315-3864

AMSC N/A FSC 7110

DISTRIBUTION STATEMENT A Approved for public release; distribution is unlimited

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:13Z
Check the source to verify that this is the current version before use.

3.4 Treatment and painting. Unless otherwise specified (see 7.2), and unless the material is inherently corrosion resistant, the stools shall be treated and painted in accordance with the contractors standard practice.

3.5 Metric products. Products manufactured to metric dimensions will be considered on an equal basis with those manufactured using inch-pound units provided they fall within the tolerances specified and all other requirements of this Commercial Item Description are met. If a product is manufactured to metric dimensions and those dimensions exceed the tolerances specified in the inch/pound units, a request should be made to the contracting officer to determine if the product is acceptable. The contracting officer has the option of accepting or rejecting the product.

3.6 Identification marking. Unless otherwise specified (see 7.2), the stools shall be marked for identification at the option of the contractor.

4. REGULATORY REQUIREMENTS

4.1 Recovered materials. The offeror/contractor is encouraged to use recovered materials to the maximum extent practicable, in accordance with paragraph 23.403 of the Federal Acquisition Regulation (FAR).

5. QUALITY ASSURANCE PROVISIONS

5.1 Certification of commercial item. The contractor shall certify and maintain substantiating evidence that the product offered meets the salient characteristics of this Commercial Item Description, and that the product conforms to the producer's own drawings, specifications, standards and quality assurance practices, and is the same product offered for sale in the commercial marketplace. The Government reserves the right to require proof of such conformance prior to first delivery and thereafter as may be otherwise provided for under the provisions of the contract.

5.2 Examination. Unless otherwise specified (see 7.2), each stool shall be examined for compliance with the requirements specified in 3.1 through 3.6. The requirements of 3.5 shall be tested in accordance with the Dynamic Drop test (No. 9) and the Cyclic Footrest Durability test (No. 21) of ANSI/BIFMA X5.1, as specified in the contract or purchase order. Noncompliance with any specified requirement or the presence of one or more defects, shall constitute cause for rejection.

6. PRESERVATION, PACKING, AND MARKING

6.1 Preservation, packing, and marking shall be as specified in the contract or purchase order.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:13Z
Check the source to verify that this is the current version before use.

7 NOTES

7.1 Part Identification Number (PIN) The following part identification numbering procedure is for government purposes and does not constitute a requirement for the contractor

The part numbers for CID A-A-52560 are

Use part number AA52560-1 for type I stools

Use part number AA52560-2 for type II stools

7.2 Ordering data.

a Title, number, and date of this specification

b When composition and temper of steel are other than at the contractor's option (see 3.2)

c When marking for identification is other than at the option of the contractor (see 3.6)

d When treatment and painting is other than at the option of the contractor (see 3.4)

e When this commercial item description is used for procurement, the commercial item certification clause must appear in the solicitation (see 5.1)

f When commercial item certification alone is permissible in lieu of examination and testing (see 5.2)

7.3 Figure The figure shown describes adjustable- and nonadjustable-height stools that have been found acceptable However, the figure is illustrative only and is not intended to preclude the furnishing of other stools that conform to the salient characteristics of this specification


7.4 Source of documents

7.4.1 The code of Federal Acquisition Regulations, Section 23.403, is for sale by the Superintendent of Documents, U.S. Government Printing Office Washington, DC 20402

7.4.2 The ANSI/BIFMA X5.1 specification is available from the American National Standards Institute, 11 West 42nd Street, New York, NY 10036

Preparing activity for this CID is The U.S. Army Topographic Engineering Center, 7701 Telegraph Road, Alexandria, VA 22315-3864

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:13Z
Check the source to verify that this is the current version before use.



TYPE I
NONADJUSTABLE
HEIGHT

TYPE II
ADJUSTABLE
HEIGHT

NOTES

1 DIMENSIONS ARE IN INCHES

TOLERANCES PLUS OR MINUS 1 00

Figure 1 Stools, straight

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:13Z
Check the source to verify that this is the current version before use.

MILITARY INTEREST ACTIVITIES

Custodian

Army - CE

Review activity

Army - GL

CIVIL AGENCY COORDINATING

Preparing activity

Army - CE

Project (7110-0159)

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:13Z
Check the source to verify that this is the current version before use.