INCH - POUND

A-A-52560A
27 August 2001
SUPERSEDING
A-A-52560
1 February 1996

COMMERCIAL ITEM DESCRIPTION

STOOL, STRAIGHT

The General Services Administration has authorized the use of this commercial item description, for all federal agencies. The original issue of this CID replaced MIL-S-52791 (ME).

1. SCOPE. This commercial item description covers a straight, general purpose stool.

2. CLASSIFICATION. The stool covered by this CID shall be one of the following types:

Type I: Nonadjustable height.

Type II: Adjustable height.

3. SALIENT CHARACTERISTICS.

3.1 Stools. The stools shall be as illustrated in figure 1 and as specified herein. The stools shall consist of a nonadjustable seat, mounted on, at least, four legs. The construction shall include leg bracing as illustrated in figure 1.

3.1.1 Type I stools. Type I stools shall be 24.00 ± 1.00 inches in height and shall have nonadjustable-height legs.

Beneficial comments recommendations, additions, deletions, clarification, etc., and any other data which may improve this document should be sent to: ENGINEER RESEARCH AND DEVELOPMENT CENTER, CORPS OF ENGINEERS, U.S. ARMY TOPOGRAPHIC ENGINEERING CENTER, ATTN: CEERD-TS, 7701 TELEGRAPH ROAD, ALEXANDRIA, VA 22315-3864.

AMSC N/A FSC 7110

Distribution Statement A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:13Z
Check the source to verify that this is the current version before use.

3.1.2 Type II stools. Type II stools shall be 24.00 ± 1.00 inches and, minimally, adjustable to 30.00 ± 1.00 inches in height. Figure I is provided as an example.

3.2 Material. The material shall be at the option of the contractor (see 4.1). The material selected, however, shall produce stools required to support the weight of a 225 lb person, with a safety factor of X 4.

3.3 Construction. The stool shall have four legs, minimum, with leg bracing positioned to also serve as a footrest. The seat shall have a minimum support area of 16.00 inches in diameter. The stool shall withstand a functional load of 225 lb (300 lb proof) and the footrest shall withstand a momentary application of a 200 lb force anywhere along its periphery.

3.4 Treatment and painting. Unless otherwise specified (see 7.2), and unless the material is inherently corrosion resistant, the stools shall be treated and painted in accordance with the contractor’s standard practice.

3.5 Metric products. Products manufactured to metric dimensions will be considered on an equal basis with those manufactured using inch-pound units, provided they fall within the tolerances specified and all other requirements of this Commercial Item Description are met. If a product is manufactured to metric dimensions and those dimensions exceed the tolerances specified in the inch/pound units, a request should be made to the contracting officer to determine if the product is acceptable. The contracting officer has the option of accepting or rejecting the product.

4. REGULATORY REQUIREMENTS.

4.1 Recovered materials. The offeror/contractor is encouraged to use recovered materials to the maximum extent practicable, in accordance with paragraph 23.403 of the Federal Acquisition Regulation (FAR).

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:13Z
Check the source to verify that this is the current version before use.

5. QUALITY ASSURANCE PROVISIONS

5.1. Product conformance. The products provided shall meet the salient characteristics of this commercial item description, conform to the producers own drawings, specifications, standards, and quality assurance practices, and be the same product offered for sale in the commercial market. The Government reserves the right to require proof of such conformance.

5.2 Examination. Each stool shall be examined for compliance with the requirements specified in 3.1 through 3.5. Any modification necessary following failure to meet the specified requirements shall receive particular attention for adequacy and suitability. This element of inspection shall encompass all examinations of performance and dimensional requirements. Non-compliance with any specified requirement, or the presence of one or more defects lessening maximum efficiency shall constitute cause for rejection.

6. PRESERVATION, PACKING, AND MARKING.

6.1 Preservation, packing, and marking shall be as specified in the contract or purchase order.

7. NOTES.

7.1 Part Identification Number (PIN). The following part identification numbering procedure is for government purposes and does not constitute a requirement for the contractor.

The part numbers for CID A-A-52560 are:

Use part number AA52560-1 for type I stools

Use part number AA52560-2 for type II stools

7.2 Ordering data.

a. Title, number, and date of this specification.
b. When treatment and painting is other than at the option of the contractor (see 3.4).
c. When examination and testing is required (see 5.2).

7.3 Figure. The figure shown describes adjustable- and nonadjustable-height stools that have been found acceptable.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:13Z
Check the source to verify that this is the current version before use.

However, the figure is illustrative only and is not intended to preclude the furnishing of other stools that conform to the salient characteristics of this specification.

7.4 Source of documents.

7.4.1 The code of Federal Acquisition Regulations, Section 23.403, is for sale by the Superintendent of Documents, U.S. Government Printing Office, Washington, DC 20402.

7.4.2 The ANSI/BIFMA X5.1 specification is available from the American National Standards Institute, 11 West 42nd Street, New York, NY 10036.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:13Z
Check the source to verify that this is the current version before use.



TYPE I
NONADJUSTABLE
HEIGHT

TYPE II
ADJUSTABLE
HEIGHT

NOTES:

1. DIMENSIONS ARE IN INCHES.

   TOLERANCES: PLUS OR MINUS 1.00

FIGURE: Stool, Straight

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:13Z
Check the source to verify that this is the current version before use.

Custodian:
Army – CE3

Review activity:
Army - GL

Civil Review Activity
GSA-FSS

Preparing activity:
Army – CE3

Project (7110-0430)

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:13Z
Check the source to verify that this is the current version before use.