MILITARY SPECIFICATION

PLATE, EGG INSPECTION (ALUMINUM)

This specification was approved by the Departments of the Army, the Navy, and the Air Force for use of procurement services of the respective Departments.

1. SCOPE

1.1 This specification covers an aluminum plate suitable for use in egg inspection case.

2. APPLICABLE SPECIFICATIONS, STANDARDS, DRAWINGS, AND PUBLICATIONS

2.1 The following specifications, standards, and drawings, of the issue in effect date of invitation for bids, form a part of this specification:

SPECIFICATIONS

FEDERAL

NN-B-601 —Boxes, Wood-Cleated-Plywood, for Domestic Shipment.

NN-B-621 —Boxes, Wood, Nailed and Lock-Corner.

NN-B-631 —Boxes, Wood, Wirebound, for Domestic Shipment.

QQ-A-355 —Aluminum-Alloy (AL-24) (Aluminum - Copper - Magnesium (1.5%)—Manganese); Plates, Sheets, and Strips.

MILITARY

JAN-P-105—Packaging and Packing for Overseas Shipment—Boxes, Wood, Cleated, Plywood.

JAN-P-106—Packaging and Packing for Overseas Shipment—Boxes; Wood, Nailed.

JAN-B-107—Boxes, Wood, Wirebound (Overseas Type).

JAN-P-125—Packaging and Packing for Overseas Shipment—Barrier-Materials, Waterproof, Flexible.

JAN-P-140—Packaging and Packing for Overseas Shipment — Adhesives, Water-Resistant, Case-Liner.

STANDARDS

MILITARY

MIL-STD-105—Sampling Procedures and Tables for Inspection by Attributes.

MIL-STD-129—Marking of Shipments.

DRAWINGS

ARMED SERVICES MEDICAL PROCUREMENT AGENCY

1341 Plate, Egg Breaking, Aluminum.

(Reduced copy of drawing is attached as figure 1.)

(Copies of specifications, standards, and drawings required by contractors in connection with specific procurement functions should be obtained from the procuring agency or as directed by the contracting officer.)

3. REQUIREMENTS

3.1 **Material.**—The material shall be aluminum-alloy conforming to Specification QQ-A-355 for condition A.

3.2 **Design.**—The aluminum egg inspection plate shall be 0.040 inch thick throughout, and formed into a round type shallow plate 6⅝ inches (outside dimension), and ½ inch

Source: https://assist.dla.mil -- Downloaded: 2026-10-16T18:32Z
Check the source to verify that this is the current version before use.

952183—51—(234)

deep (outside dimension). The plate shall conform with details as shown on Drawing 1341.

3.3 **Workmanship.**—Workmanship shall be first class throughout. The plates shall be free from defects which detract from their appearance or may impair their serviceability.

4. SAMPLING, INSPECTION, AND TEST PROCEDURES

4.1 **Sampling.**—Unless otherwise specified by the procuring activity, samples shall be submitted in accordance with instructions furnished (see 6.1). In addition, inspection at contractor's facility by the Government inspector shall be conducted in accordance with Standard MIL–STD–105.

4.2 **Inspection.**—Inspection may be made throughout the entire process of manufacture. The passing as satisfactory of any detail of construction or materials shall not relieve the contractor of responsibility for faulty workmanship or materials which may be discovered at any time prior to final acceptance. Final inspection of the finished ~~article shall be made either at point of pro~~duction or at point of delivery as specified (see 6.1). In case of factory inspection, every facility shall be afforded inspectors, by the manufacturer, for the prosecution of their work.

4.3 **Tests.**—Tests shall be conducted in accordance with the applicable specifications, as necessary, to determine compliance with this specification.

5. PREPARATION FOR DELIVERY

5.1 **Packaging.**—One plate, as specified, constitutes one unit. Each unit shall be wrapped in kraft paper of suitable weight. Wrapping shall be adequately secured to prevent accidental opening.

5.2 **Packing.**

5.2.1 *For domestic shipment.*—One hundred forty-four wrapped plates (144 units) shall be overpacked in an exterior container constructed in accordance with Specification NN–B–601, NN–B–621, or NN–B–631.

5.2.2 *For overseas shipment.*—One hundred forty-four wrapped plates (144 units) shall be overpacked in an exterior container designed for type 2 load, and constructed in accordance with Specification JAN–P–105, JAN–P–106, or JAN–B–107. Closure and strapping shall comply with appendix of applicable specification. Each box shall be lined with a waterproof barrier (bag) conforming to Specification JAN–P–125. Closures shall be completely sealed by a continuous seam of water-resistant adhesive at least ¾ inch wide and conforming to Specification JAN–P–140.

5.2.3 *Packing variation permitted.*—If the number of units in any shipment is not the exact multiple of the number of units specified to be contained in each shipping container, the units not constituting the nearest such multiple shall be packed in an exterior container of suitable size and design and so constructed as to insure safe delivery to specified destination.

5.3 **Marking.**—Shipping containers shall be marked in accordance with Standard MIL–STD–129.

6. NOTES

6.1 **Ordering data.** — Procurement documents should specify the following:

(a) Title, number, and date of this specification.

(b) Instructions for submitting samples (see 4.1).

(c) Place of final inspection (see 4.2).

(d) Whether packing for domestic or overseas shipment is required (see 5.2).

Source: https://assist.dla.mil -- Downloaded: 2026-10-16T18:32Z
Check the source to verify that this is the current version before use.

6.2 This specification covers the following item appearing in the Armed Services Catalog of Medical Materiel:

8–101–550 Plate, Egg Breaking, Aluminum.


6.3 This specification does not include all types, classes, grades, sizes, etc., of the commodity indicated by the title of the specification, or which are commercially available, but is intended to cover the types, etc., which are normally procured to meet Military requirements.

Notice.—When Government drawings, specifications, or other data are used for any purpose other than in connection with a definitely related Government procurement operation, the United States Government thereby incurs no responsibility nor any obligation whatsoever; and the fact that the Government may have formulated, furnished, or in any way supplied the said drawings, specifications, or other data is not to be regarded by implication or otherwise as in any manner licensing the holder or any other person or corporation, or conveying any rights or permission to manufacture, use, or sell any patented invention that may in any way be related thereto.

Custodian:
Army—Medical Service

Other interest:
Army—T
Air Force.

Source: https://assist.dla.mil -- Downloaded: 2026-10-16T18:32Z
Check the source to verify that this is the current version before use.



NOTE:
MATERIAL: 24S-O ALUMINUM (0.040") THICK.

FIGURE 1.—*Plate, egg breaking, aluminum.*

Source: https://assist.dla.mil -- Downloaded: 2026-10-16T18:32Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

OMB Approval
No. 22-R255

INSTRUCTIONS: The purpose of this form is to solicit beneficial comments which will help achieve procurement of suitable products at reasonable cost and minimum delay, or will otherwise enhance use of the document. DoD contractors, government activities, or manufacturers/ vendors who are prospective suppliers of the product are invited to submit comments to the government. Fold on lines on reverse side, staple in corner, and send to preparing activity. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or to amend contractual requirements. Attach any pertinent data which may be of use in improving this document. If there are additional papers, attach to form and place both in an envelope addressed to preparing activity.

DOCUMENT IDENTIFIER AND TITLE

NAME OF ORGANIZATION AND ADDRESS

CONTRACT NUMBER

MATERIAL PROCURED UNDER A

☐ DIRECT GOVERNMENT CONTRACT ☐ SUBCONTRACT

1. HAS ANY PART OF THE DOCUMENT CREATED PROBLEMS OR REQUIRED INTERPRETATION IN PROCUREMENT USE?
   A. GIVE PARAGRAPH NUMBER AND WORDING.

   B. RECOMMENDATIONS FOR CORRECTING THE DEFICIENCIES

2. COMMENTS ON ANY DOCUMENT REQUIREMENT CONSIDERED TOO RIGID

3. IS THE DOCUMENT RESTRICTIVE?

   ☐ YES ☐ NO *(If "Yes", in what way?)*

4. REMARKS

SUBMITTED BY *(Printed or typed name and address - Optional)*

TELEPHONE NO.

DATE

DD FORM 1 JAN 72 1426 REPLACES EDITION OF 1 JAN 66 WHICH MAY BE USED

S/N 0102-014-1802

☆ U.S. GOVERNMENT PRINTING OFFICE: 1973—714-866/3983 2-1

Source: https://assist.dla.mil -- Downloaded: 20260-16T18:32Z
Check the source to verify that this is the current version before use.

FOLD

POSTAGE AND FEES PAID



OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE $300

Commander
Defense Personal Support Center
ATTN: DPSC-ATTS
2800 South 20th Street
Philadelphia, Pennsylvania 19101

FOLD

Source: https://assist.dla.mil -- Downloaded: 2026-10-16T18:32Z
Check the source to verify that this is the current version before use.