INCH-POUND

A-A-59348A
16 March 2006
SUPERSEDING
A-A-59348
23 October 1998

COMMERCIAL ITEM DESCRIPTION

TABLE, WELDING

The General Services Administration has authorized the use of this commercial item description for all federal agencies.

1. SCOPE. This commercial item description (CID) establishes the government acquisition requirements for a steel-frame welding table with firebricks which will be used as a portable workstation for welding operations.

2. SALIENT CHARACTERISTICS

2.1 Frame. The table frame shall be fabricated from commercial quality steel meeting the requirements specified in one of the two applicable standards published by the ASTM International. The applicable alternative standards are ASTM A 575, "Standard Specification for Steel Bars, Carbon, Merchant Quality, M-Grades", and ASTM A 1011/A 1011M, "Standard Specification for Steel, Sheet and Strip, Hot-Rolled, Carbon, Structural, High-Strength Low-Alloy and High-Strength Low-Alloy with Improved Formability".

2.2 Firebrick. The firebrick used in the table shall meet the requirements of both ASTM C 24, "Standard Test Method for Pyrometric Cone Equivalent (PCE) of Fireclay and High Alumina Refractory Materials", and ASTM C 210, "Standard Test Method for Reheat Change of Insulating Firebrick".


2.3 Dimensions. The table dimensions shall comply with the arrangement and measurements specified in figure 1.

2.4 Weight. The weight of the table shall not exceed 150 pounds.

Beneficial comments, recommendations, additions, deletions, clarifications, etc. and any data that may improve this document should be sent to: STDZNMGT@dla.mil or Defense Supply Center Richmond (DSCR), ATTN: DSCR-VEB, 8000 Jefferson Davis Highway, Richmond, VA 23297-5616.

AMSC N/A FSC 3436

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T10:12Z
Check the source to verify that this is the current version before use.



METRIC CONVERSIONS			
INCH	MM	INCH	MM
1/8	3.18	5-9/16	141.29
3/16	4.76	12-1/8	307.98
13/32	10.32	26-1/4	666.75
1	25.40	26-1/2	673.10
1-1/4	31.75	32	812.80
2	50.80	33-3/4	857.25
3	76.20	36	914.40
4-3/4	120.65	36-7/8	936.63

Tolerance of main table dimensions is ±1/4 inch.

FIGURE 1. Welding table arrangement and dimensional requirements.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T10:12Z
Check the source to verify that this is the current version before use.

3. REGULATORY REQUIREMENTS

3.1 Recovered materials. The offeror/contractor is encouraged to use recovered materials to the maximum extent practicable, in accordance with paragraph 23.403 of the Federal Acquisition Regulation (FAR).

3.2 Environmental protection. All welding table products and protection methods shall meet all applicable Environmental Protection Agency restrictions in effect on the date of the associated contract. These regulations specify material emissions that are hazardous to the environment or to the user's health and shall be applied during the manufacturing, service, transportation, storage, and use of the tables supplied.

4. PRODUCT CONFORMANCE PROVISIONS

4.1 Product conformance. The products provided shall meet the salient characteristics of this CID, conform to the producer's own drawings, specifications, standards, and quality assurance practices, and be the same product offered for sale in the commercial marketplace. The government reserves the right to require proof of such conformance.

4.2 Market acceptability. The product offered must have been previously sold either to the government or on the commercial market.

5. PACKAGING

5.1 Preservation, packing, and marking. Preservation, packing, and marking shall be as specified in the acquisition order (see 6.2(b)).

6. NOTES

6.1 Sources of documents.

6.1.1 ASTM standards. Copies of ASTM standards may be obtained from ASTM International, 100 Barr Harbor Drive, P.O. Box C700, West Conshohocken, PA 19428-2959. Electronic copies of ASTM standards may be obtained from http://www.astm.org/.

6.1.2 FAR. The FAR may be obtained from the Superintendent of Documents, P.O. Box 371954, Pittsburgh, PA 15250-7954. Electronic copies of FAR documents may be obtained from http://www.arnet.gov/far/.

6.2 Ordering data. The acquisition order should specify the following:

a. CID document number and revision.
b. Preservation, packing, and marking (see 5.1).

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T10:12Z
Check the source to verify that this is the current version before use.

6.3 Subject term (key word) listing.

firebrick
frame
portable
steel

CIVIL AGENCY
COORDINATING ACTIVITY:

GSA - FSS

Preparing Activity:
DLA - GS6

(Project 3436-2005-001)

NOTE: The activities listed above were interested in this document as of the date of this document. Since organizations and responsibilities can change, you should verify the currency of the information above using the ASSIST database at http://assist.daps.dla.mil.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T10:12Z
Check the source to verify that this is the current version before use.