Y-P-190C
October 14, 1976
SUPERSEDING
Fed. Spec Y-P-00190b (AGR-C+MS)
June 30, 1965
Fed. Spec. Y-P-190a
December 10, 1958

FEDERAL SPECIFICATION

PECANS, SHELLED, FRESH

This specification was approved by the Commissioner, Federal Supply Service, General Services Administration, for the use of all Federal agencies.

1. SCOPE AND CLASSIFICATION

1.1 Scope. This specification covers the requirements for fresh shelled pecans for use by all Federal agencies.

1.2 Classification. Shelled pecans shall be of the following grades as specified (see 6.1):

1.2.1 Grades.

No. 1 halves
Commercial halves
No. 1 pieces
Commercial pieces

2. APPLICABLE DOCUMENTS

2.1 The following documents, of the issue in effect on date of invitation for bids or request for proposal, form a part of this specification to the extent specified herein:

Federal Specifications:

TT-C-495	-	Coatings, Exterior, for Tinned Food Cans
PPP-B-636	-	Boxes, Shipping, Fiberboard
PPP-C-29	-	Canned Subsistence Items, Packaging and Packing Of.
PPP-C-96	-	Cans, Metal, 28 Gage and Lighter

Federal Standard:

FED-STD-123	-	Marking for Shipment (Civil Agencies).

FSC 8925

Source: https://assist.dla.mil -- Downloaded: 202610-26T11:37Z
Check the source to verify that this is the current version before use.

(Activities outside the Federal Government may obtain copies of Federal Specifications, Standards, and Handbooks as outlined under General Information in the Index of Federal Specifications and Standards and at the prices indicated in the Index. The Index, which includes cumulative monthly supplements as issued, is for sale on a subscription basis by the Superintendent of Documents, US Government Printing Office, Washington, DC 20402.

(Single copies of this specification and other Federal specifications required by activities outside the Federal Government for bidding purposes are available without charge from Business Service Centers at the General Services Administration Regional Offices in Boston, New York, Washington, DC, Atlanta, Chicago, Kansas City, MO, Fort Worth, Denver, San Francisco, Los Angeles, and Seattle, WA.

(Federal Government activities may obtain copies of Federal Specifications, Standards, and Handbooks and the Index of Federal Specifications and Standards from established distribution points in their agencies.)

Military Specifications:

MIL-L-1497	-	Labeling of Metal Cans for Subsistence Items
MIL-L-35078	-	Loads, Unit: Preparation of Nonperishable Subsistence

Military Standards:

MIL-STD-105	-	Sampling Procedures and Tables for Inspection by Attributes
MIL-STD-129	-	Marking for Shipment and Storage
MIL-STD-668	-	Sanitary Standards for Food Plants

(Copies of Military Specifications and Standards required by suppliers in connection with specific procurement functions should be obtained from the procuring activity or as directed by the contracting officer.)

LAWS AND REGULATIONS

US Department of Health, Education and Welfare

Federal Food, Drug, and Cosmetic Act and Regulations Promulgated Thereunder

(Application for copies should be addressed to the Superintendent of Documents, US Government Printing Office, Washington, DC 20402.)

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:37Z
Check the source to verify that this is the current version before use.

US Department of Agriculture

US Standards for Grades of Shelled Pecans
US Standards for Condition of Food Containers

Regulations Governing Inspection and Certification of Processed Fruits and Vegetables and Related Products

(Application for copies should be addressed to the Information Division, Agricultural Marketing Service, US Department of Agriculture, Washington, DC 20250.)

2.2 Other publications. The following documents form a part of this specification to the extent specified herein. Unless a specific issue is identified, the issue in effect on date of invitation for bids or request for proposal shall apply:

American Dry Milk Institute, Inc.

Standards for Grades of Dry Milks, Including Methods of Analysis, Bulletin 916

(Application for copies should be addressed to the American Dry Milk Institute, Inc., 130 North Franklin Street, Chicago, IL 60606.)

Association of Official Analytical Chemists

Official Methods of Analysis of the Association of Official Analytical Chemists

(Application for copies should be addressed to the Association of Official Analytical Chemists, P.O. Box 540, Benjamin Franklin Station, Washington, DC 20044.)

National Motor Freight Traffic Association, Inc., Agent

National Motor Freight Classification

(Application for copies should be addressed to the American Trucking Associations, Inc., Traffic Section, 1616 P Street, N.W., Washington, DC 20036.)

Uniform Classification Committee, Agent

Uniform Freight Classification

(Application for copies should be addressed to the Uniform Classification Committee, Room 1106, 222 South Riverside Plaza, Chicago, IL 60606.)

Source: https://assist.dla.mil -- Downloaded: 202610-26T11:37Z
Check the source to verify that this is the current version before use.

3. REQUIREMENTS

3.1 Product requirements. Unless otherwise specified, the interpretation and determination of requirements, including the descriptive terms contained in 1.2, shall be in accordance with the United States Standards for Grades of Shelled Pecans (and lot inspection and certification tolerances applicable thereto as set forth in the Regulation Governing Inspection and Certification of Processed Fruits and Vegetables and Related Products) in effect on date of invitation for bids.

3.1.1 Size. Size of the pecan halves and pieces shall be as specified in the United States Standards for Grades of Shelled Pecans.

3.2 Federal Food, Drug and Cosmetic Act. All deliveries shall conform in every respect to the provisions of the Federal Food, Drug and Cosmetic Act and regulations promulgated thereunder.

3.3 Workmanship. For Civil agencies the product shall be prepared in accordance with Part 128 of the Code of Federal Regulations, Title 21, Human Foods; Current Good Manufacturing Practices (Sanitation) in Manufacturing, Processing, Packing or Holding. For Military agencies, the product shall be processed in establishments meeting the requirements of MIL-STD-668.

4. QUALITY ASSURANCE PROVISIONS

4.1 Responsibility for inspection. Unless otherwise specified in the contract or purchase order, the supplier is responsible for the performance of all inspection requirements as specified herein. Except as otherwise specified in the contract or order, the supplier may use his own or any other facilities suitable for the performance of the inspection requirements specified herein, unless disapproved by the Government. The Government reserves the right to perform any of the inspections set forth in the specification where such inspections are deemed necessary to assure supplies and services conform to prescribed requirements.

4.2 Pre-acceptance inspection (plant sanitation inspection).

4.2.1 For civil agencies. When specified (see 6.1), inspection of plants producing the product will be conducted upon request of the contracting officer to the appropriate Government inspection agency. Award of contracts will be limited to establishments known to maintain proper sanitary conditions or which have received prior sanitary approval recommended by the inspection agency (see 3.3).

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:37Z
Check the source to verify that this is the current version before use.

4.2.2 For military agencies. The product shall be rejected if produced in plants not meeting the requirements of 3.3.

4.3 Acceptance inspection.

4.3.1 Condition inspection of containers. When inspection of the product for quality and condition is performed by the US Department of Agriculture, the US Standards for Condition of Food Containers shall apply. For applicable criteria governing inspection for the military, see 4.3.4.

4.3.2 Sampling for inspection. Sampling for inspection shall be performed in accordance with MIL-STD-105, except where otherwise indicated hereinafter.

4.3.3 Component and material inspection. In accordance with 4.1, components and materials shall be inspected and tested in accordance with all the requirements of referenced specifications, drawings, and standards unless otherwise excluded, amended, modified or qualified in this specification or applicable purchase document.

4.3.3.1 Testing of cans. Cans shall be tested for tin plate in accordance with 4.4.1.3. The sample unit shall be one can with lid. The sample size shall be the number of sample units indicated by inspection level S-1. Lot size shall be expressed in terms of cans. Test requirement for the tin plate shall be an average requirement for each component part (bodies and ends) and results shall be reported to the nearest 0.01 lb/base box. Testing of can label and external can coating (when required) shall be performed on the same cans submitted for tin plate with additional cans as required to complete the sample plan of TT-C-495. A test failure shall indicate unacceptable cans and use of such shall be cause for rejection of the involved end item.

4.3.4 Examination of end item. Examination of end item shall be in accordance with table II and 4.3.4.1 through 4.3.4.6. Sampling plans and acceptance criteria for table II shall be in accordance with table I. The acceptable quality level (AQL) shall be expressed as percent defective.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:37Z
Check the source to verify that this is the current version before use.

TABLE I. Sampling plans and AQLs

Table	Inspection level	Sample unit	Lot size expressed in	AQLs Minor
II	S-3	Cans	Cans	2.5

TABLE II. Examination of net weight 1/

Category	Defect
Minor	
201	Net weight less than 15 3/4-ounces (446 g) 2/

1/ Lot shall be rejected if sample data indicate a lot average net weight less than specified net weight.

2/ Weigh to the nearest 1/8-ounce (gram).

4.3.4.1 Examination of can coating. When exterior can coating is required, examination of can coating shall be in accordance with the quality assurance provisions of TT-C-495.

4.3.4.2 Examination of cans. Examination of filled and sealed cans for external condition, vacuum (except nitrogen filled cans) and seam leakage (nitrogen filled cans) shall be in accordance with the quality assurance provisions of PPP-C-29.

4.3.4.3 Examination for grade. Examination shall be in accordance with the US Standards for Grades of Shelled Pecans. A lower grade than that specified shall not be acceptable and shall be cause for rejection of the lot.

4.3.4.4 Examination of shipping containers. The filled and closed shipping containers shall be examined in accordance with the quality assurance provisions in the appendix of PPP-B-636. In addition, the following defects shall be included in the examination. Major - marking missing, incorrect, or illegible; Minor - number or arrangement of cans not as specified. For level C pack, as specified in 5.2.3, only the defects applicable to arrangement and marking shall apply.

4.3.4.5 Examination of unit loads (Military agencies). Unit loads shall be examined in accordance with the quality assurance provisions of MIL-L-35078 and the applicable specifications sheet for the type and class of load specified (see 5.3).

Source: https://assist.dla.mil -- Downloaded: 202610-26T11:37Z
Check the source to verify that this is the current version before use.

4.3.4.6 Examination of can labeling.

4.3.4.6.1 Civil agencies. Examination of can labeling shall be in accordance with the US Standards for Condition of Food Containers.

4.3.4.6.2 Military agencies. Examination of can labeling shall be in accordance with the examination criteria of MIL-L-1497.

4.3.5 Testing for oxygen content of cans. Nitrogen filled cans shall be tested for oxygen content in accordance with 4.4.1.1. The sample unit shall be one filled and sealed can and the sample size shall be the number of cans indicated by inspection level S-2. Lot size shall be expressed in cans. The acceptable quality level, expressed as percent defective, shall be 2.5. A test result of more than 2.0 percent (to the nearest 0.1 percent) shall be scored as a defect.

4.4 Test. Test procedures and controls which differ from those specified herein may be used by the supplier if they provide a quality assurance equivalent to that specified. If the contracting officer determines that such procedures and controls do not provide, as a minimum, such quality assurance, the supplier will use the test procedures set forth herein. In case of dispute as to test results, the test methods specified herein will govern.

4.4.1 Test procedures.

4.4.1.1 Test for oxygen content. The oxygen content in the headspace in the container shall be determined in accordance with the American Dry Milk Institute, Inc., Publication Bulletin 916, Standard for Grades of Dry Milks; Including Methods of Analysis, chapter: Method of Analysis: Determination of Oxygen.

4.4.1.2 Chemical analysis. Unless otherwise specified, chemical analysis, if required by the purchaser, shall be made in accordance with the Official Methods of Analysis of the Association of Official Analytical Chemists in effect on the date of invitation for bids, or in accordance with methods that give equivalent results.

4.4.1.3 Tin plate weight. Tin plate weight shall be determined by any method specified in PPP-C-96.

5. PREPARATION FOR DELIVERY

5.1 Packaging. Pecans shall be packaged in accordance with level A or C, as specified (see 6.1).

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:37Z
Check the source to verify that this is the current version before use.

5.1.1 Level A. One pound (0.45 kg) of product shall be filled into a 404 by 500, open-top style, round metal can with soldered side seam and compound-lined, double-seamed ends. The cans shall be made throughout from not less than commercial 0.25 pound electrolytic tin plate per base box (see 4.4.1.3) and shall be coated overall on the outside with a coating complying with type I of TT-C-495. The can shall be sealed under an atmosphere of nitrogen so that the oxygen content of the gases in the filled and sealed container shall not exceed 2.0 percent when tested in accordance with 4.4.1.1. The nitrogen packed cans shall be hermetically sealed and shall not show leakage when tested in accordance with 4.3.4.2. Alternatively, the cans may be sealed under conditions which result in a vacuum of not less than 25 inches of mercury (a pressure of not more than 16.61 kPa) when tested in accordance with 4.3.4.2. When cans are closed under vacuum, the oxygen requirement is not applicable.

5.1.2 Level C. One pound (0.45 kg) of product shall be packaged as specified in 5.1.1, except that cans with or without commercial exterior coating will be acceptable.

5.2 Packing. Twenty-four, one pound (0.45 kg) cans of product, arranged four in length, three in width and two in depth, shall be packed on end in shipping containers in accordance with level A, B or C, as specified (see 6.1).

5.2.1 Level A. The shipping container shall be a snug-fitting fiberboard box constructed, closed, and reinforced in accordance with style RSC, V2s of PPP-B-636.

5.2.2 Level B. The shipping container shall be a snug-fitting fiberboard box constructed, closed and reinforced in accordance with style RSC, V3c, V3s or V4s of PPP-B-636.

5.2.2.1 When specified (see 6.1 and 6.3) the shipping container specified in 5.2.2 shall be reinforced with nonmetallic strapping or pressure-sensitive adhesive, filament reinforced tape, in accordance with the appendix of PPP-B-636, except that two reinforcing bands may be used, one lengthwise and one girthwise.

5.2.3 Level C. The shipping container shall be in accordance with Uniform Freight Classification or National Motor Freight Classification, as applicable.

Source: https://assist.dla.mil -- Downloaded: 202610-26T11:37Z
Check the source to verify that this is the current version before use.

5.3 Unit loads (Military agencies). When specified (see 6.1), the product, packed as specified in 5.2, shall be arranged in unit loads in accordance with MIL-L-35078 for the type and class of load specified.

5.4 Labeling and marking.

5.4.1 Civil agencies.

5.4.1.1 Cans. Commercial labeling or additional labeling, as specified, that complies with the Federal Food, Drug and Cosmetic Act and regulations promulgated thereunder, is acceptable.

5.4.1.2 Shipping containers. Shipping containers shall be marked in accordance with the requirements of FED-STD-123 and such other information, as specified, by the individual agencies.

5.4.2 Military agencies.

5.4.2.1 Cans. Cans shall be labeled in accordance with MIL-L-1497. Additionally, when the product is packaged in a nitrogen atmosphere (see 5.1.1) the words "GAS PACKED ITEM" shall appear in capital letters, in a conspicuous position on each can.

5.4.2.2 Shipping containers. Shipping containers shall be marked in accordance with MIL-STD-129.

5.4.2.3 Unit loads. Unit loads shall be marked in accordance with MIL-L-35078.

6. NOTES

6.1 Ordering data. Purchasers should select the preferred options permitted herein and include the following information in procurement documents:

(a) Title, number, and date of this specification.
(b) Grade required (see 1.2)
(c) When in-process examination is not required by Civil agencies (see 4.2)
(d) Level of packaging and packing required (see 5.1 and 5.2)
(e) When packing specified in 5.2.2.1 is required (see 6.3)
(f) Type and class of unit loads required when unit loading is specified (see 5.3)

Source: https://assist.dla.mil -- Downloaded: 202610-26T11:37Z
Check the source to verify that this is the current version before use.

6.2 Based on conditions known or expected to be encountered during shipment, handling, and storage of the specific item being procured, the contracting officer should select the appropriate level of pack in accordance with the criteria established in AR 700-15/NAVSUPINST 4030.28/AFR 71-6/MCO 4030.14D/DSAR 4145.7.

6.3 Packing specified in 5.2.2.1 is intended for transfer at sea operations or specific overseas operations.

6.4 Destination inspection (civil agencies only). When the finished product has been inspected and passed at point other than destination, the contract should require that the product be inspected at destination for condition and quantity only.

Custodians:

Army - GL
Navy - SA
Air Force -45

Review activities:

Army - MD
Navy - MC, MS
DP - SS

Preparing activity:

Army - GL

Civil Agency Coordinating Activities:

VA - DMS
HEW - FDA, NIH
AGR - AMS
GSA - FSS

Project No. 8925-0116

Orders for this publication are to be placed with General Services Administration, acting as an agent for the Superintendent of Documents. See section 2 of this specification to obtain extra and other documents reference herein. Price 35 cents each.

Source: https://assist.dla.mil -- Downloaded: 202640-26T11:37Z
Check the source to verify that this is the current version before use.