Y-W-50C
July 12, 1974
SUPERSEDING
Int. Fed. Spec. Y-W-0050B(AGR-C&MS)
February 25, 1966 and
Fed. Spec. Y-W-50A
December 16 1958

FEDERAL SPECIFICATION

WALNUTS, ENGLISH (PERSIAN), SHELLED, FRESH

This specification was approved by the Commissioner, Federal Supply Service, General Services Administration, for the use of all Federal agencies.

1. SCOPE AND CLASSIFICATION

1.1 Scope. This specification covers the requirements for shelled English (Persian, walnuts for use by all Federal agencies.

1.2 Classification.

1.2.1 Grades. The shelled walnuts shall be of the following grades in accordance with the US Standards for Shelled Walnuts, (Juglans regia) as specified (see 6.1):

US No. 1
US Commercial

1.2.2 Size. The shelled walnuts may be of one or more of the sizes provided for and defined in the US Standards for Shelled Walnuts, as specified (see 6.1).

2. APPLICABLE DOCUMENTS

2.1 The following documents, of the issue in effect on date of invitation for bids or request for proposal, form a part of this specification to the extent specified herein:

Federal Specifications:

TT-C-495	-	Coatings, Exterior, for Tinned Food Cans
PPP-B-636	-	Boxes, Shipping, Fiberboard
PPP-C-29	-	Canned Subsistence Items, Packaging and Packing of
PPP-C-96	-	Cans, Metal, 28 Gage and Lighter

Federal Standard:

FED-STD-123	-	Marking for Domestic Shipment (Civil agencies)

FSC 8925

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:37Z
Check the source to verify that this is the current version before use.

(Activities outside the Federal Government may obtain copies of Federal Specifications, Standards, and Handbooks as outlined under General Information in the Index of Federal Specifications and Standards and at the prices indicated in the Index. The Index, which includes cumulative monthly supplements as issued, is for sale on a subscription basis by the Superintendent of Documents, US Government Printing Office, Washington, DC 20402.

(Single copies of this specification and other Federal specifications required by activities outside the Federal Government for bidding purposes are available without charge from Business Service Centers, at the General Services Administration Regional Offices in Boston, New York, Washington, DC, Atlanta, Chicago, Kansas City, MO, Fort Worth, Denver, San Francisco, Los Angeles, and Seattle, WA.

(Federal Government activities may obtain copies of Federal Specifications, Standards, and Handbooks and the Index of Federal Specifications and Standards from established distribution points in their agencies.)

Military Specifications:

MIL-L-1497	-	Labeling of Metal Cans for Subsistence Items
MIL-L-35078	-	Loads, Unit: Preparation of Nonperishable Subsistence

Military Standards:

MIL-STD-105	-	Sampling Procedure and Tables for Inspection by Attributes
MIL-STD-129	-	Marking for Shipment and Storage
MIL-STD-668	-	Sanitary Standards for Food Plants

(Copies of specifications, standards, and publications required by suppliers in connection with specific procurement functions should be obtained from the procuring activity or as directed by the contracting officer.)

LAWS AND REGULATIONS

US Department of Health, Education and Welfare

Federal Food, Drug and Cosmetic Act and Regulations Promulgated Thereunder

(Applications for copies should be addressed to the Superintendent of Documents, US Government Printing Office, Washington, DC 20402.)

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:37Z
Check the source to verify that this is the current version before use.

US Department of Agriculture

United States Standards for Shelled Walnuts (Juglans regia)

United States Standards for Condition of Food Containers

(Application for copies should be addressed to the Information Division, Agricultural Marketing Service, US Department of Agriculture, Washington, DC 20250.)

2.2 Other publications. The following documents form a part of this specification to the extent specified herein. Unless a specific issue is identified, the issue in effect on date of invitation for bids or request for proposal shall apply:

National Motor Freight Traffic Association, Inc., Agent

National Motor Freight Classification

(Application for copies should be addressed to the American Trucking Associations, Inc., Tariff Order Section, 1616 P Street, N.W., Washington, DC 20036.)

Uniform Classification Committee, Agent

Uniform Freight Classification

(Application for copies should be addressed to the Uniform Classification Committee, Room 1106, 222 South Riverside Plaza, Chicago, IL 60606.)

(Technical society and technical association specifications and standards are generally available for reference from libraries. They are also distributed among technical groups and using Federal agencies.)

3. REQUIREMENTS

3.1 Federal Food, Drug and Cosmetic Act. All deliveries shall comply in every respect to the provisions of the Federal Food, Drug and Cosmetic Act and regulations promulgated thereunder.

3.2 Description of grades. Unless otherwise specified, the interpretation of grades, color and size requirements shall be in accordance with the United States Standards for Shelled Walnuts in effect on date of invitation for bids.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:37Z
Check the source to verify that this is the current version before use.

3.3 Workmanship. The product shall be prepared in accordance with part 128 of the Code of Federal Regulations, Title 21, Human Foods; Current Good Manufacturing, Processing, packing or holding. In addition, for Military Agencies, the product shall be processed in establishments meeting the requirements of MIL-STD-668.

4. QUALITY ASSURANCE PROVISIONS

4.1 Responsibility for inspection. Unless otherwise specified in the contract or purchase order, the supplier is responsible for the performance of all inspection requirements as specified herein. Except as otherwise specified in the contract or order, the supplier may use his own or any other facilities suitable for the performance of the inspection requirements specified herein, unless disapproved by the Government. The Government reserves the right to perform any of the inspections set forth in the specification where such inspections are deemed necessary to assure supplies and services conform to prescribed requirements.

4.1.1 Unless otherwise specified (see 6.1), the supplier is required to furnish an official inspection certificate issued by the US Department of Agriculture Certifying that the grade, color and size of the product supplied is as required by the contract or order.

4.2 Preacceptance inspection (plant sanitation inspection).

4.2.1 For civil agencies. When specified (see 6.1), inspection of plants producing the product will be conducted upon the request of the contracting officer to the appropriate Government inspection agency. Award of contracts will be limited to establishments known to maintain proper sanitary conditions or which have received prior sanitary approval recommended by the inspection agency.

4.2.2 For military agencies. The product shall be rejected if produced in plants not meeting the requirements of 3.3.

4.3 Acceptance inspection.

4.3.1 Condition inspection of containers. When inspection of product for quality and condition is performed by the US Department of Agriculture, the United States Standards for Condition of Food Containers shall apply. (For applicable criteria governing inspection of containers for the Military, see 4.3.4).

4.3.2 Sampling for inspection. Sampling for inspection shall be in accordance with MIL-STD-105, except as otherwise stated herein.

4.3.3 Component and material inspection. In accordance with 4.1 and 4.1.1, components and material shall be inspected in accordance with all the requirements

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:37Z
Check the source to verify that this is the current version before use.

of referenced specification, drawings and standards unless otherwise excluded, amended, modified or qualified in this specification or applicable purchase document.

4.3.3.1 Testing of cans. Component cans and lids shall be tested in accordance with table I. Tin plate test requirement shall be an average requirement. A test failure shall indicate unacceptable cans and use of such shall be cause for rejection of the involved end item.

TABLE I. Testing of cans

Component	Sample unit	Lot size expressed in	Inspection level	Characteristics	Results reported	Test ref and rqmt para
Cans 1/	1-Can lid	Cans	S-1	Tin plate	Nearest 0.01 pound base box	4.3 5.1.1 5.1.2.1

1/ Exterior can coating (when required) and can labeling shall be tested in accordance with the applicable subsidiary specification, except that tests shall be performed on the same cans submitted for tin plate testing.

4.3.4 Examination of end item. Examination of end item shall be in accordance with table II and 4.3.4.1 through 4.3.4.4. The sample unit for table II shall be one filled can and the sample size shall be the number of cans indicated by inspection level S-3. The acceptable quality level expressed as percent defective shall be 2.5. Lot size shall be expressed in cans.

TABLE II. Examination for net weight 1/

Category	Defect
Minor	
201	More than 1/4 ounce under specified net weight.

1/ Weighing device shall be calibrated in no greater than 1/4 ounce increments. Lot shall be rejected if sample data indicate a lot average net weight less than specified net weight.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:37Z
Check the source to verify that this is the current version before use.

4.3.4.1 Examination for grade, color and size of walnuts. Examination for grade, color and size of walnuts shall be in accordance with the United States Standards for Shelled Walnuts. Nonconformance with size and color requirements or a grade less than that specified shall be cause for rejection of the lot.

4.3.4.2 Examination of cans. Examination of cans for condition and labeling shall be in accordance with the United States Standards for Condition of Food Containers. Examination of cans for vacuum shall be in accordance with the applicable quality assurance provisions of PPP-C-29.

4.3.4.3 Examination of shipping containers (Military). The filled and sealed shipping containers shall be examined in accordance with the criteria in the appendix of PPP-B-636. In addition the following defects shall be included in the examination. Major - Markings; missing, incorrect or illegible. Minor - Arrangement or number of cans not as specified. For level C pack, as specified in 5.2.3.1, only the defects applicable to markings shall apply.

4.3.4.4 Examination of unit loads. Examination of unit loads shall be in accordance with the quality assurance provisions of MIL-L-35078.

4.4 Examination and test methods. Examination and test procedures which differ from those specified herein, unless otherwise excepted, may be used by the supplier if they provide a quality assurance equivalent to that specified. If the Government contracting officer determines that such procedures and controls do not provide, as a minimum, such quality assurance, the supplier will use the procedures set forth herein. In case of dispute as to examination or test results, the procedures specified herein will govern.

4.4.1 Examination procedures.

4.4.1.1 Vacuum examination. Procedure for determining can vacuum shall be in accordance with PPP-C-29.

4.4.2 Test procedures.

4.4.2.1 Tin coating weight. Tin coating weight shall be determined by any method specified in PPP-C-96.

5. PREPARATION FOR DELIVERY

5.1 Packaging. The shelled walnuts shall be packaged in accordance with level A or C, as specified (see 6.1).

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:37Z
Check the source to verify that this is the current version before use.

5.1.1 Level A. One pound of shelled walnuts shall be packaged in a size 404 by 500 or size 502 by 308 (alternatively, 401 x 508 may be used), round, metal can with soldered side seam and compound lined double seamed ends. A minus 1/4 ounce tolerance will be allowed in any one container provided the average net weight of the containers inspected in table II is not less than the net weight specified above. The can shall be made throughout from not less than 0.25-pound electrolytic tin plate per base box (see 4.4.2) and shall be coated overall on the outside with a coating conforming to type I of TT-C-495. The filled and sealed can shall have a vacuum of not less than 22 inches when tested in accordance with 4.3.4.2.

5.1.2 Level C. Shelled walnuts shall be packaged in accordance with 5.1.2.1 or 5.1.2.2, as specified (see 6.1).

5.1.2.1 Cans. Shelled walnuts shall be packaged in accordance with 5.1.1 except that cans with or without commercial exterior coating are acceptable.

5.1.2.2 When specified (see 6.1), commercial packaging will be acceptable.

5.2 Packing. Twenty-four cans of shelled walnuts, arranged 4 in length, 3 in width, and 2 in depth, shall be packed on end in a snug-fitting fiberboard box in accordance with level A, B, or C, as specified (see 6.1). Shelled walnuts packaged in accordance with 5.1.2.2 shall be packed in accordance with 5.2.3.1.

5.2.1 Level A. The shipping container shall be a fiberboard box constructed, closed and reinforced in accordance with style RSC, V2s, of PPP-B-636.

5.2.2 Level B. The shipping container shall be a fiberboard box, constructed, closed, and reinforced in accordance with style RSC, V3c, V3s, or V4s, of PPP-B-636.

5.2.2.1 When specified (see 6.3), the shipping container specified in 5.2.2 shall be reinforced with nonmetallic strapping or pressure-sensitive adhesive, filament reinforced tape in accordance with the appendix of PPP-B-636 except that one lengthwise and one girthwise band may be used.

5.2.3 Level C. The shipping container shall be a fiberboard box constructed and closed in accordance with style RSC, type CF or SF, class domestic, method II closure, of PPP-B-636.

5.2.3.1 When specified (see 6.4), the shipping container shall be in accordance with Uniform Freight Classification Rules or National Motor Freight Classification Rules, as applicable.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:37Z
Check the source to verify that this is the current version before use.

5.3 Unit loads. When specified (see 6.1), shelled walnuts, packed as specified in 5.2 shall be arranged in unit loads in accordance with MIL-L-35078 for the type and class of load specified.

5.4 Labeling and marking.

5.4.1 Civil agencies.

5.4.1.1 Labeling. Any commercial labeling or additional labeling, as specified, that complies with the Federal Food, Drug and Cosmetic Act and regulations promulgated thereunder, is acceptable.

5.4.1.2 Marking for shipment. Shipping containers shall be marked in accordance with FED-STD-123.

5.4.2 Military agencies.

5.4.2.1 Labeling. Cans shall be labeled in accordance with MIL-L-1497.

5.4.2.2 Marking of shipping containers. Shipping containers shall be marked in accordance with MIL-STD-129.

5.4.3 Unit loads. Unit loads shall be marked in accordance with MIL-L-35078.

6. NOTES

6.1 Ordering data. Purchasers should select the preferred options permitted herein and include the following information in procurement documents.

(a) Title, number and date of this specification.
(b) Grade and size of the product required (see 1.2.1 and 1.2.2).
(c) When pre-acceptance inspection is required by civil agencies (see 4.2.1).
(d) Levels of packaging and packing required (see 5.1 and 5.2).
(e) When commercial packaging is required (see 5.1.2.2).
(f) When packing specified in 5.2.2.1 or 5.2.3.1 is required.
(g) Type and class of unit load when unit loading is required (see 5.3)

6.2 Military agencies. Based on conditions known or expected to be encountered during shipment, storage, and handling of the specific item being procured, the contracting officer should select the appropriate level of pack in accordance with the criteria established in AR 700-15, NAVSUPINST 4030.28, AFR 71-6, MCO 4030.14D, or DSAR 4145.7, as applicable.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:37Z
Check the source to verify that this is the current version before use.

6.3 Packing specified in 5.2.2.1 is intended for transfer at sea operations or specific overseas operations.

6.4 Packing specified in 5.2.3.1 is intended for direct shipment from the supply source to the first consuming activity for immediate use.

6.5 Destination inspection (civil agencies). When the finished product has been inspected and passed at point other than destination, the contract shall require that the product be inspected at destination for condition and quantity only.

Custodians:

Army - GL
Navy - SA
Air Force - 45

Review activities:

Army - MD
Navy - MC, MS
DP-SS

Preparing activity:

Army - GL

Civil Agency Coordinating Activities:

GSA-FSS
VA-DMS
HEW-NIH, FDA

Project No. 8925-0104

Orders for this publication are to be placed with General Services Administration, acting as an agent for the Superintendent of Documents. See section 2 of this specification to obtain extra copies and other documents referenced herein. Price 30 cents each.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:37Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

OMB Approval
No. 22-R255

INSTRUCTIONS: The purpose of this form is to solicit beneficial comments which will help achieve procurement of suitable products at reasonable cost and minimum delay, or will otherwise enhance use of the document. DoD contractors, government activities, or manufacturers/vendors who are prospective suppliers of the product are invited to submit comments to the government. Fold on lines on reverse side, staple in corner, and send to preparing activity. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or to amend contractual requirements. Attach any pertinent data which may be of use in improving this document. If there are additional papers, attach to form and place both in an envelope addressed to preparing activity.

DOCUMENT IDENTIFIER AND TITLE

Walnuts, English or Persian, Shelled, Fresh Y-W-50C

NAME OF ORGANIZATION AND ADDRESS

CONTRACT NUMBER

MATERIAL PROCURED UNDER A

☐ DIRECT GOVERNMENT CONTRACT ☐ SUBCONTRACT

1. HAS ANY PART OF THE DOCUMENT CREATED PROBLEMS OR REQUIRED INTERPRETATION IN PROCUREMENT USE?

A. GIVE PARAGRAPH NUMBER AND WORDING.

B. RECOMMENDATIONS FOR CORRECTING THE DEFICIENCIES

2. COMMENTS ON ANY DOCUMENT REQUIREMENT CONSIDERED TOO RIGID

3. IS THE DOCUMENT RESTRICTIVE?

☐ YES ☐ NO *(If "Yes", in what way?)*

4. REMARKS

SUBMITTED BY *(Printed or typed name and address - Optional)*

TELEPHONE NO.

DATE

DD FORM 1 JAN 72 1426

REPLACES EDITION OF 1 JAN 66 WHICH MAY BE USED

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:37Z
Check the source to verify that this is the current version before use.