FEDERAL SPECIFICATION

CRANBERRY JUICE, COCKTAIL

This specification was approved by the Commissioner, Federal Supply Services, General Services Administration for the use of all Federal agencies.

1. SCOPE

1.1 Scope. This specification covers the requirements for cranberry juice cocktail for use by agencies of the Federal Government.

2. APPLICABLE DOCUMENTS

2.1 The following documents, of the issues in effect on date of invitation for bids or request for proposal, form a part of this specification to the extent specified herein.

Federal Specifications:

PPP-G-460 - Glass Containers, One Gallon Capacity and Smaller, for Other Than Medicinal Products; Packaging and Packing of.
PPP-C-96 - Cans, Metal, 28 Gage and Lighter.

(Activities outside the Federal Government may obtain copies of Federal Specifications, Standards, and Handbooks as outlined under General Information in the Index of Federal Specifications and Standards and at the prices indicated in the Index. The Index, which includes cumulative monthly supplements as issued, is for sale on a subscription basis by the Superintendent of Documents, U.S. Government Printing Office, Washington, D.C. 20402.

(Single copies of this specification and other Federal Specifications required by activities outside the Federal Government for bidding purposes are available without charge from Business Service Centers at the General Services Administration Regional Offices in Boston, New York, Washington, D. C., Atlanta, Chicago, Kansas City, Mo., Fort Worth, Denver, San Francisco, Los Angeles, and Seattle, Washington.

(Federal Government activities may obtain copies of Federal Specifications, Standards, and Handbooks and the Index of Federal Specifications and Standards from established distribution points in their agencies.)

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:38Z
Check the source to verify that this is the current version before use.

Military Standards:

MIL-STD-105 - Sampling Procedures and Tables for Inspection by Attributes
MIL-STD-668 - Sanitary Standards for Food Plants.

(Copies of Military Specifications and Standards required by suppliers in connection with specific procurement functions should be obtained from the procuring activity or as directed by the contracting officer.)

2.2 Other publications. The following documents form a part of this specification to the extent specified herein. Unless a specific issue is identified, the issue in effect on date of invitation for bids or request for proposal shall apply.

U. S. Department of Health, Education, and Welfare

21 CFR-1 - Federal Food, Drug and Cosmetic Act and regulations promulgated thereunder.

(Application for copies should be addressed to the Superintendent of Documents, Government Printing Office, Washington, D.C. 20402.)

U. S. Department of Agriculture

7 CFR 42.101 United States Standards for Condition of Food Containers.

(Application for copies should be addressed to the Information Division, Consumer and Marketing Services, U. S. Department of Agriculture, Washington, D.C., 20250.)

Association of Official Analytical Chemists

AOAC - Official Methods of Analysis of the Association of Official Analytical Chemists.

(Application for copies should be addressed to the Association of Official Analytical Chemists, PO Box 540, Benjamin Franklin Station, Washington, D.C., 20044.)

Association of Vitamin Chemists

AVC - Methods of Vitamin Assay.

(Application for copies should be addressed to the Interscience Publishers, a Division of John Wiley and Sons, Inc., 605 Third Avenue, New York, N.Y., 10016.)

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:38Z
Check the source to verify that this is the current version before use.

National Research Council

NAS - Food Chemicals Codes (F.C.C.)

(Application for copies should be addressed to the Office of Director, National Academy of Sciences, National Research Council, Washington, D.C., 20418.)

3. REQUIREMENTS

3.1 Material.

3.1.1 Cranberry juice. The cranberry juice or juice concentrate used shall be prepared from clean, sound, mature, well colored, washed, fresh or frozen cranberries.

3.1.2 Sweetening ingredients. Sweetening ingredients shall be sugar (sucrose), liquid sugar, invert sugar sirup, any combination thereof, or a mixture of one or more of the aforementioned ingredients with dextrose or corn sirup (liquid or dry) except that the dextrose or corn sirup shall not exceed 30% of the total sweetening ingredients.

3.2 Ascorbic acid. Ascorbic acid shall conform to the requirements of the Food Chemicals Codex.

3.3 Finished product. The finished product shall contain not less than 25 percent by volume of single strength cranberry juice or its equivalent and shall possess a bright color typical of the natural juice, and shall be free from scorched, green or other undesirable odors and flavors. The product may be derived from a mixture of the original juice as pressed from the berry or the concentrate made therefrom, diluted with water, and sweetened with the ingredients specified in 3.1.2. The soluble solids content shall be not less than 14° Brix or more than 16° Brix, as determined by refractometer. The product shall have an acid content, calculated as anhydrous citric acid of not less than 0.55 gram per 100 ml. The finished product shall be fortified with ascorbic acid to the extent that 6 fluid ounces of cranberry juice cocktail shall contain 45 ± 15 milligrams of vitamin C. No acids, other than the aforementioned ascorbic acid, artificial color, or artificial flavor shall be added.

3.4 Workmanship. The product shall be prepared, processed and packaged under modern sanitary conditions and in accordance with good commercial practice. For Military agencies, the product shall be processed in establishments meeting the requirement of MIL-STD-668.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:38Z
Check the source to verify that this is the current version before use.

3.5 All deliveries shall conform in every respect to the provisions of the Federal Food, Drug and Cosmetic Act and regulations promulgated thereunder.

4. QUALITY ASSURANCE PROVISIONS

4.1 Sampling. Samples of finished product covered by this specification and samples of any materials, components or constituents entering into the preparation of the finished product may be taken at any time by the Government inspector to determine compliance with the requirements.

4.2 Inspection.

4.2.1 General. Inspection shall be made by the procuring agency or a duly authorized representative at the time and place designated by the procuring agency. It may be made at the site of manufacture, both during and after processing, at any suitable point in transit, or after delivery to the point of destination.

4.2.2 Factory inspection. The passing as satisfactory of any detail of processing or materials shall not relieve the supplier of responsibility for faulty workmanship or materials which may be discovered at any time prior to final acceptance.

4.2.3 Final inspection. Unless otherwise specified, final inspection shall be made after delivery to the point of destination (see 6.2 and 6.3).

4.2.4 Condition inspection of containers. When inspection of product for quality and condition is performed by the U. S. Department of Agriculture, the United States Standards for Condition of Food Containers shall apply. (For applicable criteria governing inspection of containers for the Military, see 4.3.3).

4.2.5 Responsibility for inspection. The supplier is responsible for meeting all the provisions of the specification prior to submission to the Government for acceptance. Unless otherwise specified in the contract or order, the supplier is required to perform the examination and tests prescribed herein, using his own or any other inspection facilities and services acceptable to the Government.

4.2.5.1 Availability of records. Inspection records of the examination and tests shall be complete and made available to the Government as specified in the contract or order. The Government reserves the right to perform any of the inspections set forth in the specification where such inspections are deemed necessary to assure that supplies and services conform to prescribed requirements.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:38Z
Check the source to verify that this is the current version before use.

4.2.6 Preacceptance inspection.

4.2.6.1 For civil agencies. Inspection of plants producing the product will be conducted upon the request of the purchasing and contracting officer to the appropriate Government inspection agency.

4.2.6.2 For military agencies. The product shall be rejected if produced in plants not meeting the requirements of MIL-STD-668.

4.3 Inspection. Sampling for inspection shall be performed in accordance with MIL-STD-105, except where otherwise indicated hereinafter.

4.3.1 Component and material inspection. In accordance with 4.2.5, components and materials shall be inspected in accordance with the requirements of referenced specifications, drawings and standards unless otherwise excluded, amended, modified or qualified in this specification or applicable purchase document.

4.3.1.1 Ingredients. Conformance of ingredients to identity requirements (kind, composition, standard of purity, etc.) shall be ascertained by examination of pertinent labels, invoices, or other valid documents. In addition, when applicable, cranberries shall be examined just prior to pressing for juice to determine conformance to condition requirements of 3.1.1. Nonconformance to identity requirements or condition requirements of cranberries shall indicate an unacceptable ingredient and use of such shall be cause for rejection of the involved finished product.

4.3.1.2 Testing of caps. Caps for level A packaging shall be tested for tin plate in accordance with 4.4.2.4, to determine conformance to 5.1.1. The sample for testing shall be 6 caps. Test requirement shall be an average requirement. Result shall be reported to the nearest 0.01 pound per base box. Nonconformance shall indicate unacceptable caps and use of such shall be cause for rejection of the involved end items.

4.3.2 Process examination. Examination shall be performed during formulation of the finished product to determine conformance to 3.3 as concerns kinds and amounts of ingredients. Formulation records shall be maintained. Nonconformance shall be cause for rejection of the involved finished product.

4.3.3 Examination of end item. Examinations shall be in accordance with tables II through IV; 4.3.3.1 and 4.3.3.2. Sampling plans for the tables of examination shall be in accordance with table I. The acceptable quality levels (AQLs) shall be expressed as percent defective for tables II and IV, and defects per hundred units for table III.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:38Z
Check the source to verify that this is the current version before use.

TABLE I. Sampling plans

Table	Sample unit	Lot size expressed in	Inspection level	AQLs Major	Minor	Total
II	1 filled jar	Jars	S-3	-	2.5	-
III	1 filled jar	Jars	S-3	1.0	-	-
IV	1 labeled jar	Jars	S-2	-	2.5	-

TABLE II. Examination for volume 1/

Category	Defect
Minor	
201	More than 2 percent under specified volume of product

1/ Report results to nearest 1/4 fluid ounce. Lot shall be rejected if sample data indicate a net volume less than specified volume.

TABLE III. Examination of product 1/

Category	Defect
Major	
101	Not a bright typical color of cranberry juice.
102	Not a free of undesirable flavors or odors.

1/ Presence of foreign material, (e.g. glass, wood, filth, insects, metal, paint, etc.) shall be cause for rejection of the lot.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:38Z
Check the source to verify that this is the current version before use.

TABLE IV. Examination for label adhesion 1/

Category	Defect
Minor	
201	Displacement of label.

1/ See 4.4 for procedure. Applicable only to glass containers intended for overseas shipment.

4.3.3.1 Examination of primary containers. Examination of primary containers for condition and labeling shall be in accordance with the United States Standards for Condition of Food Containers, except that the defect criteria pertaining to sealing tape and cellulose band shall not apply. In lieu thereof, for level A, glass containers with screw caps, the following defect criteria shall apply: Major - Cellulose band, pressure-sensitive plastic film tape missing, not tightly securing cap to bottle, split or cracked; Minor - Width of plastic film tape less than 3/4 inch; Minor - Overlap of plastic film tape less than 1 inch.

4.3.3.2 Examination of packing, shipping container and marking. Examinations shall be in accordance with the applicable quality assurance provisions of PPP-G-460.

4.3.4 Testing of finished product. The finished product shall be tested for soluble solids (Brix), acid (anhydrous citric acid) and ascorbic acid in accordance with 4.4. The sample for testing shall be a one quart composite derived from the number of primary containers indicated by inspection level S-2. In preparation of the composite, care must be taken to avoid contact with copper or other materials that can catalyze the oxidation of ascorbic acid. A representative 1-pint sample of unfortified (without added ascorbic acid) cranberry juice cocktail shall accompany the aforementioned sample for utilization in conjunction with the ascorbic acid analysis. Lot size shall be expressed in terms of primary containers. Each result shall be reported to the same unit or decimal place as specified for the pertinent requirement. One or more test failures shall be cause for rejection of the lot.

4.4 Test methods. Examination and test procedures which differ from those specified herein, unless otherwise excepted, may be used by the supplier if they provide a quality assurance equivalent to that specified.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:38Z
Check the source to verify that this is the current version before use.

If the Government Contracting Officer determines that such procedures and controls do not provide, as a minimum such quality assurance, the supplier will use the procedures set forth herein. In case of dispute as to examination or test results, the procedures specified herein will govern.

4.4.1 Examination procedures.

4.4.1.1 Water-resistance examination for label adhesion (no alternate procedure permitted). The label shall be examined for water resistance as follows: Submerge glass container with label affixed in room temperature water for 4 hours. Remove from water and remove excess water by blotting with paper towel. Press finger firmly against label (in an area where adhesive has been applied) and move finger (firmly pressed against the label) toward the bottom of the container. Displacement of label indicates failure to meet the requirement.

4.4.2 Test procedures.

4.4.2.1 Brix measurement. Brix measurement, soluble solids, shall be determined by means of a refractometer at 20°C. either directly with use of a sugar refractometer or correlated with refractive indices of sucrose solutions at 20°C. if the readings are in terms of refractive index.

4.4.2.2 Citric acid. Citric acid (grams per 100 ml. of finished product) shall be determined in accordance with the Official Methods of Analysis of the Association of Official Analytical Chemists, Chapter: Fruits and Fruit Products, Method: Titratable acidity, calculated as citric acid.

4.4.2.3 Vitamin C. Vitamin C shall be determined in accordance with the Methods of Vitamin Assay of the Association of Vitamin Chemists: ascorbic acid-2, 6 dichloroindophenol photometric method with the Loeffler and Ponting modification.

4.4.2.4 Tin coating weights. Tin coating weights shall be determined by any method specified in PPP-C-96.

5. PREPARATION FOR DELIVERY

5.1 Packaging. The cranberry juice cocktail shall be packaged in a 32, 48 or 128 fluid ounce glass jar or jug as specified (see 6.1) and in accordance with level A or C, as specified (see 6.1).

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:38Z
Check the source to verify that this is the current version before use.

5.1.1 Level A. The glass jar or jug shall be closed with a knurled screw cap, crown, or hermetic-friction type, side seal closure with pry-off feature, made from not less than commercial 0.25 pound per base box electrolytic tin plate (see 4.4.2.4), coated outside with a corrosion-resistant lacquer or enamel; and coated inside with an enamel furnished by the manufacturer in accordance with the best commercial practice for the product. The closure shall be lined and equipped with a gasket made from material commercially used for the product. Alternatively, a vacuum twist-off closure constructed of same material specified above and coated with an enamel suitable for the product, may be used. The inside of the cap shall have a suitable sealing compound to effect a hermetic closure. Screw caps shall be secured in position with a shrunk-on cellulose band or a pressure-sensitive adhesive, plastic film tape 3/4 inch in width, applied around the circumference at the juncture of the cap and bottle. The tape shall overlap itself a minimum of 1 inch.

5.1.2 Level C. The cranberry juice cocktail shall be packaged to assure protection from loss or deterioration during shipment from the supply source to the first receiving activity. The supplier may use his standard commercial practice where it meets these requirements.

5.2 Packing. The jars or jugs of cranberry juice cocktail shall be packed in accordance with the level A, B, or C requirements of PPP-G-460, as specified (see 6.1).

5.3 Unit loads. When specified (see 6.1), the cranberry juice cocktail, packed as specified in 5.2, shall be arranged in unit loads in accordance with MIL-L-35078 for the type and class of load specified.

5.4 Labeling and marking.

5.4.1 Labeling. Labeling of the glass jars or jugs shall comply with the Federal Food, Drug and Cosmetic Act and regulations promulgated thereunder. For overseas shipment, labeling information shall be printed on a hard-sized or varnished label and the label shall be affixed in position with a water-resistant adhesive (see 4.4.1.1).

5.4.2 Shipping containers. Shipping containers shall be marked in accordance with PPP-G-460.

5.4.3 Unit loads. Unit loads shall be marked in accordance with MIL-L-35078.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:38Z
Check the source to verify that this is the current version before use.

6. NOTES

6.1 Ordering data. Purchasers should select the preferred options permitted herein and include the following information in procurement documents:

(a) Title, number, and date of this specification.
(b) Size of glass jars or jugs required (see 5.1).
(c) Level of packaging and packing required (see 5.1 and 5.2).
(d) Type and class of unit load when unit loading is specified (see 5.3).

6.2 Supplier's inspection. The supplier should be required to assure that the product conforms to the specification prior to submission to the Government for final inspection.

6.3 Destination inspection (for civil agencies only). When the finished product has been inspected and passed at point other than destination, the contract should require that the product be inspected at destination for condition and quantity only.

6.4 Based on the conditions known or expected to be encountered during shipment, storage and handling of the specific item being procured, the contracting officer should select the appropriate level of pack in accordance with the criteria established in AR 700-15.

MILITARY CUSTODIANS:

Army - GL
Navy - SA
Air Force - 45

Review activities:

Army - MD
Navy - MC, MS
DSA - SS

Preparing activity:

Army - GL

CIVIL AGENCIES INTEREST:

GSA
VA

Orders for this publication are to be placed with General Services Administration, acting as an agent for the Superintendent of Documents. See section 2 of this specification to obtain extra copies and other documents referenced herein. Price 15 cents each.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:38Z
Check the source to verify that this is the current version before use.

SPECIFICATION ANALYSIS SHEET

Form Approved
Budget Bureau No. 22-R255

INSTRUCTIONS: This sheet is to be filled out by personnel, either Government or contractor, involved in the use of the specification in procurement of products for ultimate use by the Department of Defense. This sheet is provided for obtaining information on the use of this specification which will insure that suitable products can be procured with a minimum amount of delay and at the least cost. Comments and the return of this form will be appreciated. Fold on lines on reverse side, staple in corner, and send to preparing activity. Comments and suggestions submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or serve to amend contractual requirements.

SPECIFICATION

Cranberry Juice, Cocktail Z-C-1651

ORGANIZATION

CITY AND STATE

CONTRACT NUMBER

MATERIAL PROCURED UNDER A

☐ DIRECT GOVERNMENT CONTRACT ☐ SUBCONTRACT

1. HAS ANY PART OF THE SPECIFICATION CREATED PROBLEMS OR REQUIRED INTERPRETATION IN PROCUREMENT USE?

A. GIVE PARAGRAPH NUMBER AND WORDING.

B. RECOMMENDATIONS FOR CORRECTING THE DEFICIENCIES

2. COMMENTS ON ANY SPECIFICATION REQUIREMENT CONSIDERED TOO RIGID

3. IS THE SPECIFICATION RESTRICTIVE?

☐ YES ☐ NO *(If "yes", in what way?)*

4. REMARKS *(Attach any pertinent data which may be of use in improving this specification. If there are additional papers, attach to form and place both in an envelope addressed to preparing activity)*

SUBMITTED BY *(Printed or typed name and activity - Optional)*

DATE

DD FORM 1 JAN 66 1426

REPLACES EDITION OF 1 OCT 64 WHICH MAY BE USED.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:38Z
Check the source to verify that this is the current version before use.