Z–F–681a
18 DECEMBER 1953
SUPERSEDING
Fed. Spec. Z-F-681
August 20, 1941

FEDERAL SPECIFICATION

FRUIT-COCKTAIL; CANNED

This specification was approved on the above date by the Commissioner, Federal Supply Service, General Services Administration, for the use of all Federal agencies.

1. CLASSIFICATION

1.1 Grades.—Canned fruit cocktail shall be of the following grades as specified:

Fancy (Grade A)
Choice (Grade B)

2. APPLICABLE SPECIFICATIONS AND OTHER PUBLICATIONS

2.1 Specifications. — There are no other specifications applicable to this specification except those referenced in section 7 by individual departments.

(Copies of Federal Specifications and the Index of Federal Specifications and Standards may be obtained upon application accompanied by check, money order, cash, or Government Printing Office coupons, to the General Services Administration, Business Service Center, Region 3, Seventh and D Streets, SW., Washington 25, D. C. This office will also honor deposit account numbers issued by the Government Printing Office. Prices may be obtained from the Index of Federal Specifications and Standards or from the GSA Regional Offices. Single copies of this Specification and other product specifications required for bidding purposes are available without charge at the GSA Regional Offices in Boston, New York, Atlanta, Chicago, Kansas City, Mo., Dallas, Denver, San Francisco, Los Angeles, Seattle, and Washington, D. C.)

2.2 Other publications. — The following publications, of the issues in effect on date of invitation for bids, form a part of this specification.

Governmental:

Federal Food, Drug, and Cosmetic Act and General Regulations for its Enforcement.
United States Standards for Grades of Canned Fruit Cocktail.

Nongovernmental:

Official Methods of Analysis of the Association of Official Agricultural Chemists.

(Copies of the Federal Food, Drug, and Cosmetic Act and General Regulations for its Enforcement may be obtained upon application, accompanied by money order, coupon, or cash to the Superintendent of Documents, Government Printing Office, Washington 25, D. C. Prices may be obtained from the Superintendent of Documents.

(Single copies of the United States Standards for Grades of Canned Fruit Cocktail may be obtained, without charge, from the U. S. Department of Agriculture, Washington 25, D. C.

(Official Methods of Analysis of the Association of Official Agricultural Chemists is published by the Association of Official Agricultural Chemists, P. O. Box 540, Benjamin Franklin Station, Washington 4, D. C.)

3. REQUIREMENTS

3.1 Material.—Unless otherwise specified, each of the fruits in canned fruit cocktail shall be prepared from fruits of the latest season's crop and the canned fruit cocktail shall be of the latest pack.

3.2 Federal Food, Drug, and Cosmetic

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:38Z
Check the source to verify that this is the current version before use.

Act.—All deliveries shall conform in every respect to the provisions of the Federal Food, Drug, and Cosmetic Act, and regulations promulgated thereunder.

3.3 **Sirup requirements.**—Unless "dietetic" packs are specified, the densities of liquid media, as applicable, for canned fruit cocktail at the time of "cutout" shall be as follows:

"Extra heavy sirup" or "Extra heavy fruit juice sirup"—22° or more, but not more than 35°, Brix.

"Heavy sirup" or "Heavy fruit juice sirup"—18° or more, but less than 22°, Brix.

"Light sirup" or "Light fruit juice sirup"—14° or more, but less than 18°, Brix.

"In water"—packed in water.

"In fruit juice"—packed in fruit juice.

3.4 **Proportion of fruits.**—Canned fruit cocktail shall contain fruits in the proportions indicated in table I.

TABLE I.—*Proportion of fruits*

Fruit ingredient	Style	Proportions	
		Not less than	Not more than
Peaches (any yellow variety)	Diced	30 percent by weight of drained fruit	50 percent by weight of drained fruit
Pears (any variety)	Diced	25 percent by weight of drained fruit	45 percent by weight of drained fruit
Grapes (any seedless variety)	Whole	6 percent by weight of drained fruit	20 percent by weight of drained fruit
Pineapple (any variety)	Diced or sectors	6 percent by weight of drained fruit; but not less than 2 sectors or 3 dice for each 4½ ounces avoirdupois of product and each fraction thereof greater than 2 ounces	16 percent by weight of drained fruit
Cherries (any light, sweet variety) or (artificially colored red) or (artificially colored red and artificially flavored)	Approximate halves	2 percent by weight of drained fruit; but not less than 1 approximate half for each 4½ ounces avoirdupois of product and each fraction thereof greater than 2 ounces	6 percent by weight of drained fruit

3.5 **Head space.** — The maximum head space allowable for the respective sizes of metal containers shall be as shown in table II.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:38Z
Check the source to verify that this is the current version before use.

TABLE II.—*Head space for metal containers*

Can size	Maximum head space allowable (measured from top of double seam)
	16ths of an inch
8 Z Tall	7.6
No. 300	9.5
No. 1 Tall	9.9
No. 303	9.4
No. 2	9.7
No. 2½	9.9
No. 10	13.6

3.6 Drained weights. — Drained weights (or the Standard of Fill) for canned fruit cocktail shall be determined in accordance with the method specified in 4.3.2, and shall comply with the drained weights shown in table III for the applicable containers. The drained weight of fruit cocktail in containers not shown in table III shall be such that the total weight of the drained fruit is not less than 65 percent of the water capacity of the container.

TABLE III.—*Drained weights for canned fruit-cocktail*

Container designation (metal, unless otherwise stated)	Container size		Capacity weight H_2O at 68° F.	Minimum drained weight (65 percent capacity)
	Over-all dimensions			
	Width	Height	Overflow capacity	
	Inches	*Inches*	*Fluid ounces*	*Avoir. ounces*	*Ounces*
8 Z Tall	2 11/16	3 4/16	-----	8.65	5.63
8 oz. Glass	-----	-----	8.2	8.50	5.53
No. 300	3	4 7/16	-----	15.20	9.88
No. 1 Tall	3 1/16	4 11/16	-----	16.60	10.79
No. 303	3 3/16	4 6/16	-----	16.85	10.96
303 Glass	-----	-----	17.0	17.70	11.51
No. 2	3 7/16	4 9/16	-----	20.50	13.33
No. 2½	4 1/16	4 11/16	-----	29.75	19.34
No. 2½ Glass	-----	-----	28.35	29.50	19.18
No. 10	6 3/16	7	-----	109.45	71.15

3.7 Description of grades.—Unless otherwise specified, the interpretations of requirements (descriptive terms) contained in 1.1, 3.8, and 3.9 shall be in accordance with the United States Standards for Grades of Canned Fruit Cocktail in effect on the date of invitation for bids.

3.8 Fancy (grade A). — Canned fruit cocktail of this grade shall be practically free from defects, shall possess a good character, shall possess a normal flavor and odor; and, within the limits prescribed in the United States Standards for Grades of Canned Fruit Cocktail, shall possess a reasonably clear liquid media or fairly clear liquid media, shall possess a good color or a reasonably good color, and shall be practically uniform in size or reasonably uniform in size. Unless otherwise specified, canned fruit cocktail of this grade shall be either in "extra heavy sirup" or "extra heavy fruit juice sirup."

3.9 Choice (grade B).—Canned fruit cocktail of this grade shall possess a fairly clear liquid media, shall possess a reasonably good color, shall be reasonably uniform in size, shall be reasonably free from defects, shall possess a reasonably good character, and shall possess a normal flavor and odor. Unless otherwise specified, canned fruit cocktail of this grade shall be either in "heavy sirup" or "heavy fruit juice sirup."

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:38Z
Check the source to verify that this is the current version before use.

3.10 **Workmanship.**—Canned fruit cocktail shall be processed under sanitary conditions and in accordance with good commercial practice. The product shall be sufficiently processed by heat to assure preservation in hermetically-sealed containers, either tin or glass, as specified. Containers shall be sound and clean. Cans shall be free from rust and serious dents and the ends shall be flat or concave.

4. SAMPLING, INSPECTION, AND TEST PROCEDURES

4.1 **Sampling.**—Samples of finished products covered by this specification and samples of any materials, components, or constituents entering into the preparation of the finished products may be taken at any time by the Government inspector to determine compliance with the requirements.

4.2 **Inspection.**

4.2.1 *General.*—Inspection shall be made by the procuring agency or a duly authorized representative at the time and place designated by the procuring agency. It may be made at the site of manufacture, both during and after processing, at any suitable point in transit, and/or after delivery to the point of destination.

4.2.2 *Factory inspection.*—The passing as satisfactory of any detail of processing or materials shall not relieve the contractor of responsibility for faulty workmanship or materials which may be discovered at any time prior to final acceptance.

4.2.3 *Final inspection.*—Unless otherwise specified, final inspection shall be made after delivery to the point of destination (see 6.3 and 6.4).

4.3 **Tests.**

4.3.1 *Chemical analyses.*—Unless otherwise specified, chemical analyses if required by the purchaser, shall be made in accordance with the methods of the Association of the Official Agricultural Chemists in effect on the date of the invitations for bids or in accordance with methods that give equivalent results.

4.3.2 *Determination of drained weights.*—The total weight of drained fruit (or drained weight) shall be determined as follows: Tilt the opened container so as to distribute the contents evenly over the meshes of a circular sieve which has been previously weighed. The diameter of the sieve shall be 8 inches if the quantity of the contents of the container is less than 3 pounds, and 12 inches if such quantity is 3 pounds or more. The bottom of the sieve shall be woven-wire cloth which complies with the specifications for such cloth set forth under "2380 Micron (No. 8)" in table I of "Standard Specifications for Sieves," published March 1, 1940, in L. C. 584 of the U. S. Department of Commerce, National Bureau of Standards. Without shifting the material on the sieve so incline the sieve as to facilitate drainage. Two minutes from the time drainage begins, weigh the sieve and drained fruit. The weight so found, less the weight of the sieve, shall be considered to be the total weight of drained fruit.

5. PREPARATION FOR DELIVERY

5.1 **Packaging.** — Unless otherwise specified, commercial packaging is acceptable.

5.2 **Labeling.**—Any commercial labeling, or additional labeling as specified, that complies with the Federal Food, Drug, and Cosmetic Act, and regulations promulgated thereunder is acceptable.

5.3 **Packing.**—Unless otherwise specified, the product shall be packed in substantial commercial containers of the type, size, and kind commonly used for the purpose, so constructed as to insure acceptance and safe delivery by common or other carriers, at the lowest rate, to the point of delivery called for in the contract or purchase order.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:38Z
Check the source to verify that this is the current version before use.

5.4 Marking for shipment.—Unless otherwise specified, shipping containers shall be marked with the name of the product, quantity and size of packages in the container as defined by the contract or order under which the shipment is made, the name of the contractor, the number of the contract or order, the month and year of processing, and other pertinent information as specified by individual agencies.

6. NOTES

6.1 Ordering data.—Invitations for bids should state the grade of product and the size and kind of packaging required. If "dietetic packs" are desired or if a liquid media other than that specified for the various grades is desired, procurement documents should so specify.

6.2 If, for any particular purpose, samples with bids are necessary, they should be specifically asked for in the invitation for bids, and the particular purpose to be served by the bid sample should be definitely stated.

6.3 Contractor's inspection. — The contractor should be required to assure that the product conforms with the specification prior to submission to the Government for final inspection.

6.4 Destination inspection. — When the finished product has been inspected and passed at point other than destination, the contract should require that the product be inspected at destination for condition and quantity only.

Patent notice.—When Government drawings, specifications, or other data are used for any purpose other than in connection with a definitely related Government procurement operation, the United States Government thereby incurs no responsibility nor any obligation whatsoever; and the fact that the Government may have formulated, furnished, or in any way supplied the said drawings, specifications, or other data, is not to be regarded by implication or otherwise as in any manner licensing the holder or any other person or corporation, or conveying any rights or permission to manufacture, use, or sell any patented invention that may in any way be related thereto.

7. DEPARTMENTAL REQUIREMENTS

7.1 The following specifications and standard of the issues in effect on date of invitation for bids, and special requirements, form a part of this specification for purchases made under this specification by the respective departments.

7.2 Army, Navy, and Air Force.

7.2.1 *Applicable specifications and standard.*

Federal Specifications:

NN–B–621—Boxes; Wood, Nailed and Lock-Corner.

NN–B–631—Boxes; Wood, Wirebound (for Domestic Shipment).

LLL–B–631—Boxes; Fiber, Corrugated (for Domestic Shipment).

LLL–B–636—Boxes; Fiber, Solid (for Domestic Shipment).

Military Specifications:

MIL–P–1501—Packaging of Canned Subsistence Items, Overseas Shipment.

MIL–P–10225—Packaging of Glass Containers, 1-gallon Capacity and Smaller for Other Than Medicinal Products for Domestic Shipment.

Military Standard:

MIL–STD–129—Marking of Shipments.

(Copies of specifications and standards required by contractors in connection with specific procurement functions should be obtained from the procuring agency or as directed by the contracting officer.)

7.2.2 *For domestic shipment.*

7.2.2.1 *Packing of glass containers.*—Glass containers shall be packed in accordance with Military Specification MIL–P–10225.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:38Z
Check the source to verify that this is the current version before use.

7.2.2.2 *Packing of metal cans.*—The cans, arranged as specified in Military Specification MIL–P–1501, shall be packed on end in a snug-fitting corrugated or solid fiberboard, nailed wood, or wirebound wood box constructed in accordance with Federal Specification LLL–B–631, LLL–B–636, NN–B–621 or NN–B–631, respectively. The flaps of the fiberboard container shall be securely sealed with an adhesive commercially used for the specific product being packed applied throughout the entire area of contact between the flaps or by a combination of stitching one set of flaps prior to packing and sealing the other flaps with the adhesive. When the flaps are stitched the stitches shall be distributed so as to fasten all flaps securely together over the entire area of contact between the inner and outer flaps and to prevent lifting of free edges and corners of the outer flaps.

7.2.2.3 *Marking.* — Shipping containers shall be marked in accordance with Military Standard MIL–STD–129.

7.2.3 *For overseas shipment.*—The product shall be packaged, packed, labeled, and marked in accordance with Military Specification MIL–P–1501.

7.2.4 *Ordering data.*—Procurement documents should specify whether shipment is to be packaged, packed, labeled, and marked for domestic or overseas shipment.

ARMY INTEREST: Q

NAVY INTEREST: *MC* Md S

☆ U. S. GOVERNMENT PRINTING OFFICE: 1953

Copies of this specification may be purchased for 5 cents.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:38Z
Check the source to verify that this is the current version before use.