MIL-HDBK-276-2 (MC)
3 FEBRUARY 1984

MILITARY HANDBOOK

LIFE CYCLE COST MODEL
FOR
DEFENSE MATERIEL SYSTEMS
OPERATING INSTRUCTIONS

AMSC NO. N3247

MISC

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:40Z
Check the source to verify that this is the current version before use.

DEPARTMENT OF DEFENSE
WASHINGTON, DC 20360

Life Cycle Cost Model
for
Defense Materiel Systems

Operating Instructions

1. This handbook was prepared by the Marine Corps to be used for all Marine Corps materiel system procurements. This publication is not intended to supersede any procurement solicitation requirements. It is intended to be used by both Government and industry analysts in developing life cycle cost estimates for Marine Corps procurements.

2. This publication was approved on 3 February 1984 for printing and inclusion in the military standardization handbook series.

3. This handbook describes the procedures required to use the Model. The procedures are described in a series of Model runs with editorial comments describing its use to create, edit and produce reports for a data base called SAMPLE. The data base described herein represents the average of several electronic procurements. The maintenance concepts presented are representative of current systems. The assumptions and other data in the SAMPLE data base may be used as a starting point for analysis but may not be cited in studies as an authorized or validated source of data based solely on this handbook.

4. The SAMPLE data base is available to all users on line for reference and for training purposes. The individual data files within the SAMPLE data base are designed to serve as temporary files for other studies pending development of system specific data. None of the production costs or production CERs contained in the SAMPLE data base reflect actual systems under development.

5. Beneficial comments (recommendations, additions, deletions) and any pertinent data which may be use in improving this handbook should be addressed to:

Commandant of the Marine Corps
Code LMA-1
Washington, DC 20380

by using the self-addressed Standardization Document Improvement Proposal (DD Form 1426) appearing at the end of this handbook or by letter.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:40Z
Check the source to verify that this is the current version before use.

FOREWARD

1. This Life Cycle Cost Model for Defense Materiel Systems (Model) is the fifth in a series of engineering cost models developed in response to a Marine Corps requirement for a life cycle cost model which can be used in joint Service acquisition programs to insure that each Service's life cycle costs be considered. The current Model described by this handbook reflects continuing participation by analysts from all Services and industry to develop a model which is equally appropriate and convenient for all analysts and decision makers who must prepare or use life cycle cost estimates.

2. The Model's basic cost element structure is derived from MIL-STD-881, OSD Cost Analysis Improvement Group (CAIG) O&S Cost Development Guides, the Army 11 series pamphlets on life cycle cost, and the Tri-Tac Cost Effectiveness Program Plan. The Model addresses all seven types of materiel systems in MIL-STD-881: surface vehicle, electronic, aircraft, ship, missile, ordnance and space.

3. The report structure satisfies the requirements of DODI 5000.2, Major Systems Acquisitions Procedures, the DOD CAIG, Department of the Army 11 series Pamphlets and the Fiscal Director of the Marine Corps. The cost reports, with supporting documentation, are appropriate for presentation to all Services' system acquisition review councils and the Defense System Acquistion Review Council (DSARC).

4. The Model and this handbook are specifically designed to let the cost analysis community concentrate on the problem of developing cost estimates and determining the economic impact of the many engineering and management decisions which must be made during system acquistition by freeing them from the problem of developing new cost element structures and models for each program.

5. The Model is available to all users through a commercial time sharing arrangement to eliminate conversion problems, minimize software maintenance costs, maintain configuration control of the Model and its Government cost factors and to facilitate the sharing of data between Government and industry by electronic transfer of data bases between users.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:40Z
Check the source to verify that this is the current version before use.

CONTENTS

Paragraph			Page
	1.	SCOPE	1
	1.1	General	1
	2.	REFERENCED DOCUMENTS	1
	2.1	Issues of documents	1
	3.	DEFINITIONS	1
	3.1	General	1
	3.2	Acronyms	1
	4.	GENERAL REQUIREMENTS	2
	4.1	Accessing the model	2
	4.2	Communications	2
	4.2.1	Accuracy	2
	4.2.1.1	Uppercase letters	2
	4.2.1.2	Spaces	2
	4.2.1.3	Special keys	2
	4.2.2	Error correction	2
	4.2.2.1	Delete characters	2
	4.2.2.2	Backspace	3
	4.2.2.3	Delete entire current line	3
	4.2.2.4	List corrected line	3
	4.2.3	Communications problems	3
	4.2.3.1	Computer does not respond	3
	4.2.3.2	Line noise	3
	4.3	Entering commands and data	3
	4.3.1	Commands	3
	4.3.1.1	Carriage return as a command	4
	4.3.1.2	Carriage return as data	4
	4.3.2	Data	4
	4.4	Interrupted the model	4
	4.4.1	Break key	4
	4.4.2	Continue after break	4
	4.5	List available data files	4
	4.5.1	Types of files listed	4
	4.5.2	Files names	4
	5.	DETAILED REQUIREMENTS	5
	5.1	Task explanations	5
	5.2	Accessing the model	5
	5.2.1	Local access phone numbers	5
	5.3	Creating a data base	5
	5.3.1	Files used by the model	6
	5.3.2	Worksheets	7
	5.4	Adding records to existing files	7
	5.5	Editing existing files	7
	5.5.1	Temporary files	7
	5.5.2	Editor conventions	7
	5.5.2.1	Multiple entries on one line	7
	5.5.2.2	Saving data	7

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:40Z
Check the source to verify that this is the current version before use.

CONTENTS - Continued

5.5.3	Instructions for editing	8
5.6	Help-prompts	8
5.7	Command summary	8
5.7.1	Common commands	8
5.8	List	9
5.9	Reports	9
5.9.1	Unit production cost report	9
5.9.2	Life cycle cost report	9
5.9.3	Annual life cycle cost report	10
5.9.4	Program objective memorandum report	10
5.9.5	Army report	10
5.9.6	Inflated annual life cycle cost report	10
5.9.7	Inflated program objective memorandum report	10
5.9.8	Inflated life cycle cost report	10
5.9.9	Resource report	10
5.9.10	Life cycle cost compare report	10
5.9.11	Unit production cost compare report	10

TABLES

Table	I.	Files used by the model	6

FIGURES

Figure	1.	Accessing the model via TELENET	11
	2.	Accessing the model via TYMNET	12
	3.	Enter R&D system data	13
	4.	Enter production system data	16
	5.	Enter operations and maintenance system	18
	6.	Enter assumptions	20
	7.	Enter WBS data	21
	8.	Enter user course data	29
	9.	Enter training track data	31
	10.	Enter table of organization data	36
	11.	Enter deployment data	41
	12.	Enter R&D and production schedule and spending rates	42
	13.	Enter inflation	43
	14.	Enter manufacturer labor	44
	15.	Enter manufacturer T/O	46
	16.	Add WBS records	51
	17.	Add to table of organization	58
	18.	Add a user course	60
	19.	Add a training course	61
	20.	Edit system data	62
	21.	Edit assumptions data	64
	22.	Edit WBS data	66
	23.	Edit table of organization	75
	24.	Edit course	77
	25.	Edit training track	79
	26.	Edit inflation	81
	27.	Edit schedule	87
	28.	Edit spending rates	89

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:40Z
Check the source to verify that this is the current version before use.

CONTENTS - Continued

Figures

29. Edit deployment 92
30. Edit notepad 94
31. Initial help 98
32. Main help 99
33. File name help 100
34. System editor help 100
35. WBS editor help 101
36. Table of organization help 103
37. T/O edit help 105
38. Training tracks help 106
39. Course help 107
40. Report help 108
41. Prompt summary 109
42. List options 115
43. System list 115
44. WBS list 119
45. Schedule list 125
46. Delivery list 126
47. Table of organization list 126
48. Inflation table 128
49. Training track list 129
50. User course list 130
51. Notepad list 130
52. Report options 131
53. Unit production cost report 137
54. Life cycle cost report 138
55. Annual report 143
56. Program objective memorandum report . . . 148
57. Army report 150
58. Inflated annual report 152
59. Inflated program objective memorandum report 157
60. Inflated life cycle cost report 160
61. Resource report 162
62. Life cycle cost compare report 164
63. Unit production cost compare report . . . 168

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:40Z
Check the source to verify that this is the current version before use.

1. SCOPE

1.1 General. This handbook provides the operating instructions for the Model. The operating instructions track the creation of a Model data base called SAMPLE which is available to all users. The results of this process are presented beginning with figure 3. This handbook is not meant to be a tutorial guide for using the Model, but is presented as reference material for use prior to using the Model or any of its major functions.

2. REFERENCED DOCUMENTS

2.1 Issues of documents. The following documents of the issue in effect on the date of invitation for bids or requests for proposal form a part of this handbook to the extent specified herein.

STANDARDS

MILITARY

MIL-STD-881 Work Breakdown Structure for Defense Materiel Items
MIL-STD-1388 Logistic Support Analysis
MIL-STD-1390 Level of Repair

PUBLICATIONS

INSTRUCTIONS

DoD Instruction 5000.33 Uniform Budget/Cost Terms and Definitions
DoD Instruction 7000.11 Contractor Cost Data Reporting (CCDR)

HANDBOOKS

MIL-HDBK-276-1 Life Cycle Cost Model for Defense Materiel Systems: Data Collection Workbook

3. DEFINITIONS

3.1 General. Definitions for the Model are contained in the current version of MIL-HDBK-276-1, DoD Instruction 5000.33, DoD Instruction 7000.11 and MIL-STD 881.

3.2 Acronyms. The following acronyms are used in this handbook:

a. CAIG Cost analysis improvement group.
b. CER Cost estimating relationship.
c. D&V Demonstration and Validation.
d. DTUPC Design to unit production cost.
e. EQUIP Equipment.
f. FSD Full Scale Development.
g. GFE Government furnished equipment.
h. LCC Life Cycle Cost.
i. LCCM Life Cycle Cost Model.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:40Z
Check the source to verify that this is the current version before use.

j.	MAINT	Maintenance.
k.	O&M	Operation and Maintenance.
l.	O&S	Operations & Support.
m.	POM	Program Objective Memorandum
n.	PROD	Production.
o.	T/O	Table of organization.
p.	TOA	Total obligational authority.
q.	UPC	Unit production cost.
r.	WBS	Work breakdown structure.

4. GENERAL REQUIREMENTS

4.1 Accessing the Model. The Model resides on a central computer and is accessible to users worldwide on a timesharing basis.

a. The Model can be accessed using either TELENET or TYMNET telephone computer networks.
b. The user must have a telephone, a modem and a terminal.

4.2 Communications. Since the Model resides on a timesharing computer, users must enter data and commands which are acceptable to both the communication network and the Model. The following conventions must be followed to establish and maintain communications with the computer and to send data and commands which the Model can interpret.

4.2.1 Accuracy. Typing accuracy is important. When something is typed in, the Model's program must interpret it and respond to it based on internal tables and logical checks. The Model rejects commands and data which do not pass these preliminary checks.

4.2.1.1 Uppercase letters. All commands must be typed in uppercase letters. The Model will reject commands entered in lower case. If the terminal has both upper and lower case, use the "CAPS LOCK" key to insure that all letters are entered in uppercase. The "CAPS LOCK" key does not affect numbers or special characters.

4.2.1.2 Spaces. The Model interprets space(s) as a separator or delimiter between data entries made on the same line, except that name fields may include spaces.

4.2.1.3 Special keys. Terminals have separate keys for the number zero and the letter "O" and for the number one and the letter "l". The Model differentiates in their use. Refer to the terminal manual for any other special use keys.

4.2.2 Error correction. The Model does not process data or commands until the carriage return has been entered. Since the carriage return is a non-printing character, the symbol "<cr>" has been used throughout this manual to signify carriage return. The analyst may delete and reenter single characters or the entire line prior to entering the carriage return.

4.2.2.1 Delete characters. Press the "delete" key once for each preceding

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:40Z
Check the source to verify that this is the current version before use.

character or space to be deleted. The terminal will print a "/" for each character or space deleted. After characters have been deleted, additional data or commands may be entered prior to pressing carriage return.

4.2.2.2 Backspace. The "backspace" key cannot be used to delete characters or spaces. The Model interprets the "backspace" as a new character and will not erase the incorrect characters.

4.2.2.3 Delete entire current line. Simultaneously press the "control" and "X" keys. The terminal will print "Deleted" and present a blank line for reentry of the current line.

4.2.2.4 List corrected line. Simultaneously press the "control" and "R" keys to list the corrected current line for accuracy without transmitting the data. This should be done to verify that the line is correct whenever characters have been deleted.

4.2.3 Communications problems. Line problems may develop from time to time when using the Model. The first step should be to try redialing through the local network which you are currently using. If this does not solve the problem, switch to the other network.

4.2.3.1 Computer does not respond. If users cannot get through to the computer on either network, the computer may be down. If the computer is down, the networks will respond with a message to that effect. If the computer is down, check back every hour. Every effort will be made to restore service in the event of outages. Users may contact the program management team for further information in the event of extended outages.

4.2.3.2 Line noise. Line noise may cause strange characters on a user's terminal. This problem is most common when phone lines may be accessed by other local extensions. Terminals should not be connected to any line with an extension, especially a key set extension. Terminal lines should not go through local switchboards. Both of these are major sources of line noise. If the user has an outside line and the line noise problem is the same for both networks, then the problem is most likely in the terminal, the modem or phone company equipment in the local exchange. In the event of line noise problems, first verify that the problem is not in the terminal or modem. If the terminal equipment is satisfactory, seek assistance from the local phone company to determine if a line pack at the local exchange may be the source of the problem.

4.3 Entering commands and data. The Model prints a "?" whenever it is ready to receive and process either a command or data.

4.3.1 Commands. In general, the Model only responds to the first three letters of an entered command. Typing in the extra letters may cause errors in some of the Model's subroutines. The prompts displayed in capital letters are those parts of the response which the Model processes. Extra letters not used by the Model but which are necessary for clarity are displayed on the user's terminal in lower case letters. For example, SAVe is displayed in the prompt; SAV is the correct command.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:40Z
Check the source to verify that this is the current version before use.

4.3.1.1 Carriage return as a command. <cr> is the symbol used in this handbook for carriage return. The Model will accept the command "RET" or a carriage return as the command to exit the current command level and return to the previous or calling command level. This procedure will work until the user has returned to the main or master command level.

4.3.1.2 Carriage return as data. The carriage return is used to tell the Model to process a line of data. The Model will not process an entry until the carriage return is given to give the user a chance to make changes with the delete character or line functions. When editing, a carriage return in response to the Model's request for data will leave existing values as they are displayed. The command "RET" cannot be used to signify completion of data entry.

4.3.2 Data. Data may take the form of dates, numbers or character strings. The Model performs logical checks on dates and screens nonnumeric data from numeric fields to preclude entries which would cause fatal computational errors. Multiple entries are separated by spaces or commas.

4.4 Interrupting the Model. If it becomes necessary to interrupt the normal operation of the Model, press the "break", "interrupt", "null", or "attn" key. If none of these are available, hang up the phone to interrupt the Model. The Model run is normally terminated by typing "DON" in response to the main command prompt.

4.4.1 Break key. If the "break" key is used, press it briefly. This will terminate the Model's current run. On some terminals, the "brk-rls" (break-release) key must be pressed after pressing "break" to resume communication with the computer. If the "break" key is held down too long, the computer may disconnect the terminal.

4.4.2 Continue after break. To resume work with the Model, type "RUN". Any data not saved in a data file when the break was issued will have to be reentered.

4.5 List available data files. Type "CAT" (for catalog) to obtain a list of the data files associated with the current user number with which the terminal is signed on. Passwords cannot be listed. The "CAT" command is a system command and as such cannot be executed by the Model. It may not be issued after the "RUN" command and before the computer has printed "STOP".

4.5.1 Types of files listed. Not all of the files listed are Model data files. Model data files begin with the letters "C D E I P R S X Y or Z". These leading letters are added by the Model to the root data file names entered by the user. The prefix letters identify the file as a file which can be read by the Model.

4.5.2 File names. Do not type in the leading letter added by the Model when using the "GET" command to load existing data file(s).

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:40Z
Check the source to verify that this is the current version before use.

5. DETAILED REQUIREMENTS

5.1 Task explanations. This section presents all of the tasks required to create, edit and list a data base and to generate reports. Each task relates to the creation and use of a training data base called SAMPLE which is available to all users as developed in this handbook. While the electronic system described by the SAMPLE data base is fictional, the assumptions and O&M cost factors represent an average of several actual systems as of May 1983. While a complete data base is created herein, there is no requirement to create each of the files shown or to enter all of the possible data in each file. The detail on each worksheet is provided for use if required and to develop a structure to account for possible costs. Each developmental system will normally use only a small portion of the possible data elements and cost factors presented in this handbook. To simplify data entry, when the Model prompts for data items not included in the current analysis, enter a <cr> to proceed to the next data item(s). Each task is presented in a figure structured as follows:

a. General instructions and information about the task.

b. A sample session with the Model on the left side of the figure.

c. User responses to the Model's requests for commands and data. Data and commands entered in response to the Model's prompts are enclosed by <> for clarity. The <> are not part of the response and should **not** be entered.

d. Explanations of the Model's prompts and instructions for user responses are numbered sequentially on the right side of each figure.

5.2 Accessing the Model. The Model may be accessed using TELENET or TYMNET. Figure 1 contains instructions for accessing the Model via TELENET. Figure 2 contains instructions for accessing the Model using TYMNET.

5.2.1 Local access phone numbers. Local direct dial access phone numbers are available for TELENET and TYMNET in all major and many medium sized cities throughout the United States and in major cities throughout the world. Contact the program management team for a current list of phone numbers for new user sites or contact TELENET or TYMNET directly.

5.3 Creating a data base. A data base must exist before any reports can be generated. A data base may consist of up to 9 data files, some of which contain only one record and others which contain a record for each entry. Only the System, Deployment, Schedule and Inflation files are required to use the Model. The Deployment file must be created before the Schedule file or date errors will be created. Subsets of the possible entries on the System, WBS and Personnel worksheets are acceptable. Files may be created from scratch or they may be created by using the GET command to read in files and records from previously created data bases. The Model's editors can then be used to make changes and enter new information.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:40Z
Check the source to verify that this is the current version before use.

5.3.1 Files used by the Model. When using the CREate command, the Model will prompt for data base files in the order listed below. Table I presents the names of the files used by the Model, their associated worksheets and the figure which shows the creation of the SAMPLE file.

Table I. Files used by the Model.

File Name	# Records	Required/ Optional	Worksheets	Figure
System	Single	Required	Dem-Val-Contractor	3
			Dem-Val-Government	3
			FSD-Contractor	3
			FSD-Government	3
			Prod-Contractor (NR)	4
			Prod-Government (NR)	4
			Prod-Contractor (R)	4
			Prod-Government (R)	4
			Operations	5
			Assumptions	6
WBS	Multiple	Optional	Header	7
			Dem&Val	
			FSD	
			Production	
			UPC	
			Equipment Maintenance	
Course	Multiple	Optional (Tracks Req)	Course	8
Training Track	Multiple	Optional (Course Req)	Training Track	9
Table of Org	Multiple	Optional	Military Government Civilian	10
Deployment	Single	Required	Schedule	11
Schedule, Spending Rates	Single	Required	Schedule	12
Inflation	Single	Required	Inflation, Internal Tables	13
Table of Org	Multiple	Optional	Contractor	14
Manufacturer Labor rates	Multiple	Optional	Labor Rate	15

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:40Z
Check the source to verify that this is the current version before use.

5.3.2 Worksheets. Data entry worksheets should be completed before interacting with the Model. The Model follows the order on each worksheet when prompting for data. Copies of the data entry worksheets and instructions for completing them are contained in MIL-HDBK-276-1.

5.4 Adding records to existing files. WBS (hardware and software configuration items), T/O(personnel), course, and training track data are stored in multiple record files. These files may have as many records as needed. The following figures demonstrate the procedures necessary to add records to each of these files:

a. Figure 16 - Add WBS records.
b. Figure 17 - Add T/O records.
c. Figure 18 - Add user course records.
d. Figure 19 - Add training track records.

5.5 Editing existing files. Editors are provided for each of the files used by the Model. These editors allow the analyst to correct errors, to update data and to perform sensitivity analyses. The editors perform preliminary checks on dates, screen nonnumeric data for numeric fields and insure that data are stored in the appropriate fields within the files.

5.5.1 Temporary files. All files available to the analyst are temporary copies of the original files. Changes are made to these temporary files and will not have any effect on the original file until a SAVe command is issued and the original file name is given. Temporary files can replace original files or can be saved under different names to create variations on the base case.

5.5.2 Editor conventions. In general, the Model prints existing values before asking for new values in response to change data command. The analyst has the option of entering a carriage return <cr> in response to the data request to leave the current value unchanged.

5.5.2.1 Multiple entries on one line. When the Model requests multiple entries on a single line, the user may separate entries with a comma or a space. In multiple item requests, zeros or commas may be used for leading entries to indicate a null response for individual data items in the multiple item request. A carriage return terminates entry of a multi-data request and leaves current data unchanged (null if none has been entered) in the fields for which entries were not made. Spaces used in name fields are considered part of the name. To preclude confusion, the Model will not ask for multiple name field entries on the same line.

5.5.2.2 Saving data. When using the system. WBS, and T/O editors, the analyst may type SAV at any time in lieu of data to write the temporary file to a permanent file. It is a good idea to save data every 10-15 minutes to minimize the amount of rework required in the event of communications failures. The Model will prompt for a file name and report if the file is saved successfully. If an existing file name is entered, the Model will advise the user that the named file already exists and offer an opportunity not to replace the existing file. A carriage return in lieu of the file

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:40Z
Check the source to verify that this is the current version before use.

name will terminate a SAVe command without saving the file. All data contained in the file will be saved, not just the changes. After the save has been performed, the Model returns the user to the original request for data.

5.5.3 Instructions for editing. Instructions for editing each file used by the Model are contained in the following figures:

a. Figure 20 - Edit system data.
b. Figure 21 - Edit assumptions data.
c. Figure 22 - Edit WBS data.
d. Figure 23 - Edit T/O.
e. Figure 24 - Edit course.
f. Figure 25 - Edit training track.
g. Figure 26 - Edit inflation.
h. Figure 27 - Edit schedule.
i. Figure 28 - Edit spending.
j. Figure 29 - Edit deployment.
k. Figure 30 - Edit notepad.

5.6 Help-prompts. The following figures contain the major help prompts available to the user in the Model. They are provided here as reference material for use in training of new users and as a resource for inexperienced users.

a. Figure 31 - Initial help.
b. Figure 32 - Main help.
c. Figure 33 - File name help.
d. Figure 34 - System editor help.
e. Figure 35 - WBS editor help.
f. Figure 36 - Figure of organization help.
g. Figure 37 - T/O edit help.
h. Figure 38 - Training tracks help.
i. Figure 39 - Course help.
j. Figure 40 - Report help.

5.7 Command summary. Figure 41 presents all of the Model's commands and prompts. The summary follows the Model's tree structure and traces each branch from the main command prompt.

5.7.1 Common commands. Common commands and their functions are as follows:

a. SAVe is used to write temporary files to disk.
b. GET is used to read permanent file(s) from disk to temporary file(s) for use by the Model.
c. EDIt and CHAnge are used to call a file editor.
d. LISt is used to list file contents at the terminal.
e. ADD is used to add records to a multiple record file.
f. DELete is used to delete records from a multiple record file.
g. MOVe is used to move records in a multiple record file.
h. HELp is used to get help.
i. CREate is used to have the Model direct creation of a file.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:40Z
Check the source to verify that this is the current version before use.

5.8 List. List functions are provided throughout the Model to allow analysts to document their data bases. The list functions duplicate the data entry worksheets and print the short titles on these worksheets to insure that the documentation of the data base is as clear as possible. The use and results of each of these list functions are contained in the following figures:

a. Figure 42 - List options
b. Figure 43 - System inputs
c. Figure 44 - WBS inputs
d. Figure 45 - Phase dates and spending rates
e. Figure 46 - Delivery schedule and rates
f. Figure 47 - Figure of organization
g. Figure 48 - Inflation rates
h. Figure 49 - Training tracks
i. Figure 50 - User course file
j. Figure 51 - Notepad

5.9 Reports. The analyst has the option of listing any or all of the reports generated by the Model. The Model writes each of the reports to a temporary disk file and advises the analyst which reports are available for listing. After the first run of the Model, the analyst is given the choice of listing the full report or only those elements which differ from one of the previous reports. The following figures contain examples of the commands needed to generate reports. The reports shown are based on the data base SAMPLE created for this handbook.

a. Figure 52 - Report options.
b. Figure 53 - Unit production cost report.
c. Figure 54 - Life cycle cost report.
d. Figure 55 - Annual report.
e. Figure 56 - Program objective memorandum report.
f. Figure 57 - Army report.
g. Figure 58 - Inflated annual report.
h. Figure 59 - Inflated program objective memorandum report.
i. Figure 60 - Inflated life cycle cost report.
j. Figure 61 - Resource report.
k. Figure 62 - Life cycle cost compare report.
l. Figure 63 - Unit production cost compare report.

5.9.1 Unit production cost report. The UPC report contains the following information for each WBS item included in the calculation: calculated average unit cost, lot cost, name and WBS number, learning theory used, slope of the labor and material learning curves, lot buy quantity and basis quantity for the estimate in the production record.

5.9.2 Life cycle cost report. The life cycle cost report presents life cycle costs in constant dollars by system acquisition phase. The analyst can control the level of detail and the phases to be printed. This report follows the general report format guidance provided by the DoD Cost Analysis Improvement Group and is changed as required to remain in compliance with current policy.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:40Z
Check the source to verify that this is the current version before use.

5.9.3 Annual life cycle cost report. The annual life cycle cost report follows the same structure as the life cycle cost report except that the costs are reported at a higher level of aggregation and on a Government fiscal year basis. Costs are reported in constant dollars. The spending rates contained in the schedule are used to spread R&D and production costs. Recurring production costs for WBS records are spread based on the production start date and rate in each record. Operating and support costs are spread based on the delivery schedule and the system operating life.

5.9.4 Program Objective Memorandum report. The POM report uses the spending rates for the annual report but reports costs by major budget category for the period covered by the Five Year Defense Plan. Costs are reported in constant dollars. This report does not contain retirement liability costs contained in the life cycle cost report. Normally, this will result in lower costs during the Operating & Support phase of the system life cycle for the POM report than for the life cycle cost report.

5.9.5 Army report. The Army life cycle cost report presents costs in constant year dollars in the formats required by DA PAM 11-4. The costs reported differ from the life cycle cost table in two areas: the Army report does not contain costs for retirement liability and it does not contain costs for introduction or maintenance of WBS items in the inventory.

5.9.6 Inflated annual life cycle cost report. The inflated annual report contains the same elements as does the annual report except that costs are reported in then year dollars, i.e. the actual costs expected to be incurred in each year based on the inflation rates contained in the inflation table.

5.9.7 Inflated Program Objective Memorandum report. The inflated POM report contains the same format and information as the constant dollar POM report except that costs are reported in then year dollars based on the inflation rate table. This means that the costs reported are the actual costs expected for each year of the report.

5.9.8 Inflated life cycle cost report. The inflated life cycle cost report presents both then year and constant dollar costs for each phase based on the structure used for the life cycle cost report except that the report is at a higher level of detail.

5.9.9 Resource report. The resource report provides the analyst with information regarding the resources consumed during the operation and maintenance of WBS items. This report is provided to assist ILS managers and design engineers by reporting logistics demand for each WBS item and by calculating and reporting discontinuities between proposed manning concepts for operations and maintenance activities and the actual labor requirements demanded by the WBS items based on operating quantities, operating profile, failure rates and level of repair.

5.9.10 Life cycle cost compare report. This report shows the differences in cost between any two Model runs if the WBS structures are the same.

5.9.11 Unit production cost compare report. This report shows the differerences in unit costs for each WBS record for any two Model runs.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:40Z
Check the source to verify that this is the current version before use.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:40Z
Check the source to verify that this is the current version before use.

	1. Dial the local telenet access phone number. A high pitched tone will be received when a data line has been reached.
TELENET	2. TELENET acknowledges connection and prints the local node address. This address, in this case 202 19J, should be noted in case communication problems develop.
202 19J	
TERMINAL=<D1>	3. Enter terminal type from the current TELENET terminal directory available from TELENET.
@<C 60366>	4. Enter computer's network address.
603 66 CONNECTED	5. Connection is acknowledged.
USER NUMBER—<your number> <############> <— PASSWORD	6. Enter assigned user number. 7. Enter assigned user password. The password may be changed by entering a new password immediately after the old one, separating the two with a comma.
DEFENSE RESEARCH & DEVELOPMENT NETWORK	8. Sign on message from the computer.
LINE 1/1007 ON AT 21:12 11 MAY 83	
Non Prime Time Brief interruption at 24:00 E.D.T.	
/BRI/NPARITY/SYS FORTRAN/MAX 64K CORE/OLD *GRC00000:VERSION5/ * *<RUN>	9. Enter RUN command to begin model execution.

FIGURE 1. Accessing the model via TELENET

type your terminal identifier: <A>	1. Dial the local Tymnet access number. 2. Tymnet responds by asking for a terminal identifier. "A" is the only correct answer.
-2544-006-	3. TYMNET prints the local node address: -2544-006- This number should be noted in case communication problems develop.
please log in: <DTSSGRC> password: <MCLEAN/>	4. Enter Tymnet network address: "DTSSGRC". 5. Enter Tymnet password: "MCLEAN/".
remote: call connected	6. Connection is acknowledged.
USER NUMBER—<your number> <############> <— PASSWORD	7. Enter assigned user number. 8. Enter assigned password. The password may be changed by entering a new one after the old one separated by a comma: OLD,NEW.
DEFENSE RESEARCH & DEVELOPMENT NETWORK LINE 1/1103 ON AT 21:17 11 MAY 83 Non Prime Time Brief interruption at 24:00 E.D.T.	9. Sign on message from computer.
/BRI/NPARITY/SYS FORTRAN/MAX 64K CORE/OLD *GRC00000:VERSION5/ * *<RUN>	10. Enter "RUN" to begin model execution.

FIGURE 2. Accessing the model via TYMNET

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:40Z
Check the source to verify that this is the current version before use.

```
*<RUN>

        DEFENSE MATERIEL SYSTEM LIFE CYCLE COST MODEL

                FOR MIL-STD 881 WEAPON SYSTEMS

                    VERSION 5:  MAY 1983
                    05/11/83  21:26:35

CREate, GET, ASSemble, HELp? <CRE>
GET, CREate or SKIp System entries? <CRE>
Enter the fiscal year for system costs (YY)? <83>
Type system:  ELEctronic, SURface vehicle, ORDnance
              AIRcraft, SHIp, MISsile or SPAce? <ELE>
SYStem name (10 or less letters) ? <SAMPLE>
100 R&D? <cr>


110 D&V? <cr>

111 CONT? <1>


111.12  111.13  111.14? <.23 116500 139000>
```

1. The Model begins execution with an advisory message which includes the date of the current version. The date/time of the current run are also printed.

2. CREate a new data base is selected.
3. CREate system entries is selected.
4. Fiscal year 1983 is entered.

5. ELEctronic system is selected.
6. System name "SAMPLE" is entered.
7. The Model begins at R&D system level cost elements. Carriage return <cr> tells the Model to ask for the next line on the R&D data entry worksheet. **A zero would cause the Model to skip all of the R&D entries.**

8. A "1" entered is a cost estimating relationship (CER) flag. It tells the Model that entries made under 111 which are between 0 & 1 are to be computed as a percentage of the total value of 111.

9. Spaces or commas are used to separate entries. 111.12 will be computed as 23% of the computed value of 111. Any value greater than 1 tells the Model to go to the next equal or higher level entry on the worksheet. Higher level entries have smaller numbers in the level column.

FIGURE 3. Enter R&D system data.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:40Z
Check the source to verify that this is the current version before use.

```
111.15 DATA? <127700>
111.16? <0>
```

10. Any entry other than a carriage return <cr> or a one [which is the CER flag] will cause the Model to skip the more detailed entries. The zero causes the Model to skip the details for 111.16.

```
111.17? <189000>
111.18 OTHER? <0>
112 GOVT? <cr>

112.12? <cr>

112.12.1  112.12.2  112.12.3? <0 0 58000>

112.13? <cr>
112.13.1  112.13.2  112.13.3? <112000 35000 42000>
112.14? <89000>
112.15? <0>
112.16? <0>
112.17? <0>
120 FSD? <1>

121 CONT? <cr>
121.12? <cr>
121.12.1  121.12.2? <9500>
121.13? <cr>
121.13.1  121.13.2  121.13.3? <16500 66000 49000>
121.14? <72000>
121.15? <.045>
121.16? <0>
121.17? <185000>
121.18? <0>

122 GOVT? <cr>
122.12? <cr>
```

11. Demonstration & validation—government entries are requested.
12. A carriage return <cr> is entered to cause entries to be requested at the next lower level.
13. Zeros or commas are used to maintain position for data entry.

14. Full scale development entries are requested. The CER flag is set to 1. See explanation #8 above.
15. FSD contractor costs are requested.

16. FSD government entries are requested.

FIGURE 3. Enter R&D system data. - Continued

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:40Z
Check the source to verify that this is the current version before use.

```
122.12.1  122.12.2  122.12.3? <0 0 88000>
122.13? <cr>
122.13.1  122.13.2? <61000 29000>
122.13.3? <55500>


122.14? <SAV>


File name: <FILEABC or FILEABC,PASSWORD> or HELp
? <SAMPLE,PASS>



System DATA WRITTEN FOR SAMPLE


122.14? <114800>

122.15? <0>
122.16? <0>
122.17? <0>
```

17. SAVe may be typed at anytime in place of data to SAVe entries made so far.

18. File name with optional password is requested. File name can have a maximum of 7 characters and the password 8 characters. A comma separates the name and the password.

19. The Model advises that the file was written with no errors.

20. The Model resumes where the SAV was entered.

FIGURE 3. Enter R&D system data. - Continued

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:40Z
Check the source to verify that this is the current version before use.

```
200 PROD? <cr>

211 CONT (N-R)? <cr>
211.12 SYS PROJ MGT? <cr>
211.12.1  211.12.2? <119000 125600>
211.13 TRAINING? <cr>
211.13.1  211.13.2? <99000 38000>
211.13.3? <cr>
211.13.3.1  211.13.3.2? <0 38000>
211.14 PROD STARTUP? <189000>
211.15 DATA? <245000>
211.16 INIT SPARES? <cr>
211.17 ST&ES? <122000>
211.18 SOFTWARE CTR? <22000>
211.19 CONT TECH SUP? <43000>
211.20 OTHER? <0>
212 GOVT (N-R)? <cr>

212.12 INIT TRAINING? <65000>
212.13 ST&E? <cr>
212.13.1? <73000>
212.13.2? <cr>
212.13.2.1  212.13.2.2  212.13.2.3? <0 54000 42500>
212.14 TEST SITE ACT? <38500>
212.15 TECH ORDERS & MAN? <cr>
212.16 SOFTWARE CTR? <cr>
212.17 INV MGT? <cr>
212.18 IND FAC? <0>
212.19 OTHER? <0>
```

1. Production system level cost elements begin. Contractor—nonrecurring entries are requested.

2. Government—nonrecurring entries are requested.

FIGURE 4. Enter production system data.

Source: http://assist.dla.mil -- Downloaded: 2026-10-26T13:40Z
Check the source to verify that this is the current version before use.

```
220 PROD (R)? <cr>

221 CONT (R)? <310000>
222 GOVT (R)? <cr>

222.12 PROJ MGT? <cr>
222.12.1  222.12.2  222.12.3? <0 0 45900>
222.13 TRANSPORTATION? <48900>
222.14 OP  SITE  ACT? <91000>
222.15 QUALITY CTRL? <119000>
222.16 SUP ENG? <cr>
222.17 INIT TRAINING? <0>
222.18 ST&E? <67000>
222.19 INIT SPARES? <cr>
222.20 OTHER? <0>
```

3. Contractor--recurring entries are requested.

4. Government--recurring entries are requested.

FIGURE 4. Enter production system data. - Continued

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:40Z
Check the source to verify that this is the current version before use.

```
01 SYS OPER FAC? <cr>

02 03 04 05? <3,2,2,7>

06 07? <15000,3.5>
08 SYS OPER TRANSPORTATION? <cr>
09 010 011 012? <400,100,2000,3000>
013 014? <1020,30000>
015 SYS EQUIP LEASEHOLDS? <cr>
016 EQUIP LEASEHOLDS($/SITE)? <24000>
017 OTHER? <cr>
018 019 020 021? <0,150000>



022 ORG MAINT FAC? <cr>
023 024 025? <7,15000,3.5>
026 INT MAINT FAC? <cr>
027 028 029? <4,15000,3.5>
030 MAINT S/W CTR? <70000>
031 CONT S/W MAINT? <150000>
032 NUM YRS CONT S/W MAINT? <2>
033 NUM YRS GOVT S/W MAINT? <8>
034 M&D S/W CENTER? <30000>
035 CONTRACT M&D S/W MAINT? <34000>
036 NUM YRS CONT M&D MAINT? <1>
037 NUM YRS GOVT M&D MAINT? <9>
038 CONT SVCS? <420000>
039 NUM YRS CONT SVCS? <4>
040 SUP FAC? <cr>
041 ORG SUP($/FT2)? <1>
```

1. Operations & maintenance system level inputs begin.
2. Entries can be separated by commas or spaces.

3. For lines requesting multiple entries, zeros or commas can be used for leading entries which have no values. Trailing entries without values need not be made.

FIGURE 5. Enter operations and maintenance system data.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:40Z
Check the source to verify that this is the current version before use.

```
042 ORG SUF(FT2)? <5000>
043 INT SUP($/FT2)? <1>
044 INT SUF(FT2)? <5000>
045 FIELD DEP SUP($/FT2)? <cr>
046 047? <cr>
048 BONDED STORE? <cr>
049 050? <4,8000>
051 TECH DATA REV? <cr>
052 053? <150,50>
054 055 056 057(NSN COUNT)? <25,4>
058 OTHER LOG SUPT? <cr>
```

FIGURE 5. Enter operation and maintenance system data. - Continued

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:40Z
Check the source to verify that this is the current version before use.

```
Enter the fiscal year for assumptions ? <83>

A  1   2   3   4     >>>>? <15,.08,740,300>
A  5   6   7   8     >>>>? <414,1166,1891,.9>
A  9  10  11  12     >>>>? <5,5,1500,1000>
 A 13  14  15  16     >>>>? <7000,.013,.0013,.0889>
 A 17  18  19  20     >>>>? <.0589,.0114,.54,830>
 A 21  22  23  24     >>>>? <1653,.005,0,.01>
 A 25  26  27  28     >>>>? <.005,0,.03,.1>
 A 29  30  31  32     >>>>? <1,30,60,60>
 A 33  34  35  36     >>>>? <60,180,180,180>
 Save SYSTEM data

File name: <FILEABC or FILEABC,PASSWORD> or HELp
? <SAMPLE,PASS>


System  data already exists for SAMPLE.
Replace the file (Y,N)? <Y>


System DATA WRITTEN FOR SAMPLE
```

1. Assumptions begin. Fiscal year 1983 is entered.

2. The Model directs the user to save all system entries before proceeding.

3. File name for system data is requested and entered.

4. The new file replaces the file saved when R&D system was entered. See Figure 3 explanation 16.

FIGURE 6. Enter assumptions.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:40Z
Check the source to verify that this is the current version before use.

```
GET or CREate the WBS data base ? <CRE>
 Enter how many WBS records
Caution: The Model will force entry of all records.
Do not request to enter groups larger than 5.
Enter a zero (0) or <cr> to skip this process
? <3>

 Name the WBS record? <MASS STORAGE DEVICE>


Enter data in the following order:
Separate entries with a comma or a space
No spaces in the NSN/MPN field

SERvice, EQUIP-GROup, NSN/MPN, WBS #, GFE, O&MBY

? <MC,1,1406Z,11.4.1,N,83>

 Use UNIt cost or CUM average learning theory? <UNI>

ENTer values for D&V   or RETurn ? <ENT>



D  1  2  3  >>>? <1983,4,4>
D  4  >>>? <cr>



D  5  >>>? <cr>
D  6  >>>? <cr>
D  7  8  9 10  >>>? <23000,15000,6000,12000>
D 11 12 13  >>>? <6500,1900>
```

1. CREate WBS data base is requested.

2. Number of WBS records to be entered is requested.
3. Name of WBS record #1 is entered. The name can have a maximum of 40 characters.

4. Header data for WBS record #1 is entered.
5. UNIt cost learning curve theory is requested.
6. ENTer D&V values is requested. A carriage return <cr> would cause the Model to enter all zeros for D&V and then go to FSD.

7. Carriage return for #4 causes the Model to ask for the remaining #s. If a value is entered for #4, #6 or #22, the Model would skip details according to the D&V worksheet.

8. There is no value for D&V #13. A carriage return is entered after the first two data values are entered.

FIGURE 7. Enter WBS data.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:40Z
Check the source to verify that this is the current version before use.

```
D 14  >>>? <31000>
D 15  >>>? <26000>


D 22  >>>? <cr>
D 23 24 25 26  >>>? <4950,3100,6200,8000>
D 27  >>>? <cr>
D 28  >>>? <cr>
D 29  >>>? <cr>
ENTer values for FSD   or RETurn ? <ENT>

F  1  2  3  >>>? <1983,46,4>
F  4  >>>? <cr>
F  5  >>>? <cr>
F  6  >>>? <cr>
F  7  8  9 10  >>>? <20000,11000,8000,25000>
F 11 12 13  >>>? <2600,5100>
F 14  >>>? <25000>
F 15  >>>? <31000>
F 22  >>>? <11000>
F 28  >>>? <cr>
F 29  >>>? <100>
ENTer values for PROD  or RETurn ? <ENT>

P  1  2  3  >>>? <1983,3,3>
P  4  >>>? <cr>
P  5  6  7  8  >>>? <0,2200,0,1200>
P  9 10 11 12  >>>? <1150,1155,0,1100>
P  1  2  3  >>>? <1983,3,3>
P  4  >>>? <cr>
P  5  6  7  8  >>>? <0,2200,0,1200>
P  9 10 11 12  >>>? <1150,1155,0,1100>
P 13 14 15  >>>? <1200,1100,12>
P 16  >>>? <cr>
P 17 18 19 20  >>>? <0,1250,160,175>
P 21 22  >>>? <150>
P 23 24  >>>? <1450>
ENTer values for DTUPC or RETurn ? <ENT>
```

9. The entry for #15 causes the Model to skip #16-21. This control sequence is shown on the data entry worksheets.

10. FSD values for WBS record #1 are entered.

11. Production values for WBS record #1 are entered.

12. DTUPC values for WBS record #1 are entered. The Model skips #1-4 because

FIGURE 7. Enter WBS data. - Continued

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:40Z
Check the source to verify that this is the current version before use.

```
U    5  6  7  8   >>>? <1982,19,12000,80>

U    9 10 11 12   >>>? <.9,.95,1,150>
U   13 14 15 16   >>>? <3,1985,10,15>
U   17 18 19 20   >>>? <,,,.04>

ENTer values for EQUIP or RETurn ? <ENT>

E    1  2  3  4   >>>? <130,4200,,55>
E    5  6  7  8   >>>? <2,,21,.17>
E    9 10 11 12   >>>? <1,25,3,2.5>
E   13 14 15 16   >>>? <.5,10,2,.45>
E   17 18 19 20   >>>? <.07,,.25,.75>
E   21 22 23 24   >>>? <,3905,.02,.2>
E   25 26 27 28   >>>? <.5,.5,.5,.5>
E   29 30 31 32   >>>? <.5,.75,52>
E   33 34         >>>? <cr>
ENTer values for MAINT or RETurn ? <ENT>

 M1 Annual mod cost factor.  RETurn to enter M2-M6? <.01>
M    7  8  9 10   >>>? <,,32,29>
M   11 12 13 14   >>>? <.01,.01,.01,.01>
M   15 16 17 18   >>>? <,,,1>
M   19 20 21 22   >>>? <.5>
M   23 24 25 26   >>>? <.3,.26,1,.8>
M   27 28 29 30   >>>? <,,,.8>
M   31 32 33 34   >>>? <.9,1.5>
M   35 36 37 38   >>>? <,3>
M   39 40 41 42   >>>? <.15,.1>
M   43 44 45      >>>? <.1,,.05>

 Copy an existing WBS record (Y,N)? <N>

 Name the WBS record? <MASS MEMORY>
Enter data in the following order:
Separate entries with a comma or a space
No spaces in the NSN/MPN field
```

the WBS record is not GFE.

13. Commas or zeros are used to hold places. .04 is entered for U 20.
14. Equipment data for WBS record #1 are entered.

15. Maintenance data for WBS record #1 are entered.

16. Option to copy an existing WBS record is rejected.
17. Name for WBS record #2 is entered.

FIGURE 7. Enter WBS data. - Continued

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:40Z
Check the source to verify that this is the current version before use.

```
SERvice, EQUIP-GROup, NSN/MPN, WBS #, GFE, O&MBY

? <MC 1 MM1825P 11.4.2 N 83>

 Use UNIt cost or CUM average learning theory? <CUM>

 Copy D&V   data from another WBS record (Y,N) ? <N>

ENTer values for D&V   or RETurn ? <ENT>
D  1  2  3  >>>? <1983,4,4>
D  4  >>>? <cr>
D  5  >>>? <cr>
D  6  >>>? <cr>
D  7  8  9 10  >>>? <1800,9000,4000,3000>
D 11 12 13  >>>? <5500,11000,500>
D 14  >>>? <13000>
D 15  >>>? <cr>
D 16 17 18 19  >>>? <2000,22000,5000,1900>
D 20 21  >>>? <1000,2200>
D 22  >>>? <18000>
D 28  >>>? <cr>
D 29  >>>? <40>
 Copy FSD   data from another WBS record (Y,N) ? <N>

ENTer values for FSD   or RETurn ? <ENT>
F  1  2  3  >>>? <1983,4,4>
F  4  >>>? <cr>
F  5  >>>? <cr>
F  6  >>>? <cr>
F  7  8  9 10  >>>? <9000,6000,1969,2156>
F 11 12 13  >>>? <4823,3128>
F 14  >>>? <6982>
F 15  >>>? <cr>
F 16 17 18 19  >>>? <,1429,2834,3500>
F 20 21  >>>? <500>
F 22  >>>? <17000>
F 28  >>>? <cr>
F 29  >>>? <.15>
```

18. Header information for WBS #2 is entered.
19. CUMULATIVE average learning theory is selected.
20. Option to copy D&V data from the first record is rejected.
21. D&V data for WBS #2 is entered.

22. Option to copy FSD data is rejected.
23. FSD data for WBS #2 is entered.

FIGURE 7. Enter WBS data. - Continued

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:40Z
Check the source to verify that this is the current version before use.

```
 Copy PROD  data from another WBS record (Y,N) ? <N>

ENTer values for PROD  or RETurn ? <ENT>

P  1  2  3  >>>? <1983,3,3>
P  4  >>>? <cr>
P  5  6  7  8  >>>? <,1600,,1100>
P  9 10 11 12  >>>? <180,1250,,1100>
P 13 14 15  >>>? <1250,1100,10>
P 16  >>>? <15000>
P 23 24  >>>? <16000>
P 25  >>>? <3000>
 Copy DIUPC data from another WBS record (Y,N) ? <N>

ENTer values for DIUPC or RETurn ? <ENT>
U    5  6  7  8   >>>? <1982,10,45000,80>
U    9 10 11 12   >>>? <.9,.95,1,130>
U   13 14 15 16   >>>? <3,1985,9,15>
U   17 18 19 20   >>>? <,,600,2,.04>
 Copy EQUIP data from another WBS record (Y,N) ? <N>

ENTer values for EQUIP or RETurn ? <ENT>
E    1  2  3  4   >>>? <110,4200,,15>
E    5  6  7  8   >>>? <2,,.1,.17>
E    9 10 11 12   >>>? <1>
E   13 14 15 16   >>>? <,20,2,.45>
E   17 18 19 20   >>>? <.07,,.25,.75>
E   21 22 23 24   >>>? <,2907.5,.02,.2>
E   25 26 27 28   >>>? <.5,.5,.5,.5>
E   29 30 31 32   >>>? <.5,.75,52>
E   33 34         >>>? <cr>
 Copy MAINT data from another WBS record (Y,N) ? <Y>

 Copy which WBS record ? <1>

 Copy an existing WBS record (Y,N)? <N>

 Name the WBS record? <MICRO COMPUTER>
Enter data in the following order:
```

24. Option to copy production data is rejected.
25. Production data for WBS #2 is entered.

26. Option to copy DIUPC data is rejected.
27. DIUPC data for WBS #2 is entered.

28. Option to copy equipment data is rejected.
29. Equipment data is entered.

30. Option to copy maintenance data from existing record is selected.
31. Maintenance data for WBS record #2 will be copied from WBS record #1.
32. WBS record #3 will not be copied from another WBS record.
33. Name of WBS record #3 is entered.

FIGURE 7. Enter WBS data. - Continued

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:40Z
Check the source to verify that this is the current version before use.

```
Separate entries with a comma or a space
No spaces in the NSN/MPN field

SERvice, EQUIP-GROup, NSN/MPN, WBS #, GFE, O&MBY

? <MC,1,29356Q,11.4.3,N,83>
 Use UNIt cost or CUM average learning theory? <UNI>

 Copy D&V   data from another WBS record (Y,N) ? <N>

ENTer values for D&V   or RETurn ? <ENT>

D  1  2  3  >>>? <1983,4,4>
D  4  >>>? <cr>
D  5  >>>? <cr>
D  6  >>>? <cr>
D  7  8  9 10  >>>? <20000,6000,4000,9000>
D 11 12 13  >>>? <7000,10000>
D 14  >>>? <15000>
D 15  >>>? <24000>
D 22  >>>? <23000>
D 28  >>>? <7000>
D 29  >>>? <500>

 Copy FSD   data from another WBS record (Y,N) ? <N>

ENTer values for FSD   or RETurn ? <ENT>

F  1  2  3  >>>? <1983,4,4>
F  4  >>>? <cr>
F  5  >>>? <cr>
F  6  >>>? <cr>
F  7  8  9 10  >>>? <16000,5500,3250,1690>
F 11 12 13  >>>? <2500,1700,>
F 14  >>>? <13690>
F 15  >>>? <18000>
F 22  >>>? <21000>
F 28  >>>? <cr>
F 29  >>>? <.08>
```

34. Header for WBS record #3 is entered.
35. UNIt cost learning theory is used for WBS record #3.
36. Option to copy D&V data is rejected.
37. D&V values for WBS record #3 are entered.

38. Option to copy FSD data is rejected.
39. FSD data for WBS record #3 are entered.

FIGURE 7. Enter WBS data. - Continued

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:40Z
Check the source to verify that this is the current version before use.

```
 Copy PROD  data from another WBS record (Y,N) ? <N>

ENTer values for PROD  or RETurn ? <ENT>

P  1  2  3  >>>? <1983,3,3>
P  4  >>>? <cr>
P  5  6  7  8  >>>? <,1500,,1100>
P  9 10 11 12  >>>? <180,1150,,1100>
P 13 14 15  >>>? <1250,1100,10>
P 16  >>>? <1300>
P 23 24  >>>? <1190>
P 25  >>>? <3000>
 Copy DTUPC data from another WBS record (Y,N) ? <N>

ENTer values for DTUPC or RETurn ? <ENT>

U    5  6  7  8   >>>? <1983,10,11000,80>
U    9 10 11 12   >>>? <.9,.95,1,125>
U   13 14 15 16   >>>? <3,1985,9,15>
U   17 18 19 20   >>>? <,,,.04>

Copy EQUIP data from another WBS record (Y,N) ? <N>

ENTer values for EQUIP or RETurn ? <ENT>

E    1  2  3  4   >>>? <115,4200,,32>
E    5  6  7  8   >>>? <2,,.1,.17>
E    9 10 11 12   >>>? <1>
E   13 14 15 16   >>>? <,4.5,2,.45>
E   17 18 19 20   >>>? <.07,,.25,.75>
E   21 22 23 24   >>>? <,1413,.01,.3>
E   25 26 27 28   >>>? <.6,.6,.6,.6>
E   29 30 31 32   >>>? <.6,.8,40,0>
E   33 34         >>>? <80,0>
 Copy MAINT data from another WBS record (Y,N) ? <Y>


 Copy which WBS record ? <1>
```

40. Option to copy production data is rejected.
41. Production values for WBS record #3 are entered.

42. Option to copy DTUPC data is rejected.
43. DTUPC values for WBS record #3 are entered.

44. Option to copy equipment data is rejected.
45. Equipment data for WBS record #3 are entered.

46. Maintenance data for WBS record #3 will be copied from another WBS record #.

47. Maintenance data for WBS record #3 will be copied from WBS record #1.

FIGURE 7. Enter WBS data. - Continued

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:40Z
Check the source to verify that this is the current version before use.

SAVe, ADD more records or RETurn<cr>? <SAV>

File name: <FILEABC or FILEABC,PASSWORD> or HELp
? <SAMPLE,PASS>

WBS DATA WRITTEN FOR SAMPLE

SAVe, ADD more records or RETurn<cr>? <cr>

EDIT: SYStem data, ASSumptions, sysNAMe, WBS data, ADD wbs, DELete wbs, MERge wbs files, LISt, or RETurn?<cr>

48. All 3 WBS records have been entered. SAVe WBS records is requested.

49. File name "SAMPLE" with password "PASS" is entered.

50. Model advises that WBS file has been written with no errors detected by the computer.

51. The Model offers the user option to add more records or continue.

52. The Model offers the user a chance to correct any errors made to this point. Upon completion of error correction, the Model will begin the Table of Organization build process.

FIGURE 7. Enter WBS data. - Continued

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:40Z
Check the source to verify that this is the current version before use.

```
TABLE OF ORG:  GET or CREate a personnel file; or get, create, or edit
               TRAining track or course data (HELp or RETurn<cr>)

WARNING:  Create TRAining and Course files before using the CREate
          function to build your table of organization.
? <TRA>
GET or CREate Training tracks or
COUrse file: get or create.  HELp or RETurn<cr>
? <COU>
GET or CREate user course file (SYStem or RETurn)? <CRE>
 Enter the number of course(s) to be added RETurn<cr> or HELp? <3>
FOR COURSE USR   1


 Course name: ? <ELE101>
 Service Course Identification number(if any)? <84USMC013>
 Course length(days), PCS or TDY (P,T)? <185 P>
Attrition rate, Fiscal Year of cost data, COST: MP, PROC, O&M, OPROC
? <.25 84 12000 300 4500 250>
FOR COURSE USR   2

 Course name: ? <ELE201>
 Service Course Identification number(if any)? <84USMC013-2>
 Course length(days), PCS or TDY (P,T)? <T>
 Course length(days), PCS or TDY (P,T)? <45 T>
Attrition rate, Fiscal Year of cost data, COST: MP, PROC, O&M, OPROC
? <.13 83 1125,,1500>
FOR COURSE USR   3

 Course name: ? <CONTRACT>
 Service Course Identification number(if any)? <cr>
 Course length(days), PCS or TDY (P,T)? <10 T>
Attrition rate, Fiscal Year of cost data, COST: MP, PROC, O&M, OPROC
? <0 83 ,2400>
GET, EDIt, LISt, or SAVe user course file(SYStem or RETurn)?
<LIS>
```

1. TRAining module is selected.
2. COUrse module is selected.
3. CREate courses is selected.
4. Create 3 courses is selected.
5. Data for user course 1 are requested. Entries may be separated by spaces or by commas.
6. Data for user course 2 are requested.
7. Data for user course 3 are requested.
8. LISt user course data is selected.

FIGURE 8. Enter user course data.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:40Z
Check the source to verify that this is the current version before use.

```
                                USER TRAINING COURSES
```

9. LCCM lists user course data.

```
COURSE ID                                                    COST
    #       NAME                    FY       MP       PROC      O&M     OPROC
USR   1     ELE101                1984 12000.00     300.00  4500.00    250.00
                                  LENGTH      ATTRITION       DATE       DATE
SERVICE CIN          PCS/TDY      (DAYS)         RATE       CREATED    UPDATED
84USMC013                P          185          .25       05/13/83

COURSE ID                                                    COST
    #       NAME                    FY       MP       PROC      O&M     OPROC
USR   2     ELE201                1983  1125.00       0.00  1500.00      0.00
                                  LENGTH      ATTRITION       DATE       DATE
SERVICE CIN          PCS/TDY      (DAYS)         RATE       CREATED    UPDATED
84USMC013-2              T           45          .13       05/13/83

COURSE ID                                                    COST
    #       NAME                    FY       MP       PROC      O&M     OPROC
USR   3     CONTRACT              1983  2400.00       0.00      0.00      0.00
                                  LENGTH      ATTRITION       DATE       DATE
SERVICE CIN          PCS/TDY      (DAYS)         RATE       CREATED    UPDATED
                         T           10          .00       05/13/83
LIST COURSE DATA:  ARMy, AIR Force, NAVy, MARine Corps, DOD,
CIVilian, CONtractor, USEr or RETurn.  Separate options with a space
? <cr>

GET, EDIt, LISt, or SAVe user course file(SYStem or RETurn)?
<SAV>
File name: <FILEABC or FILEABC,PASSWORD> or HELp
? <SAMPLE,PASS>

User Course DATA WRITTEN FOR SAMPLE
GET, EDIt, LISt, or SAVe user course file(SYStem or RETurn)? <cr>
```

10. Carriage return exits the list option.

11. SAVe course data is selected.

12. File name "SAMPLE" with password "PASS" is entered.

13. Carriage return exits the course module and proceeds to the training track module.

FIGURE 8. Enter user course data. - Continued

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:40Z
Check the source to verify that this is the current version before use.

```
GET or CREate Training tracks
COUrse file: get or create.  HELp or RETurn<cr>
? <CRE>

Enter training tracks for: AIR Force, CIVilian, MARine Corps, NAVy, ARMy, or
ALL, HELp or RETurn <cr>).  Separate enteries with a space.
? <AIR MAR NAV ARM>


Enter how many  AIR FORCE. training tracks, HELp or RETurn
? <1>

Enter up to 10 course numbers per line.
Separate entries with a space or a comma.
Enter a blank line <cr> when done


Enter course ID #s for track  1 or RETurn

? <USR3>
? <cr>
NUMBER OF PCS MOVES
? <0>
Enter how many  MARINE CORPS. training tracks, HELp or RETurn
? <2>

Enter up to 10 course numbers per line.
Separate entries with a space or a comma.
Enter a blank line <cr> when done
```

1. CREate training track is selected.

2. Air Force, Marine Corps, Navy and Army training tracks are to be entered.

3. One training track for the Air Force is selected.

4. Data for training track 1 are entered.

5. Two training tracks for the Marine Corps are selected.

FIGURE 9. Enter training track data.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:40Z
Check the source to verify that this is the current version before use.

```
Enter course ID #s for track  2 or RETurn

? <USR1>
? <cr>
NUMBER OF PCS MOVES
? <01\>
Enter course ID #s for track  3 or RETurn

? <USR3 USR2>
? <cr>
NUMBER OF PCS MOVES
? <0>
Enter how many  NAVY. training tracks, HELp or RETurn
? <1>

Enter up to 10 course numbers per line.
Separate entries with a space or a comma.
Enter a blank line <cr> when done


Enter course ID #s for track  4 or RETurn

? <USR3>
? <cr>
NUMBER OF PCS MOVES
? <0>
Enter how many  ARMY. training tracks, HELp or RETurn

? <3>
Enter up to 10 course numbers per line.
Separate entries with a space or a comma.
Enter a blank line <cr> when done
```

6. Data for training track 2 are entered.

7. Data for training track 3 are entered.

8. One training track for the Navy is selected.

9. Data for training track 4 are entered.

10. Three training tracks for the Army are selected.

FIGURE 9. Enter training track data. - Continued

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:40Z
Check the source to verify that this is the current version before use.

```
Enter course ID #s for track  5 or RETurn

? <USR1 USR3>
? <cr>
NUMBER OF PCS MOVES
? <1>
Enter course ID #s for track  6 or RETurn

? <USR2 USR3>
? <cr>
NUMBER OF PCS MOVES
? <0>
Enter course ID #s for track  7 or RETurn

? <USR3>
? <cr>
NUMBER OF PCS MOVES
? <0>

Training track options:  GET, LISt, EDIt, or SAVe training track data;
                         get, create or edit user COUrse file;
                         HELp or RETurn
? <SAV>

File name: <FILEABC or FILEABC,PASSWORD> or HELp
? <SAMPLE,PASS>
Training Track DATA WRITTEN FOR SAMPLE

User Course  data already exists for SAMPLE.
Replace the file (Y,N) ? <N>


File name: <FILEABC or FILEABC,PASSWORD> or HELp
? <cr>
```

11. Data for training track 5 are requested.

12. Data for training track 6 are requested.

13. Data for training track 7 are requested.

14. SAVe training track data is selected.

15. File name is entered.

16. When training track is saved, the Model asks if course data should be saved in case any changes have been made.

17. Carriage return tells the Model not to save and to ignore the above prompt.

FIGURE 9. Enter training track data. - Continued

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:40Z
Check the source to verify that this is the current version before use.

```
Training track options:  GET, LISt, EDIt, or SAVe training track data;
                         get, create or edit user COUrse file;
                         HELp or RETurn
? <LIS>
```

18. LISt training tracks is requested.

```
List training tracks:  AIR Force, CIVilian, MARine Corps, NAVy, ARMy,
ALL or RETurn<cr>.   Separate entries with a space.
? <ALL>
```

19. List of all training tracks is requested.

AIR FORCE. TRAINING TRACKS

		TRAINING COURSES	PCS MOVES
TRACK #	1	USR3	0.00

THERE ARE NO TRAINING TRACKS DEFINED FOR CIVILIAN.

MARINE CORP TRAINING TRACKS

		TRAINING COURSES	PCS MOVES
TRACK #	2	USR1	1.00
TRACK #	3	USR3 USR2	0.00

FIGURE 9. Enter training track data. - Continued

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:40Z
Check the source to verify that this is the current version before use.

NAVY. TRAINING TRACKS

		TRAINING COURSES	PCS MOVES
TRACK #	4	USR3	0.00

ARMY. TRAINING TRACKS

		TRAINING COURSES		PCS MOVES
TRACK #	5	USR1	USR3	1.00
TRACK #	6	USR2	USR3	0.00
TRACK #	7	USR3		0.00

Training track options: GET, LISt, EDIt, or SAVe training track data; get, create or edit user COUrse file; HELp or RETurn

? <CR>

20. Carriage return exits the training track module.

FIGURE 9. Enter training track data. - Continued

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:40Z
Check the source to verify that this is the current version before use.

```
TABLE OF ORG:  GET or CREate a personnel file; or get, create, or edit
               TRAining track or course data (HELp or RETurn<cr>)

WARNING:  Create TRAining and Course files before using the CREate
          function to build your table of organization.
? <CRE>

ADD to TABLE OF ORG:  ARMy, NAVy, AIR Force, GENeral Schedule
                      MARine Corps, MANufacturer (or RETurn)

Separate service options with a space

? <NAV ARM MAR GEN>


Enter number of CIVILIAN T/O lines, HELp or RETurn.
? <3>

 Level,Pay grade,Number,Equip group#,WBS#
T/O LINE#   1




? <PMDD GS14 2.5 1 11>
T/O LINE#   2

? <PMFD GS12 3 1 11>
T/O LINE#   3



? <PMPD GS13 2>
```

1. CREate a personnel file is requested.

2. Air Force, Army, Marine Corps and General Schedule personnel are selected for entry.

3. Three T/O lines for General Schedule are selected.

4. General Schedule data is entered. After the first line is created, data from the previous line is used if no entry for a given field is made.

5. For T/O line #3, equipment group is set to 1 and WBS # is set to 11 by the model based on entries made for T/O line #2.

FIGURE 10. Enter table of organization data.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:40Z
Check the source to verify that this is the current version before use.

```
Enter number of MARINE CORPS T/O lines, HELp, or RETurn.
? <3>

 Level,OS,Pay grade,Number,Equip group#,WBS#,Track#,RTR,Serv.T/O#,Serv.T/O line#
T/O LINE#   4


? <OPRD,2851,E4,27,2,11,1,.23>
T/O LINE#   5

? <OLMS,2861,E5,62,1,11.4,2>
T/O LINE#   6

? <ILMS,5977,,30>
Enter number of NAVY T/O lines, HELp or RETurn.
? <3>

 Level,OS,Pay grade,Number,Equip group#,WBS#,Track#,RTR,Serv.T/O#,Serv.T/O line#
T/O LINE#   7

? <OPRS,CE5642,E4,116,>
T/O LINE#   8

? <ILMS,CIM-4811,E5,33,1,11>
T/O LINE#   9

? <OLMS DS1617 E5 45>
Enter number of ARMY T/O lines, HELp or RETurn.
? <3>

 Level,OS,Pay grade,Number,Equip group#,WBS#,Track#,RTR,Serv.T/O#,Serv.T/O line#
T/O LINE#  10


? <OPRD 36I30 E5 36 1 11.4>
```

6. Three T/O lines for the Marine Corps are requested.
7. Personnel data for the Marine Corps are entered. Service T/O # and service T/O line are optional.
8. 3 T/O lines for the Navy are requested.
9. T/O data for the Navy are entered.
10. 3 T/O lines for the Army are requested.
11. T/O data for the Army are entered. Missing entries are copied from the previous T/O line.

FIGURE 10. Enter table of organization data. - Continued

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:40Z
Check the source to verify that this is the current version before use.

```
T/O LINE#  11

? <GSUS 35K20,,41,,11.1>
T/O LINE#  12

? <OLMS 24H20 E4 28,,11 3>

TABLE OF ORG:  EDIt, LISt, ADD, DELete, GET, SAVe, HELp, RETurn<cr>;
               or get, create, or edit TRAining track or course data
? <LIS>

LIST T/O:  AIR Force, GENeral schedule, MARine Corps, ARMy
           NAVy, MANufacturer, SUBset, ALL or RETurn<cr>

? <ALL>


NO PERSONNEL DATA LINES EXIST FOR  AIR FORCE.


                    TABLE OF ORGANIZATION FOR  CIVILIAN.

LCC T/O                        PAY                          EQUIP.
 LINE#      LEVEL              GRADE        NUMBER          GROUP     WBS NUMBER

   1        PMDD               GS14          2.50             1        11
   2        PMFD               GS12          3.00             1        11
   3        PMPD               GS13          2.00             1        11
```

12. LISt table of organization is requested.

13. List T/O for ALL is requested.

FIGURE 10. Enter table of organization data. - Continued

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:40Z
Check the source to verify that this is the current version before use.

TABLE OF ORGANIZATION FOR MARINE CORPS.

LCC LINE#	T/O LEVEL	OS	PAY GRADE	NUMBER	EQUIP. GROUP	WBS NUMBER	TRAINING TRACK	# RTR	SERVICE T/O	# LINE
4	OPRD	2851	E 4	27.00	2	11	1	0.23		
5	OLMS	2861	E 5	62.00	1	11.4	2	0.23		
6	ILMS	5977	E 5	30.00	1	11.4	2	0.23		

TABLE OF ORGANIZATION FOR NAVY.

LCC LINE#	T/O LEVEL	OS	PAY GRADE	NUMBER	EQUIP. GROUP	WBS NUMBER	TRAINING TRACK	# RTR	SERVICE T/O	# LINE
7	OPRS	CE5642	E 4	116.00	1	11.4	2	0.23		
8	ILMS	CIM-4811	E 5	33.00	1	11	2	0.23		
9	OLMS	DS1617	E 5	45.00	1	11	2	0.23		

TABLE OF ORGANIZATION FOR ARMY.

LCC LINE#	T/O LEVEL	OS	PAY GRADE	NUMBER	EQUIP. GROUP	WBS NUMBER	TRAINING TRACK	# RTR	SERVICE T/O	# LINE
10	OPRD	36L30	E 5	36.00	1	11.4	2	0.23		
11	GSUS	35K20	E 5	41.00	1	11.1	2	0.23		
12	OLMS	24H20	E 4	28.00	1	11	3	0.23		

NO PERSONNEL DATA LINES EXIST FOR MANUFACTURER.

FIGURE 10. Enter table of organization data. - Continued

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:40Z
Check the source to verify that this is the current version before use.

```
TABLE OF ORG:  EDIt, LISt, ADD, DELete, GET, SAVe, HELp, RETurn<cr>;
               or get, create, or edit TRAining track or course data
? <SAV>
File name: <FILEABC or FILEABC,PASSWORD> or HELp
? <SAMPLE,PASS>

Table of Org DATA WRITTEN FOR SAMPLE

Training Track  data already exists for SAMPLE.

Replace the file (Y,N) ? N


File name: <FILEABC or FILEABC,PASSWORD> or HELp
? <cr>


TABLE OF ORG:  EDIt, LISt, ADD, DELete, GET, SAVe, HELp, RETurn<cr>;
               or get, create, or edit TRAining track or course data
? <cr>
```

14. SAVe T/O is requested.

15. Personnel file name is entered.

16. When T/O file is written, the model asks if training track is to be replaced. As no changes have been made to training track, No is entered.

17. Carriage return is entered to tell the model not to replace training files.

18. Carriage return terminates T/O entries. The model will next ask for deployment data.

FIGURE 10. Enter table of organization data. - Continued

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:40Z
Check the source to verify that this is the current version before use.

```
TABLE OF ORG:  EDIt, LISt, ADD, DELete, GET, SAVe, HELp, RETurn<cr>;
               or get, create, or edit TRAining track or course data
? <cr>
```

1. Carriage return terminates T/O entries. The model will ask for deployment data.

```
Enter the deployment schedule for the system.
Enter your data as follows: YY.MM .%% LL

YY.MM is the year and month the first item becomes operational.
%% is the % of the total system buy to become operational this shipment
This is a decimal value. i.e. 10% would be entered as .1
ALL can be used for 100%
LL is the length of time in months(1-99) over which the deployment is spread
Enter RETurn or hit the carriage return key to terminate input.

  YY.MM  .%%  LL

1? <87.5 .75 12>
2? <88.2 .25 14>
3? <cr>
```

2. Deployment data is entered.

3. Carriage return terminates input.

```
DELIVER: LISt, DELete, ADD, SAVe, GET, RETurn? <cr>
```

4. Carriage return exits the deployment module. The R&D and production schedule is requested next.

```
The sum of your deployment % is     1.000000
```

5. The model computes % total of all deployments and advises the user of the result. If the result is more or less than 1.0 (100%), the editor can be used to correct the entries.

FIGURE 11. Enter deployment data.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:40Z
Check the source to verify that this is the current version before use.

```
GET  or CREate a schedule file? <CRE>

Enter start and end YEAR and MONTH for each Phase as YY.MM YY.MM
Enter dates for D&V, FSD, and Production
Enter both dates for each phase on the same line
Separate entries with a space (E.G., 85.10 90.01)

FOR D. & V.      ? <83.3 83.8>


FOR F.S.D.       ? <83.9 84.6>
FOR PRODUCTION   ? <84.12 87.12>

For which PHASEs do you want to use default spending rates,
ALL, RETurn, NONe, or one or more of the following:
For phase D&V-CONTRACTOR                ENTER      1
For phase D&V-GOVERNMENT                ENTER      2
For phase FSD-CONTRACTOR                ENTER      3
For phase FSD-GOVERNMENT                ENTER      4
For phase PROD-CONT,N-R                 ENTER      5
For phase PROD-GOVT,N-R                 ENTER      6
For phase PROD-CONT,R                   ENTER      7
For phase PROD-GOVT,R                   ENTER      8
(separate entries with a space)

? <ALL>

Annual: EDIt, LISt, GET, SAVe, RETurn? <SAV>

File name: <FILEABC or FILEABC,PASSWORD> or HELp
? <SAMPLE,PASS>
Spread DATA WRITTEN FOR SAMPLE


Deployment DATA WRITTEN FOR SAMPLE
Annual: EDIt, LISt, GET, SAVe, RETurn? <cr>
```

1. CREate a schedule file is selected.

2. Schedule data are entered. Dates for all phases must be entered.

3. Default spending rates for ALL phases is selected.
4. SAVe phase dates and spending rates is requested.

5. File name is entered.
6. The model advises that the file has been successfully written.

7. RETurn exits annual module. LCCM enters the inflation module.

FIGURE 12. Enter R&D and production schedule and spending rates.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:40Z
Check the source to verify that this is the current version before use.

```
Inflate: INFlate, DIScount, BOTh inflate and discount,
CHAnge base year, RETurn? <INF>
```

1. INFlation is selected. This file must be created.

```
 Which inflation table:
 DOD(1), Marine Corps(2), Army(3), Navy(4), Air Force(5),
Project(6): (1,2,3,4,5,6)? <1>
 TOA or OUTlay rates? <TOA>
Use PROcurement or SPEcial rates for contractor WBS items? <PRO>
```

2. DOD rate table is selected.
3. TOA rates are selected.
4. Procurement rates in the DOD table are selected for WBS items.

```
EDIT RATES: LISt, ADD, CHAnge, CREate ,DELete, GET, SAVe inflation rates or
RETurn to inflate main
? <SAV>
```

5. SAVe inflation data is selected.

```
File name: <FILEABC or FILEABC,PASSWORD> or HELp
? <SAMPLE,PASS>
Inflation DATA WRITTEN FOR SAMPLE
```

6. File name is selected.

```
EDIT RATES: LISt, ADD, CHAnge, CREate ,DELete, GET, SAVe inflation rates or
RETurn to inflate main
? <cr>
```

7. RETurn exits the inflation edit module.

```
Inflate: INFlate, DIScount, BOTh inflate and discount,
CHAnge base year, RETurn? <cr>
```

8. RETurn exits the inflation module.

```
MAIN: EDIt(system,WBS,assumptions), TABle of Org, SCHedule, DEPloy, INFlation
NOTepad, REPort, LISt, CREate, GET, SAVe, DELete, HELp, DONe, CHArge
```

9. The baseline data base has now been created except for the manufacturers pay grade and hourly rate file which is created using the system editors, not the model.

FIGURE 13. Enter inflation.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:40Z
Check the source to verify that this is the current version before use.

<NEW LABORRAT>	1. The manufacturer labor rates are created outside the LCCM using the operating system's editors. After signing on, do not type "RUN". Type "NEW filename". NEW tells the computer to clear its workspace. LABORRAT is the file name chosen for the manufacturer's rate file for this example. The name may be 1-8 characters long and may be followed by a password using the same file name procedures required by the Model.
*<SAV LABORRAT>	2. SAVe the file name in the computers directory. This is followed by ;RWAL,RWAL which allows the user to list and change the file.
*<BUILD>	3. "BUILD" tells the computer that all commands are to be placed in the file, not interpreted by the computer.
SPEAK!	4. "SPEAK!" is the computer asking for input.
<1983>	5. 1983 is the fiscal year of the labor rates.
<MFG1 22>	6. Enter labor codes, spaces, and $/hour rates. Labor codes may be up to 4 characters long. These are used to assign hourly costs to the manufacturer's T/O entered in Figure 15.
<MFG2 18.5>	
<ENG1 38.5>	
<ENG2 32>	
<ENG3 30>	
<SPT1 9>	
<SPT3 7.50>	
<DRA3 18.50>	
<PRE1 37.5>	
<TST3 25.00>	
<cr>	7. <cr> terminates input.
*<REP>	8. REP directs the computer to save the file.
*<LIST>	9. LIST directs the computer to list the file.
1983	
MFG1 22.	
MFG2 18.5	
ENG1 38.5	
ENG2 32.	
ENG3 30.	
SPT1 9	
SPT3 7.50	
DRA3 18.50	
PRE1 37.5	
TST3 25.00	
*<EDI SEQ>	10. EDI SEQ tells the computer to line number the file for editing.

FIGURE 14. Enter manufacturer labor rates.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:40Z
Check the source to verify that this is the current version before use.

```
*<LIST>                          11.  List the line numbered file
100 1983
110 MFG1 22.
120 MFG2 18.5
130 ENG1 38.5
140 ENG2 32.
150 ENG3 30.
160 SPT1 9
170 SPT3 7.50
180 DRA3 18.50
190 PRE1 37.5
200 TST3 25.00
*<TEX REP SPT3,SPT2,170>        12.  Replace data is entered.
                                 TEX REP current string, new string, line number
                                 is the standard format to find and replace current
                                 values in the data base.
*<LIST>                          13. List the results is requested.
100 1983
110 MFG1 22.
120 MFG2 18.5
130 ENG1 38.5
140 ENG2 32.
150 ENG3 30.
160 SPT1 9
170 SPT2 7.50
180 DRA3 18.50
190 PRE1 37.5
200 TST3 25.00
*<EDI DES>                       14. EDI DES removes the line numbers.
*<REP>                           15. REP saves the results in the current file.
*<LIST>                          16. List is requested to review the final file.
1983
MFG1 22.
MFG2 18.5
ENG1 38.5
ENG2 32.
ENG3 30.
SPT1 9
SPT2 7.50
DRA3 18.50
PRE1 37.5
TST3 25.00
```

FIGURE 14. Enter manufacturer labor rates. - Continued

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:40Z
Check the source to verify that this is the current version before use.

```
*RUN
                DEFENSE MATERIEL SYSTEM LIFE CYCLE COST MODEL
                    FOR MIL-STD 881 WEAPON SYSTEMS
                        VERSION 5: MAY 1983
                         05/16/83  18:16:21

 CREate, GET, ASSemble, HELp? <GET>
File name: <FILEABC or FILEABC,PASSWORD> or HELp
?< SAMPLE,PASS>
WBS DATA READ FOR              SAMPLE    CREATED/MODIFIED 05/15/83
System DATA READ FOR           SAMPLE    CREATED/MODIFIED 05/15/83
Table of Org DATA READ FOR     SAMPLE    CREATED/MODIFIED 05/16/83
Deployment DATA READ FOR       SAMPLE    CREATED/MODIFIED 05/14/83
Spread DATA READ FOR           SAMPLE    CREATED/MODIFIED 05/14/83
Inflation DATA READ FOR        SAMPLE    CREATED/MODIFIED 05/14/83
Training Track DATA READ FOR   SAMPLE    CREATED/MODIFIED 05/13/83
User Course DATA READ FOR      SAMPLE    CREATED/MODIFIED 05/13/83


MAIN: EDIt(system,WBS,assumptions), TABle of Org, SCHedule, DEPloy, INFlation
NOTepad, REPort, LISt, CREate, GET, SAVe, DELete, HELp, DONe, CHArge
? <TAB>

TABLE OF ORG:  EDIt, LISt, ADD, DELete, GET, SAVe, HELp, RETurn<cr>;
               or get, create, or edit TRAining track or course data
? <ADD>
ADD to TABLE OF ORG:  ARMy, NAVy, AIR Force, GENeral Schedule
                      MARine Corps, MANufacturer or RETurn <cr>

Separate service options with a space

? <MAN>
```

1. GET a data base is requested.
2. Name of file is entered.
3. List of files is displayed.
4. TABle of organization is selected.
5. ADD to T/O is selected.
6. Add MANufacturer T/O is selected.

FIGURE 15. Enter manufacturer T/O.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:40Z
Check the source to verify that this is the current version before use.

```
Enter how many MANUFACTURER T/O lines, HELp or RETurn <cr>

? <6>                                                          7.  Add 6 T/O lines is requested.
Enter FILENAME for manufacturer pay grades and cost data or RETurn<cr>
? <LABORRAT>                                                   8.  File name is entered.
DUPlicate NN or NN-NN, HELp

A blank line <cr> will copy the current last T/O line
                        or

Enter the following data separating items with a space or comma

 Level,Pay grade,Number,Equip group#,WBS#
T/O LINE#  13

? <ENDD ENG1 1 2 11.3>                                         9.  T/O line #13 is entered.
T/O LINE#  14

? <,ENG2,4.5>                                                  10. T/O line #14 is entered.  ENDD
                                                               from line #13 is copied into T/O
                                                               line #14.
T/O LINE#  15

? <,ENG3,12>                                                   11.  T/O line #15 is entered.

T/O LINE#  16

? <ASDD DRA3 3.5>                                              12.  T/O line #16 is entered.

T/O LINE#  17

? FADD MFG1 2                                                  13.  T/O line #17 is entered.
T/O LINE#  18

? <,MFG2 15>                                                   14.  T/O line #18 is entered.
```

FIGURE 15. Enter manufacturer T/O. - Continued

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:40Z
Check the source to verify that this is the current version before use.

```
TABLE OF ORG:  EDIt, LISt, ADD, DELete, GET, SAVe, HELp, RETurn<cr>;
               or get, create, or edit TRAining track or course data
? <ADD>
```

15. ADD to the T/O is requested.

```
ADD to TABLE OF ORG:  ARMy, NAVy, AIR Force, GENeral Schedule
                      MARine Corps, MANufacturer or RETurn <cr>

Separate service options with a space

? <MAN>
```

16. Add to MANufacturer T/O is requested.

```
Enter how many MANUFACTURER T/O lines, HELp or RETurn <cr>

? <5>
DUPlicate NN or NN-NN, HELp

A blank line <cr> will copy the current last T/O line
                        or

Enter the following data separating items with a space or comma

 Level,Pay grade,Number,Equip group#,WBS#

T/O LINE#  19

? <FADD SPT1 3>
T/O LINE#  20

? <FADD SPT2 5>
T/O LINE#  21

? <PEFD PRE1 2>
T/O LINE#  22

? <QCDD TST3 3.75>
```

17. Add 5 T/O lines is requested.

19. Data for 5 more T/O lines is entered.

FIGURE 15. Enter manufacturer T/O. - Continued

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:40Z
Check the source to verify that this is the current version before use.

```
T/O LINE#  23

? <QCDD ENG3 1>
TABLE OF ORG:  EDIt, LISt, ADD, DELete, GET, SAVe, HELp, RETurn<cr>;
               or get, create, or edit TRAining track or course data
? <EDI>
Enter T/O line number(s) to be changed, comma, field(s) to be edited
(HELp or RETurn) ? <21,LEV>

T/O line #    21 OLD LEVEL= PEFD ;NEW LEVEL? <PEDD>

Enter T/O line number(s) to be changed, comma, field(s) to be edited
(HELp or RETurn) ? <cr>

TABLE OF ORG:  EDIt, LISt, ADD, DELete, GET, SAVe, HELp, RETurn<cr>;
               or get, create, or edit TRAining track or course data
? <LIS>
LIST T/O:  AIR Force, GENeral schedule, MARine Corps, ARMy
           NAVy, MANufacturer, SUBset, ALL or RETurn<cr>

? <MAN>
```

20. EDIt T/O is requested.

21. Edit T/O line #21 field LEVel is requested.

22. Old value is displayed. New value is entered.

23. <cr> returns Model to T/O menu.

24. LISt T/O is requested.

25. List MANufacturer is requested.

FIGURE 15. Enter manufacturer T/O. - Continued

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:40Z
Check the source to verify that this is the current version before use.

TABLE OF ORGANIZATION FOR MANUFACTURER.

LCC T/O LINE#	LEVEL	PAY GRADE	NUMBER	EQUIP. GROUP	WBS NUMBER
13	ENDD	ENG1	1.00	2	11.3
14	ENDD	ENG2	4.50	2	11.3
15	ENDD	ENG3	12.00	2	11.3
16	ASDD	DRA3	3.50	2	11.3
17	FADD	MFG1	2.00	2	11.3
18	FADD	MFG2	15.00	2	11.3
19	FADD	SPT1	3.00	2	11.3
20	FADD	SPT2	5.00	2	11.3
21	PEDD	PRE1	2.00	2	11.3
22	QCDD	TST3	3.75	2	11.3
23	QCDD	ENG3	1.00	2	11.3

TABLE OF ORG: EDIt, LISt, ADD, DELete, GET, SAVe, HELp, RETurn<cr>;
or get, create, or edit TRAining track or course data
? <SAV>

26. SAVe what has been entered is requested.

File name: <FILEABC or FILEABC,PASSWORD> or HELp
? <SAMPLE,PASS>
Table of Org data already exists for SAMPLE.
Replace the file (Y,N) ? <Y>

27. File name is entered.

28. Replace the existing file is requested. All previously entered T/O lines plus the newly added T/O lines will be saved.

Table of Org DATA WRITTEN FOR SAMPLE

Training Track data already exists for SAMPLE.
File name: <FILEABC or FILEABC,PASSWORD> or HELp
TABLE OF ORG: EDIt, LISt, ADD, DELete, GET, SAVe, HELp, RETurn<cr>;
or get, create, or edit TRAining track or course data
? <cr>

29. <cr> returns Model to main menu.

FIGURE 15. Enter manufacturer T/O. - Continued

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:40Z
Check the source to verify that this is the current version before use.

```
<RUN>
                DEFENSE MATERIEL SYSTEM LIFE CYCLE COST MODEL
                FOR MIL-STD 881 WEAPON SYSTEMS
                VERSION 5: MAY 1983
                 05/15/83  11:22:30

 CREate, GET, ASSemble, HELp? <ASS>

MAIN: EDIt(system,WBS,assumptions), TABle of Org, SCHedule, DEPloy, INFlation
NOTepad, REPort, LIST, CREate, GET, SAVe, DELete, HELp, DONe, CHArge
? <EDI>
EDIT: SYStem data , ASSumptions, sysNAMe, WBS data , ADD wbs,
DELete wbs, MERge wbs files, LIST, or RETurn<cr>
? <SYS>

SYS editor: Cost element(e.g., 212.12), O array address
NOPrompt, GET, SAVe, HELp or RETurn? <GET>


File name: <FILEABC or FILEABC,PASSWORD> or HELp
? <SAMPLE,PASS>

System DATA READ FOR          SAMPLE    CREATED/MODIFIED 05/11/83

SYS editor: Cost element(e.g., 212.12), O array address
NOPrompt, GET, SAVe, HELp or RETurn? <cr>

EDIT: SYStem data , ASSumptions, sysNAMe, WBS data , ADD wbs,
DELete wbs, MERge wbs files, LIST, or RETurn<cr>
? <WBS>
 No WBS records currently exist.  GET or RETurn? <GET>

File name: <FILEABC or FILEABC,PASSWORD> or HELp
? <SAMPLE,PASS>
```

1. ASSemble function is selected. It is used to allow retrieval of selected files.

2. EDIt module is selected.

3. SYStem editor is selected.

4. When using ASSemble always GET the system file. It is required before any changes are made to the WBS file.

5. Name of system file is entered.

6. <cr> returns Model to edit module.

7. Edit WBS data is selected.
8. GET the WBS data file is selected.

9. Name of the WBS file is entered.

FIGURE 16. Add WBS records.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:40Z
Check the source to verify that this is the current version before use.

```
WBS DATA READ FOR          SAMPLE    CREATED/MODIFIED 05/11/83

GET, SAVe, MOVe, COPy, HELp, RETurn<cr>
or enter array elements and header titles to edit
? <cr>
```

10. <cr> returns Model to edit module so that that the ADD WBS records process can be selected.

```
EDIT: SYStem data , ASSumptions, sysNAMe, WBS data , ADD wbs,
DELete wbs, MERge wbs files, LISt, or RETurn<cr>
? <ADD>
 Enter how many WBS records
Caution: The Model will force entry of all records.
Do not request to enter groups larger than 5.
Enter a zero (0) or <cr> to skip this process

? <2>
```

11. ADD WBS records is selected.

12. Two records will be entered.

```
ADD WBS RECORD #    4
```

13. Values are entered for WBS record #4 using the same procedures for creating WBS records shown in Figure 7.

```
 Copy an existing WBS record (Y,N)? <N>
```

14. Option to copy another record is rejected.

```
Name the WBS item? CONTROL PANEL
```

15. Name for WBS record #4 is entered.

```
Enter data in the following order:
Separate entries with a comma or a space
No spaces in the NSN/MPN field

SERvice, EQUIP-GROup, NSN/MPN, WBS #, GFE, O&MBY

? <MC 2 CP23.45RCA 11.3 N 83>
```

16. Header information for WBS record #4 is entered.

FIGURE 16. Add WBS records. - Continued

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:40Z
Check the source to verify that this is the current version before use.

```
Use UNIt cost or CUM average learning theory? CUM

COPy D&V data from a previous record, ENTer data or RETurn<cr>
? <ENT>

D  1  2  3  >>>? <83 4 4>
D  4  >>>? <cr>
D  5  >>>? <1>


D  6  >>>? <cr>
D  7  8  9 10  >>>? <5000 1000 5500 3000>
D 11 12 13  >>>? <2000 12000 72000>
D 14  >>>? <9000>
D 15  >>>? <11000>
D 22  >>>? <cr>
D 23 24 25 26  >>>? <3000 1500 18000 35000>
D 27  >>>? <13500>
D 28  >>>? <10000>
D 29  >>>? <.17>
COPy FSD data from a previous record, ENTer data or RETurn<cr>
? <ENT>

F  1  2  3  >>>? <83 4 4>
F  4  >>>? <cr>
F  5  >>>? <2>


F  6  >>>? <19560>
F 14  >>>? <7000>
F 15  >>>? <.25>
F 22  >>>? <cr>
F 23 24 25 26  >>>? <3500 4900 18000 50000>
F 27  >>>? <40000>
F 28  >>>? <48000>
F 29  >>>? <.15>
```

17. CUMULATIVE average learning theory is selected.

18. ENTer D&V data for WBS record #4 is selected.

19. D5 is set to 1. This tells the Model that hours are being entered for labor instead of $.

20. ENTer FSD data for WBS record #2 is selected.

21. F5 is set to 2. This tells the Model to compute decimal entries as a % of the total cost.

FIGURE 16. Add WBS records. - Continued

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:40Z
Check the source to verify that this is the current version before use.

```
COPy PROD data from a previous record, ENTer data or RETurn<cr>
? <ENT>

P  1  2  3  >>>? <83 3 3>
P  4  >>>? <cr>
P  5  6  7  8  >>>? <3>
P    6  7  8  9   >>>? <150 .49 1237 1.83>
P   10 11 12 13   >>>? <cr>
P   14 15 16 17   >>>? <cr>
P   18 19 20 21   >>>? <cr>
P   22 23 24 25   >>>? <cr>
P   26 27 28 29   >>>? <cr>
P   30 31 32 33   >>>? <cr>
P   34 35         >>>? <cr>
COPy DTUPC data from a previous record, ENTer data or RETurn<cr>
? <ENT>

U    5  6  7  8   >>>? <83 8 20000 1>
U    9 10 11 12   >>>? <.9 .98 3 1500>
U   13 14 15 16   >>>? <30 85 8 30>
U   17 18 19 20   >>>? <.05 5 2 .08>
COPy EQUIP data from a previous record, ENTer data or RETurn<cr>
? <ENT>

E    1  2  3  4   >>>? <105 4200 2.5 29.5>
E    5  6  7  8   >>>? <2,,.15,.05>
E    9 10 11 12   >>>? <1>
E   13 14 15 16   >>>? <,2.8,2,.45>
E   17 18 19 20   >>>? <.07,,.25,.75>
E   21 22 23 24   >>>? <,6764,.01,.3>
E   25 26 27 28   >>>? <.6,.6,.9,2.5>
E   29 30 31 32   >>>? <.8,1.5,40,32>
E   33 34         >>>? <cr>
COPy MAINT data from a previous record, ENTer data or RETurn<cr>
? <COP>
```

22. ENTer production data for WBS record #4 is selected.

23. ENTer DTUPC data for WBS record #4 is selected.

24. ENTer equipment data for WBS record #4 is selected.

25. COPy maintenance data for WBS record #4 is selected.

FIGURE 16. Add WBS records. - Continued

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:40Z
Check the source to verify that this is the current version before use.

```
 Copy which WBS record ? <1>

ADD WBS RECORD #     5

 Copy an existing WBS record (Y,N)? <N>

Name the WBS item? <OPERATING SYSTEM>

Enter data in the following order:
Separate entries with a comma or a space
No spaces in the NSN/MPN field

SERvice, EQUIP-GROup, NSN/MPN, WBS #, GFE, O&MBY

? <MC 2 ADA2.2 11.5 N 83>

 Use UNIt cost or CUM average learning theory? <UNI>

COPy D&V data from a previous record, ENTer data or RETurn<cr>
? <ENT>

D  1  2  3  >>>? <83 4 4>
D  4  >>>? <cr>
D  5  >>>? <3>
D    7  8  9 10   >>>? <210000 512 40000 1.07>
D   11 12 13 14   >>>? <cr>
D   15 16 17 18   >>>? <cr>
D   19 20 21 22   >>>? <cr>
D   23 24 25 26   >>>? <cr>
D   27 28 29      >>>? <,,.2>
COPy FSD data from a previous record, ENTer data or RETurn<cr>
? <ENT>

F  1  2  3  >>>? <83 4 4>
```

26. Copy maintenance data for WBS record #4 from WBS record #1 is selected.

27. Option to copy another record to WBS record #5 is rejected.

28. Name for WBS record #5 is entered.

29. Header information for WBS record #5 is entered.
30. UNIt learning theory is selected.

31. ENTer D&V data for WBS record #5 is selected.

32. ENTer FSD data for WBS record #5 is selected.

FIGURE 16. Add WBS records. - Continued

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:40Z
Check the source to verify that this is the current version before use.

```
F  4  >>>? <cr>
F  5  >>>? <3>
F    7  8  9 10    >>>? <150000 438 40000 .94>
F   11 12 13 14    >>>? <cr>
F   15 16 17 18    >>>? <cr>
F   19 20 21 22    >>>? <cr>
F   23 24 25 26    >>>? <cr>
F   27 28 29       >>>? <,,.25>
COPy PROD data from a previous record, ENTer data or RETurn<cr>
? <ENT>
```

33. ENTer production data for WBS record #5 is selected.

```
P  1  2  3  >>>? <83 3 3>
P  4  >>>? <500>
P 25  >>>? <0>
COPy DIUPC data from a previous record, ENTer data or RETurn<cr>
? <ENT>
```

34. ENTer DIUPC data for WBS record #5 is entered.

```
U    5  6  7  8    >>>? <83 8 520 1>
U    9 10 11 12    >>>? <1 1 1 125>
U   13 14 15 16    >>>? <,85,8,15>
U   17 18 19 20    >>>? <cr>
COPy EQUIP data from a previous record, ENTer data or RETurn<cr>
? <cr>
```

35. <cr> causes Model to enter all zeros for equipment for WBS record #5.

```
COPy MAINT data from a previous record, ENTer data or RETurn<cr>
? <cr>
```

36. <cr> causes Model to enter all zeros for maintenance for WBS record #5.

```
 SAVe, ADD more records or RETurn<cr>? <SAV>
```

37. SAVe data entered is selected.

```
File name: <FILEABC or FILEABC,PASSWORD> or HELp
? <SAMPLE,PASS>
```

38. File name and password are entered.

FIGURE 16. Add WBS records. - Continued

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:40Z
Check the source to verify that this is the current version before use.

```
WBS  data already exists for SAMPLE.
Replace the file (Y,N) ? <Y>

WBS DATA WRITTEN FOR SAMPLE
 SAVe, ADD more records or RETurn<cr>? <cr>

EDIT: SYStem data , ASSumptions, sysNAMe, WBS data , ADD wbs,
DELete wbs, MERge wbs files,%R*] or RETurn<cr>
? <cr>

MAIN: EDIt(system,WBS,assumptions), TABle of Org, SCHedule, DEPloy, INFlation
NOTepad, REPort, LISt, CREate, GET, SAVe, DELete, HELp, DONe, CHArge
```

39. New file will replace old file is selected.

40. <cr> returns Model to edit module.

41. <cr> returns Model to main menu.

FIGURE 16. Add WBS records. - Continued

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:40Z
Check the source to verify that this is the current version before use.

MAIN: EDIt(system,WBS,assumptions), TABle of Org, SCHedule, DEPloy, INFlation
NOTepad, REPort, LISt, CREate, GET, SAVe, DELete, HELp, DONe, CHArge
? <TAB>

1. TABle of organization is selected.

TABLE OF ORG: EDIt, LISt, ADD, DELete, GET, SAVe, HELp, RETurn<cr>;
or get, create, or edit TRAining track or course data
? <ADD>

2. ADD option is selected.

ADD to TABLE OF ORG: ARMy, NAVy, AIR Force, GENeral Schedule
MARine Corps, MANufacturer or RETurn <cr>

Separate service options with a space

? <MAR>

3. Add to MARine Corps T/O is selected.

Enter how many MARINE CORPS T/O lines, HELp or RETurn <cr>

? <5>

4. Add 5 lines to T/O is selected.

DUPlicate NN or NN-NN, HELp

5. General instructions are printed.

A blank line <cr> will copy the current last T/O line
or

Enter the following data separating items with a space or comma

Level,OS,Pay grade,Number,Equip group#,WBS#,Track#,RTR,Serv.T/O#,Serv.T/O line#
T/O LINE# 24

? <DUP 5-6>

6. T/O lines 5-6 are copied to T/O lines 24 and 25.

T/O LINE# 26

? <GCTS>

7. T/O line 26 will be the same as T/O line 25 except that level is set to GCTS.

FIGURE 17. Add to table of organization.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:40Z
Check the source to verify that this is the current version before use.

```
T/O LINE#  27

? <cr>                                                          8.  <cr> means T/O line 27 is to
                                                                be copied from the line
                                                                preceding, T/O line 26.

Line #   26 has been copied
T/O LINE#  28

? <SWPD>                                                        9.  T/O line 28 is copied from T/O
                                                                line 27 except level has been set
                                                                to SWPD.

TABLE OF ORG:  EDIt, LISt, ADD, DELete, GET, SAVe, HELp, RETurn<cr>;
               or get, create, or edit TRAining track or course data
? <LIS>                                                         10.  LISt T/O is selected.
LIST T/O:  AIR Force, GENeral schedule, MARine Corps, ARMy
           NAVy, MANufacturer, SUBset, ALL or RETurn<cr>

? <MAR>                                                         11.  List the MARine Corps T/O is
                                                                selected.

                    TABLE OF ORGANIZATION FOR  MARINE CORPS

LCC T/O                    PAY          EQUIP.                  TRAINING    SERVICE  T/O
 LINE# LEVEL  OS      GRADE NUMBER GROUP   WBS NUMBER          TRACK # RTR  T/O # LINE

    4  OPRD 2851      E  4  27.00    2  11                        1   0.23
    5  OLMS 2861      E  5  62.00    1  11.4                      2   0.23
    6  ILMS 5977      E  5  30.00    1  11.4                      2   0.23
   24  OLMS 2861      E  5  62.00    1  11.4                      2   0.23
   25  ILMS 5977      E  5  30.00    1  11.4                      2   0.23
   26  GCTS 5977      E  5  30.00    1  11.4                      2   0.23
   27  GCTS 5977      E  5  30.00    1  11.4                      2   0.23
   28  SWPD 5977      E  5  30.00    1  11.4                      2   0.23

TABLE OF ORG:  EDIt, LISt, ADD, DELete, GET, SAVe, HELp, RETurn<cr>;
               or get, create, or edit TRAining track or course data
? <cr>                                                          12.  <cr> returns Model to main
                                                                menu.
```

FIGURE 17. Add to table of organization. - Continued

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:40Z
Check the source to verify that this is the current version before use.

```
Training track options:  GET, LISt, EDIt, or SAVe training track data;
                         get, create or edit user COUrse file;
                         HELp or RETurn
? <COU>
```

1. COUrse module is selected.

```
GET, EDIt, LISt, or SAVe user course file(SYStem or RETurn)? <EDI>
EDIT COURSE DATA FILE:  ADD, DELete, or CHAnge User courses
(or RETurn)? <ADD>
 Enter the number of course(s) to be added(RETurn<cr> or HELp)? <1>
```

2. EDIt courses is selected.

3. ADD a course is selected.

4. Add 1 course to USR file is selected.

```
FOR COURSE USR   4

 Course name: ? <MICRO-REP>
 Service Course Identification number(if any)? <84NAVY23.7>
 Course length(days), PCS or TDY (P,T)? <150,T>
Attrition rate, Fiscal Year of cost data, COST: MP, PROC, O&M, OPROC
? <.2 83 9850 3000 23000>
GET, EDIt, LISt, or SAVe user course file(SYStem or RETurn)? <cr>
```

5. Data for course USR 4 is entered.

6. <cr> exits the course module.

```
Training track options:  GET, LISt, EDIt, or SAVe training track data;
                         get, create or edit user COUrse file;
                         HELp or RETurn
? <cr>
```

7. <cr> exits the training track options menu and returns to the main menu.

FIGURE 18. Add a user course.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:40Z
Check the source to verify that this is the current version before use.

TABLE OF ORG: EDIt, LISt, ADD, DELete, GET, SAVe, HELp, RETurn<cr>; or get, create, or edit TRAining track or course data	
? <TRA>	1. Training TRAck module is selected.
Training track options: GET, LISt, EDIt, or SAVe training track data; get, create or edit user COUrse file; HELp or RETurn	
? <EDI>	2. EDIt is selected.
EDIT TRAINING TRACKS: ADD, DELete, CHAnge or RETurn? <ADD>	3. ADD a track is selected.
Enter training tracks for: AIR Force, CIVilian, MARine Corps, NAVy, ARMy, or ALL, HELp or RETurn <cr>). Separate enteries with a space.	
? <MAR>	4. Add a track to the MARine Corps is selected.
Enter how many MARINE CORPS. training tracks, HELp or RETurn	
? <1>	5. Add 1 track is selected.
Enter up to 10 course numbers per line. Separate entries with a space or a comma. Enter a blank line <cr> when done	
Enter course ID #s for track 8 or RETurn	6. Data for the training track is entered.
? <USR1 USR2>	
NUMBER OF PCS MOVES	
? <2>	
EDIT TRAINING TRACKS: ADD, DELete, CHAnge or RETurn? <cr>	7. <cr> exits edit module.
Training track options: GET, LISt, EDIt, or SAVe training track data; get, create or edit user COUrse file; HELp or RETurn	
? <cr>	8. <cr> returns Model to main menu.

FIGURE 19. Add a training track.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:40Z
Check the source to verify that this is the current version before use.

```
<RUN>
                    DEFENSE MATERIEL SYSTEM LIFE CYCLE COST MODEL
                          FOR MIL-STD 881 WEAPON SYSTEMS
                              VERSION 5: MAY 1983
                               05/15/83  13:33:13

 CREate, GET, ASSemble, HELp? <ASS>

MAIN: EDIt(system,WBS,assumptions), TABle of Org, SCHedule, DEPloy, INFlation
NOTepad, REPort, LISt, CREate, GET, SAVe, DELete, HELp, DONe, CHArge
? <EDI>
EDIT: SYStem data , ASSumptions, sysNAMe, WBS data , ADD wbs,
DELete wbs, MERge wbs files, LISt, or RETurn<cr>
? <SYS>

SYS editor: Cost element(e.g., 212.12), O array address
NOPrompt, GET, SAVe, HELp or RETurn? <HEL>

SYStem editor options are:

Enter the R&D or Production cost element to change(e.g.,211.12)
The O array address for O&S cost factor to change(e.g.,012)

(A carriage return in lieu of data will leave the current value in the data base)

SAVe to save current R&D, Production, O&S and Assumptions
GET to get a new R&D, Production, O&S and Assumptions file
NOPrompt to reduce the prompt to a ?
HELP to re-print these instructions
RETurn Enter a carriage return or type RET to return to the editor
```

1. When editing files it is not necessary to "GET" the whole data base. The ASSemble function is used to bypass "GET" and to allow retrieval of selected files.

2. EDItor is requested.

3. SYStem data editor is requested. When using ASSemble always get the system file and then other files as necessary.

4. HELp for system editor options is selected.

5. Help is displayed.

FIGURE 20. Edit system data.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:40Z
Check the source to verify that this is the current version before use.

```
SYS editor: Cost element(e.g., 212.12), O array address
NOPrompt, GET, SAVe, HELp or RETurn? <NOP>

? <GET>

File name: <FILEABC or FILEABC,PASSWORD> or HELp
? <SAMPLE,PASS>

System DATA READ FOR          SAMPLE     CREATED/MODIFIED 05/15/83

? <121.12.1>

121.12.1  =     9500.000, New value = ? <55000>


? <121.13.1>
121.13.1  =    16500.000, New value = ? <1600>
? <121.13.2>
121.13.2  =    66000.000, New value = ? <.065>
? <222.15>
222.15    =   119000.000, New value = ? <85000>
? <SAV>


File name: <FILEABC or FILEABC,PASSWORD> or HELp
? <SAMPLE,PASS>
System  data already exists for SAMPLE.
Replace the file (Y,N) ? <Y>
System DATA WRITTEN FOR SAMPLE? <cr>
```

6. NO Prompt is selected to avoid displaying this prompt after each entry. No Prompt acts as a switch. Each time "NOP" is entered, it will turn the prompt on/off, depending on the current state.
7. GET the system file is requested.

8. Name of the file to get is entered.

9. The cost element to change is entered.
10. The Model prints the current value. The new value is entered. A carriage return <cr> will cause the current value to be retained.

11. When all the elements have been changed, SAVe is entered to save the changes. Data previously entered is also retained.

12. <cr> returns Model to edit. module.

FIGURE 20. Edit system data. - Continued

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:40Z
Check the source to verify that this is the current version before use.

```
EDIT: SYStem data , ASSumptions, sysNAMe, WBS data , ADD wbs,
DELete wbs, MERge wbs files, LISt, or RETurn<cr>
? <ASS>

ASSumption editor: A<number> to change (e.g., A3)
DATe, LISt, SAVe, NOPrompt or RETurn to edit? <NOP>




? <A1>

A 1=       3.00000 NEW VALUE= ? <15>

 You must use the DEPloy module to correct for the new system life




? <A2>
A 2=       2.00000 NEW VALUE= ? <.08>
? <A3>
A 3=       2.00000 NEW VALUE= ? <740>
? <A4>
A 4=       7.00000 NEW VALUE= ? <300>
? <A22>
A22=       0.00500 NEW VALUE= ? <.9>
? <A29>
A29=       1.00000 NEW VALUE= ? <.95>
? <SAV>
```

1. ASSumptions editor is selected.

2. NO Prompt is selected to avoid seeing this prompt after each entry. No prompt acts as a switch. Each time NOP is entered, it will turn the prompt on/off, depending on the current state.
3. The element to change is entered.
4. Current value is displayed. New value is entered.
5. A change in A1 system life must be followed by reentering the deploy module to recalculate end dates for each deployment. The inflation file must also be updated.

6. When all changes have been made, SAVe is entered.

FIGURE 21. Edit assumptions data.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:40Z
Check the source to verify that this is the current version before use.

File name: <FILEABC or FILEABC,PASSWORD> or HELp
? <SAMPLE,PASS>

7. File name is entered.

System data already exists for SAMPLE.
Replace the file (Y,N) ? <Y>
System DATA WRITTEN FOR SAMPLE? <cr>

8. <cr> returns the Model to the edit module.

EDIT: SYStem data , ASSumptions, sysNAMe, WBS data , ADD wbs,
DELete wbs, MERge wbs files, LISt, or RETurn<cr>
? <cr>

9. <cr> returns the Model to the main menu.

MAIN: EDIt(system,WBS,assumptions), TABle of Org, SCHedule, DEPloy, INFlation
NOTepad, REPort, LISt, CREate, GET, SAVe, DELete, HELp, DONe, CHArge

FIGURE 21. Edit assumption data. - Continued

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:40Z
Check the source to verify that this is the current version before use.

```
MAIN: EDIt(system,WBS,assumptions), TABle of Org, SCHedule, DEPloy, INFlation
NOTepad, REPort, LISt, CREate, GET, SAVe, DELete, HELp, DONe, CHArge
? <EDI>
EDIT: SYStem data , ASSumptions, sysNAMe, WBS data , ADD wbs,
DELete wbs, MERge wbs files, LISt, or RETurn<cr>
? <WBS>

 No WBS records currently exist.  GET or RETurn? <GET>
File name: <FILEABC or FILEABC,PASSWORD> or HELp
? <SAMPLE,PASS>

WBS DATA READ FOR              SAMPLE    CREATED/MODIFIED 05/15/83
GET, SAVe, MOVe, COPy, HELp, RETurn<cr>
or enter array elements and header titles to edit
? <NAM>

WHICH WBS record(s): ALL, SAMe, EACh, GROup, +, =, or record #s? <1>

 MORe or DONe? <cr>

name is MASS STORAGE DEVICE
 new NAME.? <DISC DRIVE>

GET, SAVe, MOVe, COPy, HELp, RETurn<cr>
or enter array elements and header titles to edit
? <D17 D29 F9 F10 F11 F12 F13 F14 F17 F18>

WHICH WBS record(s): ALL, SAMe, EACh, GROup, +, =, or record #s? <2>
 MORe or DONe? <cr>
```

1. EDIt module is selected.
2. WBS file is selected for editing.
3. GET WBS file is selected.
4. Name of WBS file to get is entered.
5. Header title NAMe is selected for editing.
6. Record #1 is selected. A maximum of 25 individual record numbers may be entered.
7. <cr> is the same as DONe. No more records are to be selected.
8. Current name is printed.
9. New name is entered.
10. Array elements to be edited are entered. They may be entered with spaces or commas between elements. The Model will prompt based on the order as entered.
11. Record #2 is selected.

FIGURE 22. Edit WBS data.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:40Z
Check the source to verify that this is the current version before use.

```
For WBS record    2   D17 =      22000.0000
New value =               ? <12000>
For WBS record    2   D29 =         40.0000
New value =               ? <9000>
For WBS record    2   F 9 =       1969.0000
New value =               ? <1980>
For WBS record    2   F10 =       2156.0000
New value =               ? <2200>
For WBS record    2   F11 =       4823.0000
New value =               ? <4800>
For WBS record    2   F12 =       3128.0000
New value =               ? <3200>
For WBS record    2   F13 =          0.0000
New value =               ? <7000>
For WBS record    2   F14 =       6982.0000
New value =               ? <7000>
For WBS record    2   F17 =       1429.0000
New value =               ? <1450>
```

FIGURE 22. Edit WBS data. - Continued.

12. Current value is displayed.

13. New value is entered.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:40Z
Check the source to verify that this is the current version before use.

```
For WBS record    2   F18 =       2834.0000

New value =                 ? <2800>
GET, SAVe, MOVe, COPy, HELp, RETurn<cr>
or enter array elements and header titles to edit
? <U5 U18 U19 U20>
WHICH WBS record(s): ALL, SAMe, EACh, GROup, +, =, or record #s? <=>
```

14. Array elements are selected.
15. The "=" means that the WBS record(s) previously selected are be edited.

```
For WBS record    2   U 5 =       1982.0000

New value =                 ? <83>

For WBS record    2   U18 =          0.0000

New value =                 ? <600>

For WBS record    2   U19 =        600.0000

New value =                 ? <2>

For WBS record    2   U20 =          2.0000

New value =                 ? <.04>
GET, SAVe, MOVe, COPy, HELp, RETurn<cr>
or enter array elements and header titles to edit
? <U7 U13 U18 E32 E33>
```

16. New array elements are selected.

```
WHICH WBS record(s): ALL, SAMe, EACh, GROup, +, =, or record #s? <4>
 MORe or DONe? <cr>
```

17. Record #4 is selected.

FIGURE 22. Edit WBS data. - Continued.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:40Z
Check the source to verify that this is the current version before use.

```
For WBS record    4   U 7 =     20000.0000

New value =               ? <200000>

For WBS record    4   U13 =         30.0000

New value =               ? <0>

For WBS record    4   U18 =          5.0000

New value =               ? <500>

For WBS record    4   E32 =         32.0000

New value =               ? <cr>

For WBS record    4   E33 =          0.0000

New value =               ? <32>
GET, SAVe, MOVe, COPy, HELp, RETurn<cr>
or enter array elements and header titles to edit
? <E32>

WHICH WBS record(s): ALL, SAMe, EACh, GROup, +, =, or record #s? <=>

For WBS record    4   E32 =         32.0000

New value =               ? <0>
GET, SAVe, MOVe, COPy, HELp, RETurn<cr>
or enter array elements and header titles to edit
? <SAV>
File name: <FILEABC or FILEABC,PASSWORD> or HELp
? <SAMPLE,PASS>
```

18. New array element is selected.
19. The same record(s) previously edited are selected.
20. SAVe changes is selected.
21. File name is selected.

FIGURE 22. Edit WBS data. - Continued.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:40Z
Check the source to verify that this is the current version before use.

```
WBS  data already exists for SAMPLE.
Replace the file (Y,N) ? <Y>
```

22. Replace the current file is selected.

```
WBS DATA WRITTEN FOR SAMPLE
GET, SAVe, MOVe, COPy, HELp, RETurn<cr>
or enter array elements and header titles to edit
? <M43 M44>
```

23. New array elements are entered.

```
WHICH WBS record(s): ALL, SAMe, EACh, GROup, +, =, or record #s? <SAM>
```

24. SAMe is selected. A constant value will replace current values for a group of records defined in the next line.

```
Enter the first and last record numbers in the group? <1 4>
```

25. Records 1-4 values will be replaced with a constant.

```
Enter a new value or math operator and value for M43? <0>
```

26. M43 for records 1-4 is set to 0. Math operators may be used, e.g. +2 would add 2 to each of the current values.

```
Enter a new value or math operator and value for M44? <.1>
GET, SAVe, MOVe, COPy, HELp, RETurn<cr>
or enter array elements and header titles to edit
? <M11 M13 M14>
```

27. New array elements are selected.

```
WHICH WBS record(s): ALL, SAMe, EACh, GROup, +, =, or record #s? <=>
```

28. The same records previously selected will be edited.

```
Enter a new value or math operator and value for M11? <.1>
```

29. M11 for records 1-4 is set to .1.

```
Enter a new value or math operator and value for M13? <0>
```

30. M13 and M14 for record 1-4 is set to 0.

```
Enter a new value or math operator and value for M14? <0>
GET, SAVe, MOVe, COPy, HELp, RETurn<cr>
or enter array elements and header titles to edit
? <F29>
```

31. New array is selected.

FIGURE 22. Edit WBS data. - Continued.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:40Z
Check the source to verify that this is the current version before use.

```
WHICH WBS record(s): ALL, SAMe, EACh, GROup, +, =, or record #s? <1>
 MORe or DONe? <cr>

For WBS record    1   F29 =        100.0000

New value =                  ? <17000>
GET, SAVe, MOVe, COPy, HELp, RETurn<cr>
or enter array elements and header titles to edit
? <SAV>

File name: <FILEABC or FILEABC,PASSWORD> or HELp
? <SAMPLE,PASS>

WBS  data already exists for SAMPLE.
Replace the file (Y,N) ? <Y>
WBS DATA WRITTEN FOR SAMPLE
GET, SAVe, MOVe, COPy, HELp, RETurn<cr>
or enter array elements and header titles to edit
? <NAM>
WHICH WBS record(s): ALL, SAMe, EACh, GROup, +, =, or record #s
? <1>
 MORe or DONe? <cr>
name is DISC DRIVE
 new NAME.? <TEST DRIVE>

GET, SAVe, MOVe, COPy, HELp, RETurn<cr>
or enter array elements and header titles to edit
? <E4 E5 E6>

WHICH WBS record(s): ALL, SAMe, EACh, GROup, +, =, or record #s
? <GRO>

Enter the first and last record numbers in the group? <3 5>
```

32. SAVe is entered when all changes have been completed.

33. File name is entered.

34. Edit NAMe header title.

35. Edit record #1.
36. No more records are selected.

37. New name for record #1 is entered.

38. Array elements to be edited are entered.

39. A GROup or block of records to be edited is selected.
40. WBS records 3, 4, and 5 are selected to be edited.

FIGURE 22. Edit WBS data. - Continued.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:40Z
Check the source to verify that this is the current version before use.

```
For WBS record    3   E 4 =          32.0000
New value =               ? <39>
For WBS record    3   E 5 =           2.0000
New value =               ? <1.8>
For WBS record    3   E 6 =           0.0000
New value =               ? <2>
For WBS record    4   E 4 =          29.5000
New value =               ? <35>
For WBS record    4   E 5 =           2.0000
New value =               ? <2.5>
For WBS record    4   E 6 =           0.0000
New value =               ? <2>
For WBS record    5   E 4 =           0.0000
New value =               ? <12.45>
For WBS record    5   E 5 =           0.0000
New value =               ? <35>
For WBS record    5   E 6 =           0.0000
New value =               ? <2.6>
```

41. Current values are displayed. New values are entered.

FIGURE 22. Edit WBS data. - Continued.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:40Z
Check the source to verify that this is the current version before use.

```
GET, SAVe, MOVe, COPy, HELp, RETurn<cr>
or enter array elements and header titles to edit
? <MOV>


Enter the first and last records in the block to be moved
? <1 3>


After which record
? <5>
```

42. MOVe is selected. The Model takes a block of records and moves them to another position.

43. Records 1, 2, and 3 are to be moved.

44. They are to be moved to after record 5. This causes all record numbers to change. On large data bases, list the record headers before making additional changes.

```
GET, SAVe, MOVe, COPy, HELp, RETurn<cr>
or enter array elements and header titles to edit
? <COP>

 Copy an ARRay from another record or a BLOck of records? ARR

 Enter the array type to copy (D F P U E M)? E
 THE TARGET RECORD IS                5

 KEEp the current target, CHAnge the target or RETurn? <CHA>


 Enter the new target record number? <3>


COPy EQUIP data from a previous record, ENTer data or RETurn<cr>
? <COP>
 Copy which WBS record ? <2>
GET, SAVe, MOVe, COPy, HELp, RETurn<cr>
or enter array elements and header titles to edit
? <M1 M3 E4>
```

45. COPy is selected. The Model asks if the user wants to copy an array from an existing record, or duplicate a block of records.
46. COPy Equipment array is selected.
47. The Model displays the current record #.
48. CHAnge the target record is selected.

49. Record 3 is selected to receive the equipment array to be copied.

50. COPy is selected.
51. Record #2 is copied.

52. Array elements are selected for editing.

FIGURE 22. Edit WBS data. - Continued.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:40Z
Check the source to verify that this is the current version before use.

```
WHICH WBS record(s): ALL, SAMe, EACh, GROup, +, =, or record #s
? <SAM>

Enter the first and last record numbers in the group? <1 3>

Enter a new value or math operator and value for E 4? <2>

Enter a new value or math operator and value for M 1? <*1.5>

Enter a new value or math operator and value for M 3? <-4>

GET, SAVe, MOVe, COPy, HELp, RETurn<cr>
or enter array elements and header titles to edit
? <F1>
WHICH WBS record(s): ALL, SAMe, EACh, GROup, +, =, or record #s
? <ALL>

Enter a new value or math operator and value for F 1? <1984>
GET, SAVe, MOVe, COPy, HELp, RETurn<cr>
or enter array elements and header titles to edit
? <COP>

 Copy an ARRay from another record or a BLOck of records? BLO
 Enter the first and last records in the block to copy
 The copied records will be at the end of your WBS file? 2 4
 Records                2  through   4
 have been copied after record      5

GET, SAVe, MOVe, COPy, HELp, RETurn<cr>
or enter array elements and header titles to edit
<cr>
```

53. SAMe is selected. The same values are entered in each array element for all the records.
54. Records 1, 2, and 3 are selected to be edited.

55. New value for E4 is entered.

56. M1 values are to be multiplied by 1.5.

57. 4 is to be subtracted from the current values of M3.

58. Array element F1 is selected.

59. ALL records is selected.

60. A new value for F1 is entered.

61. COPy optionis selected.

62. Copy a BLOck of existing WBS records is requested.
63. Copy records 2 to 4

64. <cr> returns Model to edit menu. The changes made are not saved. They could be used for a

FIGURE 22. Edit WBS data. - Continued.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:40Z
Check the source to verify that this is the current version before use.

```
MAIN: EDIt(system,WBS,assumptions), TABle of Org, SCHedule, DEPloy, INFlation
NOTepad, REPort. LIST, CREate. GET, SAVe, DELete. HELp, DONe, CHArge
? <TAB>                                                    1. TABle of organization is
                                                           selected.
TABLE OF ORG:  EDIt. LISt, ADD, DELete. GET, SAVe, HELp, RETurn<cr>;
               or get, create, or edit TRAining track or course data
? <EDI>                                                    2. EDIt module is selected.
 Enter T/O record number(s) (N,N-N) to change,comma, field(s) to edit (HELp or RETurn)
? <HEL>                                                    3. HELp is selected.
                                                           4. General help information is
                                                           displayed.

To change field(s) in individual T/O record(s)
      enter  <record #(s)> , <field(s)>

To change field(s) in a block of T/O records
      enter  <start record #> - <stop record #> , <field(s)>
      The Model will ask if the same or different values are to be entered

To change field(s) with the same value for all T/O records, enter ALL , <field(s)>
To change field(s) with different values for all T/O records, enter EAC , <field(s)>
Warning:  No service to field checks are conducted with the ALL designation.

One or more of the following fields may be designated to be changed as applicable:

LEVel, OS, PAY grade, NUMber, equipment GROup, WBS number, RTR, TRAining track,
SERvice T/O number, service T/O LINe number

(Examples:  14,18,LEV or  2-18,GRO WBS or ALL,WBS)

 Enter T/O record number(s) (N,N-N) to change,comma, field(s) to edit (HELp or RETurn)

?  <26-28,PAY  GRO  WBS>                                  5. Records 26-28 are selected for
                                                           editing.  Fields within those records
                                                           to be  edited are:  pay grade,
                                                           equipment group, and WBS number.
```

FIGURE 23. Edit table of organization.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:40Z
Check the source to verify that this is the current version before use.

```
T/O line #    26 OLD PAYGRADE=E  5 ; NEW PAYGRADE? <E6>
T/O line #    26 OLD EQUIP GROUP = 1 ;NEW EQUIP GROUP? <2>
T/O line #    26 OLD WBS NUMBER=11.4 ; NEW WBS NUMBER? <11.3>
T/O line #    27 OLD PAYGRADE=E  5 ; NEW PAYGRADE? <E3>
T/O line #    27 OLD WBS NUMBER=11.4 ;NEW WBS NUMBER? <11.3>
T/O line #    27 OLD EQUIP GROUP = 1 ;NEW EQUIP GROUP? <2>
T/O line #    28 OLD PAYGRADE=E  5 ; NEW PAYGRADE? <E7>
T/O line #    28 OLD EQUIP GROUP = 1 ;NEW EQUIP GROUP? <2>
T/O line #    28 OLD WBS NUMBER=11.4 ;NEW WBS NUMBER? <cr>
```

6. The Model processes all fields in one record before proceeding to the next record. The Model displays the current values. New values are entered.

7. <cr> leaves the current value unchanged.

```
Enter T/O record number(s) (N,N-N) to change,comma, field(s) to edit (HELp or RETurn)

? <cr>
```

8. <cr> exits to table of organization menu.

```
TABLE OF ORG:  EDIt, LISt, ADD, DELete, GET, SAVe, HELp, RETurn<cr>;
               or get, create, or edit TRAining track or course data
? <SAV>
```

9. SAVe changes made to T/O is requested.

```
File name: <FILEABC or FILEABC,PASSWORD> or HELp
? <SAMPLE,PASS>
Table of Org  data already exists for SAMPLE.
Replace the file (Y,N) ? <Y>
Table of Org DATA WRITTEN FOR SAMPLE
Training Track  data already exists for SAMPLE.
Replace the file (Y,N) ? <N>
```

10. File name is entered.

11. Training track data have not been edited therefore the file does not need to be replaced.

```
File name: <FILEABC or FILEABC,PASSWORD> or HELp
? <cr>
TABLE OF ORG:  EDIt, LISt, ADD, DELete, GET, SAVe, HELp, RETurn<cr>;
               or get, create, or edit TRAining track or course data
? <cr>
```

12. <cr> exits the save module.

13. <cr> returns the Model to the main menu.

```
MAIN: EDIt(system,WBS,assumptions), TABle of Org, SCHedule, DEPloy, INFlation
NOTepad, REPort, LISt, CREate, GET, SAVe, DELete, HELp, DONe, CHArge
```

FIGURE 23. Edit table of organization. - Continued

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:40Z
Check the source to verify that this is the current version before use.

```
MAIN: EDIt(system,WBS,assumptions), TABle of Org, SCHedule, DEPloy, INFlation
NOTepad, REPort, LIST, CREate, GET, SAVe, DELete, HELp, DONe, CHArge
? <TAB>                                                          1. TABle of Organization is
                                                                    selected.
TABLE OF ORG:  EDIt, LISt, ADD, DELete, GET, SAVe, HELp, RETurn<cr>;
               or get, create, or edit TRAining track or course data
? <TRA>                                                          2. TRAining module is selected.
Training track options:  GET, LISt, EDIt, or SAVe training track data;
                         get, create or edit user COUrse file;
                         HELp or RETurn
? <COU>                                                          3. COUrse module is selected.
GET, EDIt, LISt, or SAVe user course file(SYStem or RETurn)? <EDI>  4. EDIt course file is selected.
EDIT COURSE DATA FILE:  ADD, DELete, or CHAnge User courses
(or RETurn)? <CHA>                                               5. CHAnge user course is
                                                                    selected.
CHANGE COURSE DATA:  Enter the course ID number or RETurn? <USR1>  6. The course to change is
                                                                    entered.
CHANGE:  NAMe, Service CIN, LENgth(days), PCS or TDY, ATTrition rate,
         FIScal year of cost data, COSt, or RETurn
? <PCS>                                                          7. Field to change is entered.
                                                                    Only one field can be entered.
OLD PCS/TDY IS P; NEW PCS/TDY ? <T>                              8. Current value is displayed.
                                                                    New value is entered.
CHANGE COURSE DATA:  Enter the course ID number or RETurn? <USR1>  9. Course to change is entered.
CHANGE:  NAMe, Service CIN, LENgth(days), PCS or TDY, ATTrition rate,
         FIScal year of cost data, COSt, or RETurn
? <ATT>                                                          10. The field to change is
                                                                    entered.
OLD ATTRITION RATE IS .25; NEW ATTRITION RATE ? <.23>            11. Old value is displayed. New
                                                                    value is entered.
CHANGE COURSE DATA:  Enter the course ID number or RETurn? <cr>  12. <cr> exits change course
```

FIGURE 24. Edit course.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:40Z
Check the source to verify that this is the current version before use.

```
GET, EDIt, LISt, or SAVe user course file(SYStem or RETurn)? <SAV>
File name: <FILEABC or FILEABC,PASSWORD> or HELp
? <SAMPLE,PASS>
User Course  data already exists for SAMPLE.
Replace the file (Y,N) ? <Y>
User Course DATA WRITTEN FOR SAMPLE
GET, EDIt, LISt, or SAVe user course file(SYStem or RETurn)? <EDI>
EDIT COURSE DATA FILE:  ADD, DELete, or CHAnge User courses
(or RETurn)? <DEL>
Enter the course ID number to be deleted or RETurn
? <USR1>
Course number USR   1 has been deleted

Enter the course ID number to be deleted or RETurn
? <cr>

GET, EDIt, LISt, or SAVe user course file(SYStem or RETurn)? <cr>

Training track options:  GET, LISt, EDIt, or SAVe training track data;
                         get, create or edit user COUrse file;
                         HELp or RETurn
? <cr>

TABLE OF ORG:  EDIt, LISt, ADD, DELete, GET, SAVe, HELp, RETurn<cr>;
               or get, create, or edit TRAining track or course data
? <cr>

MAIN: EDIt(system,WBS,assumptions), TABle of Org, SCHedule, DEPloy, INFlation
NOTepad, REPort, LIST, CREate, GET, SAVe, DELete, HELp, DONe, CHArge
?
```

13. SAVe option is requested.
14. File name is entered.
15. EDIt course data is selected.
16. DELete a course is requested.
17. Course to delete is entered.
18. Model displays what occurred.
19. <cr> exits edit course data.
20. <cr> returns to training track options.
21. <cr> returns Model to table of organization
22. <cr> returns Model to main menu.

FIGURE 24. Edit course. - Continued

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:40Z
Check the source to verify that this is the current version before use.

```
MAIN: EDIt(system,WBS,assumptions), TABle of Org, SCHedule, DEPloy, INFlation
NOTepad, REPort, LIST, CREate, GET, SAVe, DELete, HELp, DONe, CHArge
? <TAB>                                                          1. TABle of organization menu is
                                                                    selected.
TABLE OF ORG:  EDIt, LISt, ADD, DELete, GET, SAVe, HELp, RETurn<cr>;
               or get, create, or edit TRAining track or course data
? <TRA>                                                          2. TRAining track is requested.

Training track options:  GET, LISt, EDIt, or SAVe training track data;
                         get, create or edit user COUrse file;
                         HELp or RETurn
? <EDI>                                                          3. EDIt is requested.
EDIT TRAINING TRACKS:  ADD, DELete, CHAnge or RETurn? <DEL>      4. DELete is requested.
DELETE:  How many training tracks? <1>                           5. Delete 1 track is requested.
Enter training track to be deleted? <3>                          6. The track to be deleted is
                                                                    entered.
Training Track Number    3 has been deleted.                     7. Model displays what has
                                                                    occurred.
EDIT TRAINING TRACKS:  ADD, DELete, CHAnge or RETurn? <CHA>      8. CHAnge a track is requested.
Enter the training track number to be changed or RETurn? <2>     9. Track # to change is entered.
ADD, DELete, or CHAnge course data or change number of PCS moves
(or RETurn)? <CHA>                                               10. CHAnge is requested.
CHANGE COURSE DATA:  Enter the course number to be changed
(or RETurn)? <USR1>                                              11. Course number to change is
                                                                    entered.
Enter the new course number to replace USR1     or RETurn
? <USR2>                                                         12. New course number is entered.
Enter the training track number to be changed or RETurn? <2>     13. Track # to change is entered.
ADD, DELete, or CHAnge course data or change number of PCS moves
(or RETurn)? <PCS>                                               14. Change number of PCS moves is
                                                                    requested.
OLD NUMBER OF PCS MOVES IS  1.00;NEW NUMBER OF PCS MOVES? <0>    15. Current value is displayed.
                                                                    New value is entered.
Enter the training track number to be changed or RETurn? <cr>    16. <cr> exits module.
```

FIGURE 25. Edit training track.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:40Z
Check the source to verify that this is the current version before use.

```
EDIT TRAINING TRACKS:  ADD, DELete, CHAnge or RETurn? <cr>
```

17. <cr> returns Model to training track options.

```
Training track options:  GET, LISt, EDIt, or SAVe training track data;
                         get, create or edit user COUrse file;
                         HELp or RETurn
? <SAV>
File name: <FILEABC or FILEABC,PASSWORD> or HELp
? <SAMPLE,PASS>
```

18. SAVe changes is requested.

19. File name is entered.

```
Training Track  data already exists for SAMPLE.
Replace the file (Y,N) ? <Y>
Training Track DATA WRITTEN FOR SAMPLE

User Course  data already exists for SAMPLE.
Replace the file (Y,N) ? <Y>
```

20. The Model asks to replace the course file whenever the training file is replaced.

```
User Course DATA WRITTEN FOR SAMPLE

Training track options:  GET, LISt, EDIt, or SAVe training track data;
                         get, create or edit user COUrse file;
                         HELp or RETurn
? <cr>
```

21. <cr> returns Model to table of organization.

```
TABLE OF ORG:  EDIt, LISt, ADD, DELete, GET, SAVe, HELp, RETurn<cr>;
               or get, create, or edit TRAining track or course data
? <cr>
```

22. <cr> returns Model to main menu.

```
MAIN: EDIt(system,WBS,assumptions), TABle of Org, SCHedule, DEPloy, INFlation
NOTepad, REPort, LISt, CREate, GET, SAVe, DELete, HELp, DONe, CHArge
?
```

FIGURE 25. Edit training track. - Continued

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:40Z
Check the source to verify that this is the current version before use.

```
MAIN: EDIt(system,WBS,assumptions), TABle of Org, SCHedule, DEPloy, INFlation
NOTepad, REPort, LISt, CREate, GET, SAVe, DELete, HELp, DONe, CHArge
? <INF>
Inflate: INFlate, DIScount, BOTh inflate and discount, CHAnge base year,
LISt or RETurn <cr>? <INF>

Use current inflation table for system inputs (Y,N)
? <N>

 Which inflation table:
 DOD(1), Marine Corps(2), Army(3), Navy(4), Air Force(5), Project(6):
 (1,2,3,4,5,6)? <1>


 TOA or OUTlay rates? <OUT>

EDIT RATES: LISt, ADD, CHAnge, CREate ,DELete, GET, SAVe
or RETurn to inflate main
? <CHA>
 Change which rates: RD, OM, MP, MC, PR, OP, R1, R2, ALL or NONe
? <R1 R2>

Enter changes for RATE 1 in the form YY,RATE. Separate entries by spaces
or commas.  E.G., 80,.06 would set the rate for 1980 to .06.
MULtiply each factor by a constant, ADD a constant to each factor
NEXt for the next inflation category. RETurn to quit this process
? <ADD>

ENTER THE REAL VALUED CONSTANT THAT YOU WANT ADDED TO EACH RATE
IN THE FORM "X.XXX"
? <.045>
```

1. INFlation menu is selected.
2. INFlation module is selected.
3. Current rate table is rejected.
4. DOD rates are selected. Contact the program support team before selecting service rates.
5. OUTlay inflation rate table is selected.
6. CHAnge rates is selected.
7. Rate 1 and rate 2 are selected for editing. These two rates are user created and are set to zero in the DOD data base.
8. ADD is selected as no rates exist in rate 1 yet.
9. .045 is the inflation rate entered for all years in the data base for rate 1.

FIGURE 26. Edit inflation.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:40Z
Check the source to verify that this is the current version before use.

```
Enter changes for RATE 1 in the form YY,RATE. Separate entries by spaces
or commas.  E.G., 80,.06 would set the rate for 1980 to .06.
MULtiply each factor by a constant, ADD a constant to each factor
NEXt for the next inflation category. RETurn to quit this process
? <NEX>
```

10. NEXt causes the Model to go to the second category selected.

```
Enter changes for RATE 2 in the form YY,RATE. Separate entries by spaces
or commas.  E.G., 80,.06 would set the rate for 1980 to .06.
MULtiply each factor by a constant, ADD a constant to each factor
NEXt for the next inflation category. RETurn to quit this process
? <ADD>
```

11. ADD is selected since no rates exist in rate 2 yet.

```
ENTER THE REAL VALUED CONSTANT THAT YOU WANT ADDED TO EACH RATE
IN THE FORM "X.XXX"
? <.56>
```

12. .56 is entered for rate 2.

```
Enter changes for RATE 2 in the form YY,RATE. Separate entries by spaces
or commas.  E.G., 80,.06 would set the rate for 1980 to .06.
MULtiply each factor by a constant, ADD a constant to each factor
NEXt for the next inflation category. RETurn to quit this process
? <MUL>
```

13. MULtiply each rate in rate 2 by a constant is selected.

```
ENTER THE REAL VALUED CONSTANT IN THE FORM "X.XXX" THAT YOU WANT TO APPLY
TO EACH ENTRY.
? <.09>
```

14. .56 is corrected by multiplying all entries by .09.

```
Enter changes for RATE 2 in the form YY,RATE. Separate entries by spaces
or commas.  E.G., 80,.06 would set the rate for 1980 to .06.
MULtiply each factor by a constant, ADD a constant to each factor
NEXt for the next inflation category. RETurn to quit this process
? <NEX>
```

15. NEXt returns Model to edit rates menu as all rates selected have been edited.

FIGURE 26. Edit inflation. - Continued

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:40Z
Check the source to verify that this is the current version before use.

EDIT RATES: LISt, ADD, CHAnge, CREate ,DELete, GET, SAVe inflation rates or
RETurn to inflate main
? <LIS>

16. LISt the inflation rates is selected. These rates are used by the Model for all change year functions and computation of then year costs.

INFLATION RATES	FY 83	FY 84	FY 85	FY 86	FY 87	FY 88	FY 89
RDT&E	.051	.047	.045	.044	.044	.044	.044
MILCON	.051	.047	.045	.044	.044	.044	.044
PROC	.067	.068	.060	.058	.056	.056	.056
O&M	.051	.047	.045	.044	.044	.044	.044
OP	.060	.059	.053	.053	.052	.052	.052
MP	.063	.052	.048	.049	.049	.049	.049
RATE1	.045	.045	.045	.045	.045	.045	.045
RATE2	.050	.050	.050	.050	.050	.050	.050

INFLATION RATES	FY 90	FY 91	FY 92	FY 93	FY 94	FY 95	FY 96
RDT&E	.044	.044	.044	.044	.044	.044	.044
MILCON	.044	.044	.044	.044	.044	.044	.044
PROC	.056	.056	.056	.056	.056	.056	.056
O&M	.044	.044	.044	.044	.044	.044	.044
OP	.052	.052	.052	.052	.052	.052	.052
MP	.049	.049	.049	.049	.049	.049	.049
RATE1	.045	.045	.045	.045	.045	.x4=	.045
RATE2	.050	.050	.050	.050	.050	.050	.050

FIGURE 26. Edit inflation. - Continued

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:40Z
Check the source to verify that this is the current version before use.

INFLATION RATES	FY 97	FY 98	FY 99	FY 0	FY 1	FY 2	FY 3
RDT&E	.044	.044	.044	.044	.044	.044	.044
MILCON	.044	.044	.044	.044	.044	.044	.044
PROC	.056	.056	.056	.056	.056	.056	.056
O&M	.044	.044	.044	.044	.044	.044	.044
OP	.052	.052	.052	.052	.052	.052	.052
MP	.049	.049	.049	.049	.049	.049	.049
RATE1	.045	.045	.045	.045	.045	.045	.045
RATE2	.050	.050	.050	.050	.050	.050	.050

INFLATION RATES	FY 4
RDT&E	.044
MILCON	.044
PROC	.056
O&M	.044
OP	.052
MP	.049
RATE1	.045
RATE2	.050

EDIT RATES: LISt, ADD, CHAnge, CREate ,DELete, GET, SAVe inflation rates or RETurn to inflate main
? <cr>

17. <cr> returns Model to inflate menu.

Inflate: INFlate, DIScount, BOTh inflate and discount, CHAnge base year, LISt or RETurn <cr>? <LIS>

18. LISt from the inflate menu lists the composite rates used by the Model.

FIGURE 26. Edit inflation. - Continued

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:40Z
Check the source to verify that this is the current version before use.

COMPOSITE FACTORS

CATEGORY	FY 1983	FY 1984	FY 1985	FY 1986	FY 1987
RDT&E	1.000	1.047	1.095	1.143	1.194
MILCON	1.000	1.004	1.095	1.143	1.194
PROC	1.000	1.068	1.131	1.198	1.265
O&M	1.000	1.047	1.095	1.143	1.194
OPROC	1.000	1.059	1.115	1.174	1.235
MILPER	1.000	1.052	1.103	1.156	1.213
RATE 1	1.000	1.045	1.092	1.141	1.193
RATE 2	1.000	1.050	1.103	1.159	1.217

CATEGORY	FY 1988	FY 1989	FY 1990	FY 1991	FY 1992
RDT&E	1.247	1.303	1.360	1.421	1.484
MILCON	1.247	1.302	1.360	1.420	1.483
PROC	1.336	1.411	1.491	1.574	1.663
O&M	1.247	1.302	1.360	1.421	1.484
OPROC	1.299	1.367	1.438	1.513	1.592
MILPER	1.272	1.334	1.399	1.467	1.538
RATE 1	1.246	1.302	1.361	1.422	1.486
RATE 2	1.279	1.343	1.411	1.482	1.557

CATEGORY	FY 1993	FY 1994	FY 1995	FY 1996	FY 1997
RDT&E	1.550	1.618	1.690	1.765	1.844
MILCON	1.549	1.618	1.690	1.765	1.843
PROC	1.756	1.855	1.960	2.070	2.186
O&M	1.549	1.618	1.690	1.765	1.843
OPROC	1.675	1.762	1.853	1.950	2.051
MILPER	1.613	1.691	1.773	1.860	1.950
RATE 1	1.553	1.623	1.696	1.772	1.852
RATE 2	1.635	1.718	1.804	1.895	1.991

FIGURE 26. Edit inflation. - Continued

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:40Z
Check the source to verify that this is the current version before use.

CATEGORY	FY 1998	FY 1999	FY 2000	FY 2001	FY 2002
RDT&E	1.926	2.011	2.100	2.194	2.291
MILCON	1.925	2.010	2.099	2.192	2.290
PROC	2.309	2.439	2.576	2.721	2.874
O&M	1.925	2.011	2.100	2.193	2.290
OPROC	2.158	2.271	2.389	2.513	2.644
MILPER	2.045	2.145	2.249	2.358	2.473
RATE 1	1.935	2.022	2.113	2.208	2.308
RATE 2	2.091	2.196	2.307	2.423	2.545

CATEGORY	FY 2003	FY 2004
RDT&E	2.393	2.499
MILCON	2.391	2.497
PROC	3.036	3.207
O&M	2.392	2.498
OPROC	2.782	2.927
MILPER	2.593	2.720
RATE 1	2.412	2.520
RATE 2	2.674	2.808

Inflate: INFlate, DIScount, BOTh inflate and discount, CHAnge base year, RETurn
? <cr>

19. <cr> returns Model to main menu.

MAIN: EDIt(system,WBS,assumptions), TABle of Org, SCHedule, DEPloy, INFlation
NOTepad, REPort, LIST, CREate, GET, SAVe, DELete, HELp, DONe, CHArge
?

FIGURE 26. Edit inflation. - Continued

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:40Z
Check the source to verify that this is the current version before use.

```
MAIN: EDIt(system,WBS,assumptions), TABle of Org, SCHedule, DEPloy, INFlation
NOTepad, REPort, LISt, CREate, GET, SAVe, DELete, HELp, DONe, CHArge
? <SCH>
Annual: EDIt, LISt, GET, SAVe, RETurn? <EDI>
EDIT:  SCHedule and spending rates or spending RATes only? <SCH>
 Change which dates: DEMonstration, FSD, PROduction, ALL or RETurn
 Separate entries with a space.? <DEM>

Enter start and end YEAR and MONTH for each Phase as YY.MM YY.MM
Enter dates for D&V, FSD, and Production
Enter both dates for each phase on the same line
Separate entries with a space (E.G., 85.10 90.01)

FOR D. & V.     ? <84.3 85.6>

Which PHASE spending rates do you want to change?
ALL, RETurn, or one or more of the following:

For phase D&V-CONTRACTOR              enter :        1
For phase D&V-GOVERNMENT              enter :        2
For phase FSD-CONTRACTOR              enter :        3
For phase FSD-GOVERNMENT              enter :        4
For phase PROD-CONT,N-R               enter :        5
For phase PROD-GOVT,N-R               enter :        6
For phase PROD-CONT,R                 enter :        7
For phase PROD-GOVT,R                 enter :        8
 Enter all numbers on one line separated by spaces:
? <1 2>

REQUESTED PHASES ARE:
D&V-CONTRACTOR                D&V-GOVERNMENT

IS THAT CORRECT (Y OR N) ? <Y>
```

1. SCHedule is requested.
2. EDIt is requested.
3. Edit SCHedule is requested.
4. Edit DEMonstration phase is requested.
5. D&V dates are entered.
6. Phases are entered.
7. Request is displayed.
8. The model asks if the request has been correctly entered.

FIGURE 27. Edit schedule.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:40Z
Check the source to verify that this is the current version before use.

```
 Use DEFault spending rates or MODify existing rates for PHASE
D&V-CONTRACTOR                    ? <DEF>


 Use DEFault spending rates or MODify existing rates for PHASE
D&V-GOVERNMENT                    ? <DEF>
Annual: EDIt, LISt, GET, SAVe, RETurn? <cr>

MAIN: EDIt(system,WBS,assumptions), TABle of Org, SCHedule, DEPloy, INFlation
NOTepad, REPort, LISt, CREate, GET, SAVe, DELete, HELp, DONe, CHArge
?
```

9. DEFault spending rates are requested. This will cause the model to adjust spending rates for the new D&V schedule just entered.

10. <cr> returns model to main menu.

FIGURE 27. Edit schedule. - Continued

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:40Z
Check the source to verify that this is the current version before use.

```
MAIN: EDIt(system,WBS,assumptions), TABle of Org, SCHedule, DEPloy, INFlation
NOTepad, REPort, LIST, CREate, GET, SAVe, DELete, HELp, DONe, CHArge
? <SCH>                                                          1. SCHedule is selected.
Annual: EDIt, LIST, GET, SAVe, RETurn? <EDI>                     2. EDIt is selected.
EDIT:  SCHedule and spending rates or spending RATes only? <RAT> 3. Edit spending RATes is
                                                                    selected.

Which PHASE spending rates do you want to change?
ALL, RETurn, or one or more of the following:

For phase D&V-CONTRACTOR                  enter :      1
For phase D&V-GOVERNMENT                  enter :      2
For phase FSD-CONTRACTOR                  enter :      3
For phase FSD-GOVERNMENT                  enter :      4
For phase PROD-CONT,N-R                   enter :      5
For phase PROD-GOVT,N-R                   enter :      6
For phase PROD-CONT,R                     enter :      7
For phase PROD-GOVT,R                     enter :      8
 Enter all numbers on one line separated by spaces:
? <5 6>                                                          4. Phases to edit are entered.

REQUESTED PHASES ARE:
PROD-CONT,N-R                  PROD-GOVT,N-R                     5. Phases to edit are displayed.

IS THAT CORRECT (Y OR N) ? <Y>                                   6. Model asks if these are
                                                                    correct.
 Use DEFault spending rates or MODify existing rates for PHASE
PROD-CONT,N-R                  ? <MOD>                           7. MODify existing rate is
                                                                    requested.
 ENTer all new spending rates or CHAnge selected years for PHASE:
PROD-CONT,N-R                  ? <ENT>                           8. ENTer new spending rate is
                                                                    requested.
```

FIGURE 28. Edit spending rates.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:40Z
Check the source to verify that this is the current version before use.

```
Enter up to 10 spending rates per line.  Separate entries with a space

Enter the spending rates for PROD-CONT,N-R from FY 1985 thru FY 1988.
Make  4 entries, 1 entry per year.
FOR 1985-1988? <.25 .25 .29 .21>

The sum of your spending rate percentages for PROD-CONT,N-R is  1.000000
 Use DEFault spending rates or MODify existing rates for PHASE
PROD-GOVT,N-R                  ? <MOD>
 ENTer all new spending rates or CHAnge selected years for PHASE:
PROD-GOVT,N-R                  ? <CHA>

Enter new spending rate values for PROD-GOVT,N-R from FY 1985 thru FY 1988
Enter Fiscal Year followed by the value assigned to that year.  Enter up to
five(5) year,rate assignments (separated with a space) per line.
Enter RETurn after last line of input.  Example:  1985 .05 1987 .1 2005 .05
? <1988 .09>

Next changes or RETurn? <cr>

The sum of your spending rate percentages for PROD-GOVT,N-R is 1.09

Annual: EDIt, LISt, GET, SAVe, RETurn? <LIS>

List: SCHedule, spending RATes or BOTh? <RAT>

LIST SPENDING RATES:  DEM, FSD, PROduction, ALL or RETurn? <PRO>
```

9. Rates for each fiscal year are entered. Rates are based on the government fiscal year which begins in October.

10. MODify rate is requested.

11. CHAnge for selected years is requested.

12. The year and rate are entered.

13. <cr> indicates that no more changes are requested.

14. The sum of the spending rates is displayed. The Model allows spending rates for 80-120% of the entered data and will produce results based on these rates. In this case, government N-R costs will be increased by 9%.

15. LISt the spending rates is requested.

16. LISt the spending rates is requested.

17. List PROduction rates is requested.

FIGURE 28. Edit spending rates. - Continued

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:40Z
Check the source to verify that this is the current version before use.

```
PRODUCTION-CONTRACTOR, NON-RECURRING
      1985      1986      1987      1988
    0.2500    0.2500    0.2900    0.2100

PRODUCTION-GOVERNMENT, NON-RECURRING
      1985      1986      1987      1988
    0.7464    0.2536    0.0000    0.0900

PRODUCTION-CONTRACTOR, RECURRING
      1985      1986      1987      1988
    0.2703    0.3243    0.3243    0.0811

PRODUCTION-GOVERNMENT, RECURRING
      1985      1986      1987      1988
    0.2703    0.3243    0.3243    0.0811

Annual: EDIt, LISt, GET, SAVe, RETurn? <cr>

MAIN: EDIt(system,WBS,assumptions), TABle of Org, SCHedule, DEPloy, INFlation
NOTepad, REPort, LISt, CREate, GET, SAVe, DELete, HELp, DONe, CHArge
?
```

18. <cr> returns Model to main menu.

FIGURE 28. Edit spending rates. - Continued

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:40Z
Check the source to verify that this is the current version before use.

```
MAIN: EDIt(system,WBS,assumptions), TABle of Org, SCHedule, DEPloy, INFlation
NOTepad, REPort, LISt, CREate, GET, SAVe, DELete, HELp, DONe, CHArge
? <DEP>
DELIVER: LISt, DELete, ADD, SAVe, GET, RETurn? <LIS>

 #  YEAR.        PERCENT    PERIOD IN
    MONTH          %          MONTHS

 1  1987. 5       75.0       12
 2  1988. 2       25.0       14
DELIVER: LISt, DELete, ADD, SAVe, GET, RETurn? <DEL>

DELETE WHICH LINES? ENTER UP TO 25 LINE NUMBERS, SEPARATED WITH A SPACE.
(EX - 45 30 2 23)
? <1>
YOU NOW HAVE  1 LINES OF EQUIPMENT DELIVERY DATA.
DELIVER: LISt, DELete, ADD, SAVe, GET, RETurn? <ADD>
 Enter the deployment schedule for the system.
 Enter your data as follows: YY.MM .%% LL

 YY.MM is the year and month the first item becomes operational.
 %% is the % of the total system buy to become operational this shipment.
 This is a decimal value. i.e. 10% would be entered as .1
 ALL can be used for 100%.
 LL is the length of time in months(1-99) over which the deployment is spread.
 Enter RETurn or hit the carriage return key to terminate input.

   YY.MM  .%%  LL


 2? <87.5 .25 12>
 3? <88.9 .5 24>
 4? <cr>
DELIVER: LISt, DELete, ADD, SAVe, GET, RETurn? <SAV>
```

1. DEPloyment is requested.
2. LISt is requested.
3. DELete a line is requested.
4. The line to delete is entered.
5. Line status is displayed.
6. ADD a line is requested.
7. The values for each line are entered.
8. <cr> exits deliver menu.
9. SAVe the changes is requested.

FIGURE 29. Edit deployment.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:40Z
Check the source to verify that this is the current version before use.

```
The sum of your deployment % is     1.000000
```

10. Total % of deployments is calculated and displayed.

```
File name: <FILEABC or FILEABC,PASSWORD> or HELp
? <SAMPLE,PASS>
```

11. File name is entered.

```
Spread  data already exists for SAMPLE.
Replace the file (Y,N) ? <Y>
```

12. Replace is selected. Since the spread and deployment files work together, it is always wise to replace both files when saving one.

```
Spread DATA WRITTEN FOR SAMPLE

Deployment  data already exists for SAMPLE.
Replace the file (Y,N) ? <Y>
Deployment DATA WRITTEN FOR SAMPLE
DELIVER: LISt, DELete, ADD, SAVe, GET, RETurn? <cr>
```

13. <cr> returns Model to main menu.

```
The sum of your deployment % is     1.000000

MAIN: EDIt(system,WBS,assumptions), TABle of Org, SCHedule, DEPloy, INFlation
NOTepad, REPort, LISt, CREate, GET, SAVe, DELete, HELp, DONe, CHArge
?
```

FIGURE 29. Edit deployment. - Continued

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:40Z
Check the source to verify that this is the current version before use.

```
MAIN: EDIt(system,WBS,assumptions), TABle of Org, SCHedule, DEPloy, INFlation
NOTepad, REPort, LISt, CREate, GET, SAVe, DELete, HELp, DONe, CHArge
? <NOT>                                                          1. NOTepad is selected.
NOTEPAD: CREate, GET, EDIt, LISt, SAVe, HELp or RETurn? <CRE>    2. CREate a file is selected.

Enter comments for RDT&E                                         3. Directions are displayed.
Enter *** to skip to the next phase

? <THE R&D PHASE WILL BE EXTENDED DUE TO TEST FAILURES>          4. RDT&E comments are entered.
? <***>                                                          5. The next phase is selected.
Enter comments for PROD
Enter *** to skip to the next phase

? <THE PRODUCTION SCHEDULE HAS BEEN SHORTENED>                   6. Comments for production are
                                                                    entered.
? <DUE TO UNEXPECTED AVAILABILITY OF STRATEGIC MATERIALS>
? <***>

Enter comments for O&S
Enter *** to skip to the next phase
                                                                 7. Comments for O&S are entered.
? <DEPLOYMENT WILL BE DELAYED DUE TO>
? <O&M FUNDING CONSTRAINTS>
? <***>

NOTEPAD: CREate, GET, EDIt, LISt, SAVe, HELp or RETurn? <LIS>    8. LISt option is requested.
                        COMMENTS FOR RDT&E

THE R&D PHASE WILL BE EXTENDED DUE TO TEST FAILURES

                        COMMENTS FOR PROD

THE PRODUCTION SCHEDULE HAS BEEN SHORTENED
DUE TO UNEXPECTED AVAILABILITY OF STRATEGIC MATERIALS
```

FIGURE 30. Edit notepad.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:40Z
Check the source to verify that this is the current version before use.

```
                    COMMENTS FOR O&S

DEPLOYMENT WILL BE DELAYED DUE TO
O&M FUNDING CONSTRAINTS

NOTEPAD: CREate, GET, EDIt, LISt, SAVe, HELp or RETurn? <EDI>
YOUR PHASE IS:"RDT&E
EDIT options are: REPlace,LISt,INSert,CHAnge,LOCate,COPy,DELete,
RETurn,HELp,***? <***>
YOUR PHASE IS:"PROD
EDIT options are: REPlace,LISt,INSert,CHAnge,LOCate,COPy,DELete,
RETurn,HELp,***? <REP>
INPUT THE LINE NUMBER FOR THE LINE TO BE REPLACED.
? <2>
INPUT THE NEW LINE
? <DUE TO INTRODUCTION OF ROBOTICS>
YOUR PHASE IS:"PROD
EDIT options are: REPlace,LISt,INSert,CHAnge,LOCate,COPy,DELete,
RETurn,HELp,***? <INS>
INPUT THE LINE NUMBER FOR THE LINE TO BE INSERTED.
E.G., 2 WOULD CAUSE THE NEW LINE TO BE THE SECOND LINE
? <3>

INPUT THE LINE TO BE INSERTED
? <STRATEGIC MATERIALS ARE STILL AN ISSUE>
YOUR PHASE IS:"PROD
EDIT options are: REPlace,LISt,INSert,CHAnge,LOCate,COPy,DELete,
RETurn,HELp,***? <LIS>

INPUT THE LINE NUMBER FOR THE LINE YOU WANT TO LIST
? <3>
 3   STRATEGIC MATERIALS ARE STILL AN ISSUE
YOUR PHASE IS:"PROD
EDIT options are: REPlace,LISt,INSert,CHAnge,LOCate,COPy,DELete,
RETurn,HELp,***? <CHA>
```

9. EDIt option is requested.

10. *** means skip to next phase.

11. REPlace a line is selected.

12. Line # 2 is to be replaced.

13. The new line is entered.

14. INSert a line is requested.

15. The new line will become the 3rd line.

16. The new line is entered.

17. LISt option is requested.

18. Line #3 is to be listed.

19. Line #3 is displayed.

20. Production comments are to be changed.

FIGURE 30. Edit notepad. - Continued

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:40Z
Check the source to verify that this is the current version before use.

```
INPUT THE LINE NUMBER FOR THE LINE THE STRING IS TO BE INSERTED INTO.
? <3>
INPUT THE SUBSTRING YOU WANT TO REPLACE
? <STILL>

INPUT THE STRING YOU WANT INSERTED
? <NOT STILL>

YOUR PHASE IS:"PROD
EDIT options are: REPlace,LISt,INSert,CHAnge,LOCate,COPy,DELete,
RETurn,HELp,***? <LOC>
INPUT THE SUBSTRING TO BE FOUND
? <STRATEGIC>
 3   STRATEGIC MATERIALS ARE NOT STILL AN ISSUE

YOUR PHASE IS:"PROD
EDIT options are: REPlace,LISt,INSert,CHAnge,LOCate,COPy,DELete,
RETurn,HELp,***? <COP>
Enter the line number to be copied(1-10)? <1>

Enter the new line number for the copied line(1-10)? <2>


YOUR PHASE IS:"PROD
EDIT options are: REPlace,LISt,INSert,CHAnge,LOCate,COPy,DELete,
RETurn,HELp,***? <DEL>

Enter the line number to be deleted? <1>

YOUR PHASE IS:"PROD

EDIT options are: REPlace,LISt,INSert,CHAnge,LOCate,COPy,DELete,
RETurn,HELp,***? <INS>
INPUT THE LINE NUMBER FOR THE LINE TO BE INSERTED.
E.G., 2 WOULD CAUSE THE NEW LINE TO BE THE SECOND LINE
? <2>
```

21. Line #3 is to be changed.

22. The word to change is entered.

23. The phrase to replace it is entered.

24. Locate a phrase is requested.

25. The word to find is entered.
26. The line with the word is displayed.

27. COPy a line is requested.
28. Line 1 is requested to be copied.
29. The new line number is entered. This replaces the current line #2.

30. DELete a comment line for production is requested.
31. Delete line 1 is requested.

32. INSert a line is requested.

33. The line to insert will become line 2.

FIGURE 30. Edit notepad. - Continued

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:40Z
Check the source to verify that this is the current version before use.

```
INPUT THE LINE TO BE INSERTED
? <DUE TO THE INTRODUCTION OF ROBOTICS>
YOUR PHASE IS:"PROD
EDIT options are: REPlace,LISt,INSert,CHAnge,LOCate,COPy,DELete,
RETurn,HELp,***? <cr>

NOTEPAD: CREate, GET, EDIt, LISt, SAVe, HELp or RETurn? <LIS>
                        COMMENTS FOR RDT&E

THE R&D PHASE WILL BE EXTENDED DUE TO TEST FAILURES

                        COMMENTS FOR PROD

THE PRODUCTION SCHEDULE HAS BEEN SHORTENED
DUE TO THE INTRODUCTION OF ROBOTICS
STRATEGIC MATERIALS ARE NOT STILL AN ISSUE

                        COMMENTS FOR O&S

DEPLOYMENT WILL BE DELAYED DUE TO
O&M FUNDING CONSTRAINTS

NOTEPAD: CREate, GET, EDIt, LISt, SAVe, HELp or RETurn? <SAV>

File name: <FILEABC or FILEABC,PASSWORD> or HELp
? <SAMPLE,PASS>
Comments DATA WRITTEN FOR SAMPLE
NOTEPAD: CREate, GET, EDIt, LISt, SAVe, HELp or RETurn? <cr>

MAIN: EDIt(system,WBS,assumptions), TABle of Org, SCHedule, DEPloy, INFlation
NOTepad, REPort, LISt, CREate, GET, SAVe, DELete, HELp, DONe, CHArge
?
```

34. The new line is entered.

35. <cr> returns Model to notepad menu.

36. LISt comments is requested.

37. SAVe the comments entered is requested.

38. File name is entered.

39. <cr> returns Model to main menu.

FIGURE 30. Edit notepad. - Continued

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:40Z
Check the source to verify that this is the current version before use.

```
 CREate, GET, ASSemble, HELp? <HEL>

Initial options are:

GET  allows you to retrieve an existing data base
The model will request the data base name after entering GET

The CREate function is very structured and should not be used
until all of your data sheets have been completed

ASSemble will put you into the main part of the program
This function can be used to build selective parts of a data base
E.g., the Table of Organization or a WBS data base.
Always GET a system data base before using the ASSemble function to GET
any other data base for editing.  The SYStem data base contains flags
which advise the model to activate appropriate control files.
Caution should be used with the ASSemble function since the REPort
function will not work properly until all necessary data bases have been
CREated.  It is possible to use the ASSemble function to CREate selected
data bases and the GET function afterwards to pull all the data bases
into a single data base for the report writer.

Answers to prompts normally consist of the first three letters of the
prompt Correct answers to start are therefore: GET, CRE, ASS, HEL.
If you have any questions, refer to the operating instructions and the
data collection workbook.  If you cannot find the answer, call the
program support team.

 CREate, GET, ASSemble, HELp?
```

FIGURE 31. Initial help.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:40Z
Check the source to verify that this is the current version before use.

```
MAIN: EDIt(system,WBS,assumptions), TABle of Org, SCHedule, DEPloy, INFlation
NOTepad, REPort, LISt, CREate, GET, SAVe, DELete, HELp, DONe, CHArge

? <HEL>

Main user options are:

To begin, you must GET or CREate a data file

The following options can be used once you have a data file:

EDIt:          change/add SYStem, ASSumption and WBS data
LISt:          select and list values in existing data files
DEPloy:        change/add deployment schedule and rates
TABle:         change/add table of organization
NOTepad:       change/add user comments attatched to REPorts
INFlation:     change/add inflation rates, change base years
SCHedule:      change/add schedule and spending rates
REPort:        select records, generate reports
SAVe:          write the LCC data base to permanent named files for future use
CREate:        clear all flags and begin directed input of a new data base
GET:           retrieve all of the files of an existing data base
DELete:        remove all LCC files with the same root name from the system

  note: LCC data bases contain multiple files with the same name root

HELp:          print this list again
DONe:          terminate the use of the Model
CHArge:        display computer usage (time and CRUs) for this session
```

FIGURE 32. Main help.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:40Z
Check the source to verify that this is the current version before use.

```
MAIN: EDIt(system,WBS,assumptions), TABle of Org, SCHedule, DEPloy, INFlation
NOTepad, REPort, LISt, CREate, GET, SAVe, DELete, HELp, DONe, CHArge
? <SAV>

File name: <FILEABC or FILEABC,PASSWORD> or HELp

? <HEL>
 File names can be up to seven letters, numbers or dashes. Do not use blanks.
 PASSWORDS are optional.  Passwords may be up to 8 characters or numbers.
 The format is NAME,PASSWORD or NAME
 NONPRINTING CONTROL CHARACTERS MAY BE USED

File name: <FILEABC or FILEABC,PASSWORD> or HELp
?
```

FIGURE 33. File name help.

```
SYS editor: Cost element(e.g., 212.12), O array address
NOPrompt, GET, SAVe, HELp or RETurn? <HEL>

System editor options are:
Enter the R&D or Production cost element to change(e.g.,211.12)
The O array address for O&S cost factor to change(e.g.,O12)

(A carriage return in lieu of data will leave the current value in
  the data base.)

SAVe to save current R&D, Production, O&S and Assumptions
GET to get a new R&D, Production, O&S and Assumptions file
NOPrompt to reduce the prompt to a ?
HELP to reprint these instructions
RETurn Enter a carriage return or type RET to return to the editor

SYS editor: Cost element(e.g., 212.12), O array address
NOPrompt, GET, SAVe, HELp or RETurn?
```

FIGURE 34. System editor help.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:40Z
Check the source to verify that this is the current version before use.

```
EDIT: SYStem data , ASSumptions, sysNAMe, WBS data , ADD wbs,
DELete wbs, MERge wbs files, LIST, or RETurn<cr>
? <WBS>

GET, SAVe, MOVe, COPy, HELp, RETurn<cr>
or enter array elements and header titles to edit
? <HEL>

To change specific data elements enter the
 array address as follows:

Dnumber to change a  D&V element
Fnumber to change a  FSD element
Pnumber to change a  Production element
Unumber to change a  DTUPC element
Enumber to change an Equipment element
Mnumber to change a  Maintenance element

D12 would permit you to change the 12th element in the D&V array.

Up to 20 different array addresses may be entered at one time.
The same array address may be entered more than once.
This allows use of the math operators to perform CER type calculations
the following methods can be used to define the records to be edited:

ALL will prompt for a value for each array element selected.
These values will then be placed in each record in the data base.
SAMe works the same way as does ALL except that the Model will
prompt for the first and last records in a subset to be changed.
EACh will prompt for new values for each array address entered
for EACh record in the data base, one record at a time.
GRoup works the same way as EACh for a subset of the WBS database
as in the case of SAMe, the Model will ask for the first and last records.

Up to 20 individual record numbers may also be entered to define
the records to be edited.  If this is done, the Model will present the
current value for each array element selected and ask for a new value.
It will proceed one record at a time in the order requested.

When the Model presents a current value and asks for a new value,
a carriage return will cause the current value to remain unchanged.
```

FIGURE 35. WBS editor help.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:40Z
Check the source to verify that this is the current version before use.

```
To change header information:

NAMe to change the WBS item name
SERvice  to change a WBS item SERVICE ASSIGNMENT
GROup to change a WBS item EQUIP-PERSONNEL GROUP NUMBER
NSN to change a WBS item NSN/MPN
WBS  to change a WBS NUMBER
GFE  to change the GFE flag for a WBS item
DATe  to change the UPC BASE YEAR for a WBS item
LEArn to change the Learning curve flag


Other options are:

GET to get a new WBS item DATA BASE
SAVe to save a WBS item DATA BASE
COPy to copy an array from another record
This takes the same form as editing an array element
E.g., ECOP would be entered to copy another equipment array
MOVe allows you to move blocks of WBS records after any other record
HELp to reprint these instructions
RETurn to return to the calling program

GET, SAVe, MOVe, COPy, HELp, RETurn<cr>
or enter array elements and header titles to edit
?
```

FIGURE 35. WBS editor help. - Continued

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:40Z
Check the source to verify that this is the current version before use.

```
TABLE OF ORG:  EDIt, LISt, ADD, DELete, GET, SAVe, HELp, RETurn<cr>;
               or get, create, or edit TRAining track or course data
? <HEL>
HELp:  GENeral, LISt OSs, or RETurn<cr>
? <GEN>
```

The Table of Organization module provides the means for defining the personnel requirements for a system. Within this module, a user may get, create, edit or save a personnel, training track, or user defined course data file. For each line of personnel entered, the following data is requested: level, occupational specialty, pay grade, number, WBS and Training Track assignments, service T/O number(optional), and service T/O line number (optional).

LEVEL. The level identifies the category of personnel. For each of the O&S personnel categories, the user must specify if the personnel are to be costed as dedicated (D type) to the system or shared (S type) by the system and costed based on demand. OPRS level personnel are costed based on demand by the system. The demand is calculated as follows: number of personnel for a unit X the unit operating quantity X the annual operating hours of the unit. The cost per hour is the weighted average hourly cost for all the OPRS personnel with a corresponding WBS assignment. The total annual cost for the OPRD level personnel is charged to the system.

For maintenance personnel levels, the demanded number of maintenance personnel hours are computed by WBS group. The dedicated (type D) maintenance personnel hours are subtracted from the total demand by level of repair. The cost for remaining demand if any is calculated by determining the weighted average cost of the shared personnel (type S) with associated level and WBS assignments and multiplying that cost/hour by the remaining demand. R&D and production levels are all dedicated and are based on expected manning levels.

MOS. The occupational specialty is necessary for each type of personnel except General Schedule. Any OS code is acceptable unless a zero(0) is entered for the training track. A training track of 0 signifies that no training track data is available for the T/O line and the default training cost for the OS contained in the LCCM is to be used. When the default training cost is to be used, the OS entered must be contained in the data base for that service. For a list of the OSs available for each service, request LISt OSs from the EXPlain option. Manufacturer's skill classifications may be any four character code.

Pay grades E1-E9,O1-O9,W1-W4 are available for service personnel GS1-GS15 are available for General Schedule personnel. Pay grade does not apply to manufacturer personnel.

FIGURE 36. Table of Organization help.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:40Z
Check the source to verify that this is the current version before use.

The WBS number allows the assignment of personnel to specific WBS items or groups of WBS items included in a system. The WBS number entered must relate to the WBS number assigned to an item in the WBS data base. If the personnel are supporting the system as a whole, enter an 11 for the WBS number.

The training track number must relate to a training track previously defined in the training track sub-module of the personnel module. A training track assignment may be made for each military T/O line. If training track data is not available, the user may enter an OS contained in the LCCM OS data file with a 0 for training track number and the default training cost will be used. An OS of 9900 may be entered if there are no training costs associated with the T/O line.

The service T/O number and line number are optional character fields. This data is not currently used by the LCCM.

```
TABLE OF ORG:  EDIt, LISt, ADD, DELete, GET, SAVe, HELp, RETurn<cr>;
               or get, create, or edit TRAining track or course data
?
```

FIGURE 36. Table of Organization help. - Continued

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:40Z
Check the source to verify that this is the current version before use.

```
TABLE OF ORG:  EDIt, LISt, ADD, DELete, GET, SAVe, HELp, RETurn<cr>;
               or get, create, or edit TRAining track or course data
? <EDI>

Enter T/O line number(s) to be changed, comma, field(s) to be edited
(HELp or RETurn)? <HEL>

To change a single T/O line number, enter  <line #> , <field(s)>
To change a group of T/O line numbers, enter
   <start line #>-<stop line #>, <field(s)>
To enter the same value for all T/O line numbers, enter ALL , <field(s)>
To enter different values for all T/O lines, enter EAC,<field(s)>
Warning:  No service to field checks are conducted with the ALL designation.
One or more of the following fields may be designated to be changed as
applicable:

LEVel, OS, PAY grade, NUMber, equipment GROup, WBS number, RTR,
TRAining track, SERvice T/O number, service T/O LINe number
(Examples:  14,LIN ; 2-18,GRO WBS)

Enter T/O line number(s) to be changed, comma, field(s) to be edited
(HELp or RETurn)?
```

FIGURE 37. T/O edit help.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:40Z
Check the source to verify that this is the current version before use.

```
EDIT TRAINING TRACKS:  ADD, DELete, CHAnge or RETurn? <ADD>
Enter training tracks for: AIR Force, CIVilian, MARine Corps, NAVy, ARMy,
or ALL, HELp or RETurn <cr>).  Separate entries with a space.
? <HEL>
 The training track module is used to define the course(s) for the
occupational specialties included in the table of organization.  Training
tracks are defined by service and consist of the course requirements as
well as the number of PCS moves during the training.  The course(s) for
each training track may either be selected from the Model's training
course data base or from additional courses added by the user in the
COUrse file section of the training track module.
Example for training track input:
TRAINING COURSES
?ARM1 MAR1 DOD2
?
NUMBER OF PCS MOVES
?4

Enter training tracks for: AIR Force, CIVilian, MARine Corps, NAVy, ARMy, or
ALL, HELp or RETurn <cr>).  Separate entries with a space.
?
EDIT TRAINING TRACKS:  ADD, DELete, CHAnge or RETurn? DEL
```

FIGURE 38. Training tracks help.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:40Z
Check the source to verify that this is the current version before use.

```
Training track options:  GET, LISt, EDIt, or SAVe training track data;
                         get, create or edit user COUrse file;
                         HELp or RETurn
? <COU>
GET, EDIt, LISt, or SAVe user course file(SYStem or RETurn)? <EDI>

Edit course:  ADD, DELete, CHAnge User courses or RETurn<cr>? <ADD>

Add how many user courses, HELp or RETurn<cr>? <HEL>
```

User course records may be created for courses not in the Model's Service course files. User course numbers are assigned sequentially by the Model. User courses must be defined before being used in training tracks since the training track editor verifies course numbers before accepting them. The following information is requested for each course:

name (optional--20 characters),
service course identification number(CIN) (optional--14 characters),
length in days (decimal value),
PCS or TDY (1 character: P or T),
cost by budget category (4 decimal values),
fiscal year of cost data (2 or 4 digit integer) and
attrition rate for the course (decimal value generally between .1 & .5).

```
Enter the number of course(s) to be added(RETurn<cr> or HELp)?
```

FIGURE 39. Course help.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:40Z
Check the source to verify that this is the current version before use.

```
 Select: ALL, GROup #s, SERvice(s), BLOck(s), INDividual records,
HELp or RETurn? <HEL>

ALL causes all T/O & WBS records to process

GROup causes T/O and WBS records with selected GROup #s to process

SERvice causes T/O and WBS records with selected SERvices to process

BLOck causes WBS record blocks defined by the entered record #s
  to be processed.  This does not influence T/O selection

INDividual allows selection of WBS records by record number.
  As with BLOck, this does not influence T/O selection

RETurn<cr> skips this process and returns to MAIn

While entering record selections, QUIt will terminate entries
 and return to MAIN.  A blank line<cr> will process the record
 selections made to that point.  No additional entries are allowed
 after a blank line has been entered in response to a request for data


 Select: ALL, GROup #s, SERvice(s), BLOck(s), INDividual records,
HELp or RETurn?
```

FIGURE 40. Report help.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:40Z
Check the source to verify that this is the current version before use.

```
<RUN>
                DEFENSE MATERIEL SYSTEM LIFE CYCLE COST MODEL
                    FOR MIL-STD-881 WEAPON SYSTEMS
                        VERSION 5: MAY 1983
                         05/15/83  18:01:38

 CREate, GET, ASSemble, HELp? <ASS>

MAIN: EDIt(system,WBS,assumptions), TABle of Org, SCHedule, DEPloy, INFlation
NOTepad, REPort, LISt, CREate, GET, SAVe, DELete, HELp, DONe, CHArge
? <EDI>

     EDIT: SYStem data , ASSumptions, sysNAMe, WBS data , ADD wbs,
     DELete wbs, MERge wbs files, LISt, or RETurn<cr>
     ? <SYS>
          SYS editor: Cost element(e.g., 212.12), O array address
          NOPrompt, GET, SAVe, HELp or RETurn?

     ? <ASS>
          ASSumption editor: A<number> to change (e.g., A3)
          DATe, LISt, SAVe, NOPrompt or RETurn to edit?

     ? <NAM>
          Old Name:  SAMPLE    New Name?

     ? <WBS>
          GET, SAVe, MOVe, COPy, HELp, RETurn<cr>
          or enter array elements and header titles to edit?

     ? <ADD>
           Enter how many WBS records
          Caution: The Model will force entry of all records.
          Do not request to enter groups larger than 5.
          Enter a zero (0) or <cr> to skip this process

     ? <DEL>
          There are   5 records in the WBS data base
          Delete a GROup of WBS records, INDividual records, or RETurn
          GROup allows you to define the first and last records in a
           group to be deleted
          INDividual allows you to enter a series of record numbers
           to be deleted Record numbers are shown in the HEADER data
           for each WBS record.?

     ? <MER>
          File name:  <FILEABC or FILEABC,PASSWORD> or HELp?
```

FIGURE 41. Prompt summary.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:40Z
Check the source to verify that this is the current version before use.

```
? <LIS>
        List: SYStem, WBS or BOTh
        ? <BOT>
            System List:  RESearch & Development, PROduction, OPErating
            & Support, ALL or RETurn?
            WBS listing options:  ALL  or:
            HEAders, DEMonstration&val, FSD, PROduction, DTUpc,
             EQUipment, MAIntenance or, RETurn?

? <TAB>
    TABLE OF ORG:  EDIt, LISt, ADD, DELete, GET, SAVe, HELp, RETurn<cr>;
                   or get, create, or edit TRAining track or course data
    ? <EDI>
        Enter T/O line number(s) to be changed, comma, field(s) to be edited
        (HELp or RETurn)?

    ? <LIS>
        LIST T/O:  AIR Force, GENeral schedule, MARine Corps, ARMy
                    NAVy, MANufacturer, SUBset, ALL or RETurn<cr>

    ? <ADD>
        ADD to TABLE OF ORG:  ARMy, NAVy, AIR Force, GENeral Schedule
                              MARine Corps, MANufacturer or RETurn <cr>

    ? <DEL>
        THE TABLE OF ORGANIZATION HAS 12 LINES AT PRESENT
        Delete INDividual records, BLOck of records or RETurn?

    ? <TRA>
        Training track options:  GET, LISt, EDIt, or SAVe training track
                                 data; get, create or edit user COUrse
                                 file; HELp or RETurn

        ? <HEL>
            HELp: LISt course data base, INStructions for training
                  track input, or RETurn

        ? <LIS>
            List training tracks:  AIR Force, CIVilian, MARine Corps,
                                   NAVy, ARMy, ALL or RETurn<cr>.
            Separate entries with a space.

        ? <EDI>
            EDIT TRAINING TRACKS:  ADD, DELete, CHAnge or RETurn
            ? <ADD>
                Enter training tracks for: AIR Force, CIVilian,
                MARine Corps, NAVy, ARMy, or ALL, HELp or RETurn <cr>.
                Separate entries with a space.

            ? <DEL>
                DELETE:  How many training tracks?
```

FIGURE 41. Prompt summary. - Continued

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:40Z
Check the source to verify that this is the current version before use.

```
            ? <CHA>
                 Enter the training track number to be changed or RETurn
                 ? <1>
                 ADD, DELete, or CHAnge course data or change number of
                 PCS moves or RETurn)? <CHA>
                      CHANGE COURSE DATA:  Enter the course number to be
                      changed (or RETurn)?

       ? <COU>
            GET, EDIt, LISt, or SAVe user course file (SYStem or RETurn)
            ? <EDI>
                 EDIT COURSE DATA FILE:  ADD, DELete, or CHAnge User
                 courses (or RETurn)
                 ? <ADD>
                      Enter the number of course(s) to be added
                      (RETurn<cr> or HELp)?

                 ? <DEL>
                      Enter the course ID number to be deleted or RETurn

                 ? <CHA>
                      CHANGE COURSE DATA:  Enter the course ID number
                      or RETurn.

? <SCH>
     Annual: EDIt, LISt, GET, SAVe, RETurn
     ? <LIS>
          List: SCHedule, spending RATes or BOTh
          ? <BOT>
               LIST SPENDING RATES:  DEM, FSD, PROduction, ALL or RETurn?

     ? <EDI>
          EDIT:  SCHedule and spending rates or spending RATes only
          ? <SCH>
               Change which dates:  DEMonstration, FSD, PROduction
               ALL or RETurn
               Separate entries with a space.?
               Which PHASE spending rates do you want to change
               ALL, RETurn, or one or more of the following:

               For phase D&V-CONTRACTOR                enter :      1
               For phase D&V-GOVERNMENT                enter :      2
               For phase FSD-CONTRACTOR                enter :      3
               For phase FSD-GOVERNMENT                enter :      4
               For phase PROD-CONT,N-R                 enter :      5
               For phase PROD-GOVT,N-R                 enter :      6
               For phase PROD-CONT,R                   enter :      7
               For phase PROD-GOVT,R                   enter :      8
               Enter all numbers on one line separated by spaces: ?
```

FIGURE 41. Prompt summary. - Continued

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:40Z
Check the source to verify that this is the current version before use.

```
? <DEP>
     DELIVER: LISt, DELete, ADD, SAVe, GET, RETurn
     ? <LIS>
          #  YEAR.          PERCENT     PERIOD IN
           MONTH            %           MONTHS

     ? <DEL>
          DELETE WHICH LINES
          ENTER UP TO 25 LINE NUMBERS, SEPARATED WITH A SPACE.
          (EX - 45 30 2 23)?

    ? <ADD>
          Enter your data as follows: YY.MM .%% LL
           YY.MM is the year and month the first item becomes operational.
          %% is the % of the total system buy to become operational this
          shipment.  This is a decimal value. i.e. 10% would be entered as .1
          ALL can be used for 100%
          LL is the time in months(1-99) over which the deployment is spread
          Enter RETurn or <cr> to terminate input.

             YY.MM  .%%  LL

     ? <SAV>
          The sum of your deployment % is     1.000000
          File name: <FILEABC or FILEABC,PASSWORD> or HELp

? <INF>
     Inflate: INFlate, DIScount, BOTh inflate and discount, CHAnge base year,
       LISt, RETurn
     ? <INF>
          Use current inflation table for system inputs (Y,N) ?
          EDIT RATES: LISt, ADD, CHAnge, CREate ,DELete, GET, SAVe inflation
          rates or RETurn to inflate main
          ? <ADD>
             Use PROcurement or SPEcial rates for contractor WBS items?

          ? <CHA>
             Change which rates: RD, OM, MP, MC, PR, OP, R1, R2, ALL or NONe?

          ? <CRE>
             Modify which inflation table:
                DOD(1), MARINE CORPS(2), ARMY(3), NAVY(4), AIR FORCE(5),
                   (1,2,3,4,5)?
               ENTER PASSWORD

                Change TOA or OUTLAY rates (T O)?

          ? <DEL>
               Delete which rates: RD, OM, MP, MC, PR, OP, R1, R2 or NONe?
```

FIGURE 41. Prompt summary. - Continued

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:40Z
Check the source to verify that this is the current version before use.

```
        ? <GET>
            Which inflation table:
            DOD(1), Marine Corps(2), Army(3), Navy(4), Air Force(5),
             Project(6): (1,2,3,4,5,6)?
             TOA or OUTlay rates?

    ? <DIS>
        THE DISCOUNT RATE IS CURRENTLY SET AT .100
        DO YOU WANT TO CHANGE THIS RATE? (Y,N)?
        THE FIRST YEAR OF YOUR PROJECT IS 1983. DO YOU WANT
        DISCOUNTING TO COMMENCE IN THIS YEAR? (Y,N)? <N>
        ENTER THE NEW YEAR?

    ? <CHA>
        EDIt dates, CHAnge base years,  HELp or RETurn
        ? <EDI>
            The current system base year is 1983
            Enter the correct base year for the existing system level
             costs?
            The current ASSUMPTION base year is 1983
            Enter the correct ASSUMPTION base year?

           WARNING:  The inflation factors have been reset to the new
                     base year.  If discounting has been previously
                     requested, it must be requested again.

        ? <CHA>
            Enter the new base year; eg 85 would cause all input $
            values to be converted to 1985.  $ for the report writer's
            use.
            WARNING:  If the system data base is saved after this
                      change it will be save in the new base year
                      $ as will assumptions.

? <NOT>
    NOTEPAD: CREate, GET, EDIt, LISt, SAVe, HELp or RETurn
    ? <CRE>
        Enter comments for RDT&E
        Enter *** to skip to the next phase? ***
        Enter comments for PROD
        Enter *** to skip to the next phase? ***
        Enter comments for O&S
        Enter *** to skip to the next phase? ***
    ? <EDI>
        YOUR PHASE IS:"RDT&E
        EDIT options are: REPlace,LISt,INSert,CHAnge,LOCate,COPy,DELete,
          RETurn,HELp,***?

? <LIS>
    List:  SYStem inputs, WBS inputs, PHAse dates and annual spending
    rates, DELivery schedule and rates, TABle of organization, INFlation
    rates, TRAining tracks, USEr training courses, NOTepad, ALL or RETurn
```

FIGURE 41. Prompt summary. - Continued

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:40Z
Check the source to verify that this is the current version before use.

```
? <GET>
     File name: <FILEABC or FILEABC,PASSWORD> or HELp?
? <SAV>
     File name: <FILEABC or FILEABC,PASSWORD> or HELp
? <DEL>
     File name: <FILEABC or FILEABC,PASSWORD> or HELp
? <CHA>
TERMINAL TIME SO FAR :  17.12 MINUTES
              CRU'S :    259.1095

? <REP>
      Use Budget Year 1984 for POM reports (Y,N)?
      Select: ALL, GROup #s, SERvice(s), BLOck(s), INDividual records,
       HELp or RETurn
     ? <GRO>
         Enter up to 25 equip/pers GROup numbers for this run.
         Personnel and hardware costs will be calculated
         for the GROups selected.
         This option will not change system level costs
     ? <SER>
         Which service(s): DOD, ARMy, NAVy, AIR force, MARines, OTHer or QUIt
         Only WBS records and T/O lines with the requested Service codes will
         be included except:
         (1) civilians and contractor personnel may not be excluded.
         (2) DOD & OTHer do not influence T/O record selection?
     ? <BLO>
          Enter the first and last record numbers for this block?
     ? <IND>
         Enter up to 33 WBS record numbers for this run
         This process does not check for duplicate record number
         This will not change costs for dedicated personnel?
     ? <ALL>

          Reports available this run:
          Constant dollar reports: DTUpc, LCC, ANNual, POM, ARMy
          Inflated dollar reports: IANnual, IPOm, ILCc
          Other reports: RESource
          Enter options separated by spaces, ALL, or RETurn?

? <REP STD>
      Select: ALL, GROup #s, SERvice(s), BLOck(s), INDividual records,
       HELp or RETurn

? <DON>
    TERMINAL TIME SO FAR  :  19.92 MINUTES
              CRU'S :  362.2621
    stop    LCC
```

FIGURE 41. Prompt summary. - Continued

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:40Z
Check the source to verify that this is the current version before use.

```
MAIN: EDIt(system,WBS,assumptions), TABle of Org, SCHedule, DEPloy, INFlation
NOTepad, REPort, LISt, CREate, GET, SAVe, DELete, HELp, DONe, CHArge
? <LIS>

List:  SYStem inputs, WBS inputs, PHAse dates and annual spending
rates, DELivery schedule and rates, TABle of organization, INFlation rates,
TRAining tracks, USEr training courses, NOTepad, ALL or RETurn
? <ALL>
```

FIGURE 42. List options

```
THE FOLLOWING ASSUMPTIONS ARE MADE:
ASSUMPTION BASE YEAR $: 1983                                   DATE: 05/23/83

A 1=      15.0000 YEARS OF OPERATION
A 2=       0.0800 INITIAL PROVISIONING COST FACTOR (%)
A 3=     740.0000 INVENTORY INTRODUCTION $
A 4=     300.0000 INVENTORY MANAGEMENT $1-5000 ($/YR)
A 5=     414.0000 INVENTORY MANAGEMENT $5000-49,999 ($/YR)
A 6=    1166.0000 INVENTORY MANAGEMENT $ 50,000-500,000 ($/YR)
A 7=    1891.0000 INVENTORY MANAGEMENT $500,000+ ($/YR)
A 8=       0.9000 MANNING LEVEL (OPERATOR,INDIRECT) (% OF T/O)
A 9=       5.0000 DISTANCE BETWEEN ORGANIZATIONAL AND INTER (MILES)
A10=       5.0000 DISTANCE DSU-GSU (MILES)
A11=    1500.0000 DISTANCE BETWEEN INTER AND DEPOT (CONUS) (MILES)
A12=    1000.0000 DISTANCE BETWEEN INTER AND DEPOT (EUROPE) (MILES)
A13=    7000.0000 DISTANCE BETWEEN INTER AND DEPOT (WESTPAC) (MILES)
A14=       0.0130 SHORT DISTANCE TRANSPORTATION ($/LB/MILE)
A15=       0.0013 LONG DISTANCE TRANSPORTATION ($/LB/MILE)
A16=       0.0889 TRUCK RATES ($/TON-MI)
A17=       0.0589 RAIL RATES ($/TON-MI)
A18=       0.0114 SEA RATES ($/TON-MI)
A19=       0.5400 AIR RATES $/TON-MI)
A20=     830.0000 AVAILABLE MANHOURS PER YEAR (FIELD MAINT)
A21=    1653.0000 AVAILABLE MANHOURS PER YEAR (OPERATOR)
A22=       0.9000 MANNING LEVEL (FIELD MAINT) (% OF T/O)
A23=       0.0000 Not used
A24=       0.0100 STORAGE COST FACTOR (% OF INVENTORY HELD)
A25=       0.0050 SHRINKAGE COST FACTOR (% OF SPARES HELD)
A26=       0.0000 Not used
A27=       0.0300 SUPPLY PERSONNEL COST FACTOR (%)
A28=       0.1000 DISCOUNT RATE
A29=       0.9500 MANNING LEVEL (SOFTWARE) (% OF T/O)
A30=      30.0000 SUPPLY PIPELINE TIME ORG (DAYS)
A31=      60.0000 SUPPLY PIPELINE TIME INTERMEDIATE (DAYS)
A32=      60.0000 SUPPLY PIPELINE TIME DSU (DAYS)
A33=      60.0000 SUPPLY PIPELINE TIME GSU (DAYS)
A34=     180.0000 SUPPLY PIPELINE TIME DEPOT (CONUS) (DAYS)
A35=     180.0000 SUPPLY PIPELINE TIME DEPOT (EUROPE) (DAYS)
A36=     180.0000 SUPPLY PIPELINE TIME DEPOT (WESPAC) (DAYS))
```

FIGURE 43. System list.

Source: Department of Defense Publication - Downloaded: 2026-10-26T13:40Z
Check the source to verify that this is the current version before use.

RESEARCH & DEVELOPMENT
LCC INPUT SUMMARY SHEET
PAGE 1

SYSTEM: SAMPLE
DATE: 05/23/83
BASE YEAR $: 1983

DESCRIPTION	VALUE/REFERENCE
100 RESEARCH & DEVELOPMENT	
110 DEMONSTRATION & VALIDATION	
111 CONTRACTOR	1.000/
111.12 SYSTEM, PROJECT MANAGEMENT	0.230/
111.13 SYSTEM TEST & EVALUATION	116500.000/
111.14 TRAINING	139000.000/
111.15 DATA	127700.000/
111.17 SOFTWARE CENTER	189000.000/
112 GOVERNMENT	
112.12 PROGRAM MNGMNT	
112.12.3 PGM MGT CONTRACTOR SUPPORT	58000.000/
112.13 GVRNMNT TEST (DT/OT I)	
112.13.1 TEST SITE ACTIVATION	112000.000/
112.13.2 DEVELOP TEST & EVAL (DT&E)	35000.000/
112.13.3 OPRTNL TEST & EVAL (OT&E)	42000.000/
112.14 TRAINING	89000.000/
120 FULL SCALE DEVELOPMENT	1.000/
121 CONTRACTOR	
121.12 SYSTEM, PROJECT MANAGEMENT	
121.12.1 SYSTEM ENGINEERING	55000.000/
121.13 SYSTEM TEST & EVALUATION	
121.13.1 MOCKUPS	1600.000/
121.13.2 TEST & EVALUATION SUPPORT	0.065/
121.13.3 TEST FACILITIES	49000.000/
121.14 TRAINING	72000.000/
121.15 DATA	0.045/
121.17 SOFTWARE CENTER	185000.000/
122 GOVERNMENT	
122.12 PROGRAM MNGMNT	
122.12.3 PGM MGT CONTRACTOR SUPPORT	88000.000/
122.13 GVRNMNT TEST (DT/OT II)	
122.13.1 TEST SITE ACTIVATION	61000.000/
122.13.2 DEVELOP TEST & EVAL (DT&E)	29000.000/
122.13.3 OPRTNL TEST & EVAL (OT&E)	55500.000/
122.14 TRAINING	114800.000/

FIGURE 43. System list. - Continued

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:40Z
Check the source to verify that this is the current version before use.

PRODUCTION
LCC INPUT SUMMARY SHEET
PAGE 1

SYSTEM: SAMPLE
DATE: 05/23/83
BASE YEAR $: 1983

DESCRIPTION	VALUE/REFERENCE
200 PRODUCTION	
210 PRODUCTION (NON-RECURRING)	
211 CONTRACTOR	
211.12 SYSTEM/PROJECT MNGMNT	
211.12.1 SYSTEM ENGINEERING	119000.000/
211.12.2 PROJECT MANAGEMENT	125600.000/
211.13 TRAINING	
211.13.1 EQUIPMENT	99000.000/
211.13.2 SERVICES	38000.000/
211.13.3 FACILITIES	
211.13.3.2 MILCON	38000.000/
211.14 PRODUCTION STARTUP	189000.000/
211.15 DATA	245000.000/
211.17 SYSTEM TEST & EVAL SUPT	122000.000/
211.18 SOFTWARE CENTER	22000.000/
211.19 CONTRACTOR TECH SUPPORT	43000.000/
212 GOVERNMENT	
212.12 INITIAL TRAINING	65000.000/
212.13 SYSTEM TEST & EVALUATION	
212.13.1 PROD ACCPT TEST&EVAL(PATE)	73000.000/
212.13.2 OPRTNL TEST & EVAL(OT&E)	
212.13.2.2 OTHER PROC	54000.000/
212.13.2.3 MILPER	42500.000/
212.14 TEST SITE ACTIVATION	38500.000/
220 PRODUCTION(RECURRING)	
221 CONTRACTOR	310000.000/
222 GOVERNMENT	
222.12 PROGRAM MANAGEMENT	
222.12.3 PGM MNGMNT CONTRACTOR SUPT	45900.000/
222.13 TRANSPORTATION	48900.000/
222.14 OPERATIONAL/SITE ACTIVATION	91000.000/
222.15 QUALITY CONTROL & INSPECT	85000.000/
222.18 SYSTEM TEST & EVAL	67000.000/

FIGURE 43. System list. - Continued

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:40Z
Check the source to verify that this is the current version before use.

OPERATIONS & SUPPORT
LCC INPUT SUMMARY SHEET
PAGE 1

SYSTEM: SAMPLE
DATE: 05/23/83
BASE YEAR $: 1983

DESCRIPTION	O#	VALUE/REFERENCE
NUMBER OF OPERATIONAL UNITS(CONUS)	O 2	3.00/
NUMBER OF OPERATIONAL UNITS(EUROPE)	O 3	2.00/
NUMBER OF OPERATIONAL UNITS(WESTPAC)	O 4	2.00/
NUMBER OF OPERATIONAL UNITS W/FACILITIES	O 5	7.00/
SIZE OF AVG OPERATIONAL FACILITY(FT2)	O 6	15000.00/
OPERATIONAL FACILITY MAINT COST($/FT2/YR)	O 7	3.50/
TRAINING TRANS MILES/OPER UNIT/YEAR-TRUCK	O 9	400.00/
TRAINING TRANS MILES/OPER UNIT/YEAR-RAIL	O10	100.00/
TRAINING TRANS MILES/OPER UNIT/YEAR-SEA	O11	2000.00/
TRAINING TRANS MILES/OPER UNIT/YEAR-AIR	O12	3000.00/
OPER UNIT LIFT WEIGHT(TONS)	O13	1020.00/
OPER UNIT LIFT VOLUME(CUFT)	O14	30000.00/
OPER EQUIP LEASEHOLDS/OPER SITE($/YR/SITE)	O16	24000.00/
OTHER SYSTEM OPERATING COSTS-O&M	O19	150000.00/
NUMBER OF ORG MAINT FACILITIES	O23	7.00/
SIZE OF ORG MAINT FACILITY(FT2)	O24	15000.00/
ORG MAINT FLOOR AREA COST($/FT2/YR)	O25	3.50/
NUMBER OF INT MAINT FACILITIES	O27	4.00/
SIZE OF INT MAINT FACILITY(FT2)	O28	15000.00/
INT MAINT FLOOR AREA COST($/FT2/YR)	O29	3.50/
GOVERNMENT MAINT OF OPER S/W CENTER($/YR)	O30	70000.00/
CONTRACT MAINT OF OPER S/W($/YR)	O31	150000.00/
NUMBER YRS CONTRACT MAINT OPER S/W(#)	O32	2.00/
NUMBER YRS GOV MAINT OPER S/W(#)	O33	8.00/
GOVERNMENT MAINT OF M&D S/W CENTER	O34	30000.00/
CONTRACT MAINT OF M&D S/W($/YR)	O35	34000.00/
NUMBER YRS CONTRACT MAINT M&D S/W(#)	O36	1.00/
NUMBER YRS GOV MAINT M&D S/W(#)	O37	9.00/
CONTRACTOR SERVICES($/YR)	O38	420000.00/
NUMBER YEARS CONTRACTOR SERVICES	O39	4.00/
MAINT ORG SUPPLY FAC($/FT2/YR)	O41	1.00/
ORG SUPPLY REQUIREMENT(FT2/FACILITY)	O42	5000.00/
MAINT INT SUPPLY FAC($/FT2/YR)	O43	1.00/
INT SUPPLY REQUIREMENT(FT2/FACILITY)	O44	5000.00/
NUMBER OF BONDED STORAGE FACILITIES	O49	4.00/
COST PER BONDED STORAGE FACILITY($/YR)	O50	8000.00/
TECH DATA REVISION COSTS($/PAGE)	O52	150.00/
TECH DATA PAGES REQ REVISION(PAGES)	O53	50.00/
NUMBER NEW FSN/NSN UNDER $5K	O54	25.00/
NUMBER NEW FSN/NSN $5-50K	O55	4.00/
OTHER SYSTEM LOGISTIC SUPPORT COSTS-O&M	O60	400000.00/
OTHER SYSTEM LOGISTIC SUPPORT COSTS-MILPER	O62	150000.00/

FIGURE 43. System list. - Continued

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:40Z
Check the source to verify that this is the current version before use.

LCC WBS DATA BASE FOR SYSTEM: SAMPLE DATE: 01/25/84

NAME: DISC DRIVE				WBS RECORD #:	1
EQUIP-PERSONNEL GROUP:	1	ARMY WBS #:	4	LEARNING THEORY:	UNIT
WBS: 11.4.1		NSN:	1406Z	GFE:	NO
O&M BASE YEAR:	1983	INFLATION:	PROC	SERVICE:	MC
NAME: MASS MEMORY				WBS RECORD #:	2
EQUIP-PERSONNEL GROUP:	1	ARMY WBS #:	4	LEARNING THEORY:	CUMM-AVG
WBS: 11.4.2		NSN:	MM1825P	GFE:	NO
O&M BASE YEAR:	1983	INFLATION:	PROC	SERVICE:	MC
NAME: MICRO COMPUTER				WBS RECORD #:	3
EQUIP-PERSONNEL GROUP:	1	ARMY WBS #:	4	LEARNING THEORY:	UNIT
WBS: 11.4.3		NSN:	29356Q	GFE:	NO
O&M BASE YEAR:	1983	INFLATION:	PROC	SERVICE:	MC
NAME: CONTROL PANEL				WBS RECORD #:	4
EQUIP-PERSONNEL GROUP:	2	ARMY WBS #:	3	LEARNING THEORY:	CUMM-AVG
WBS: 11.3		NSN:	CP23.45RCA	GFE:	NO
O&M BASE YEAR:	1983	INFLATION:	PROC	SERVICE:	MC
NAME: OPERATING SYSTEM				WBS RECORD #:	5
EQUIP-PERSONNEL GROUP:	2	ARMY WBS #:	5	LEARNING THEORY:	UNIT
WBS: 11.5		NSN:	ADA2.2	GFE:	NO
O&M BASE YEAR:	1983	INFLATION:	PROC	SERVICE:	MC

FIGURE 44. WBS list.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:40Z
Check the source to verify that this is the current version before use.

SYSTEM: SAMPLE	DATE:01/25/84	TIME: 09:19	WBS RECORD #s		
DISC DRIVE	MASS MEMORY	MICRO COMPUTER	CONTROL PANEL		
11.4.1	11.4.2	11.4.3	11.3		
DEM/VAL WORKSHEET		1	2	3	4
BASE YEAR $(YY)	D 1	1983.00	1983.00	1983.00	1983.00
INFLATION TABLE-LABOR(#)	D 2	4.00	4.00	4.00	4.00
INFLATION TABLE-MATERIAL(#)	D 3	4.00	4.00	4.00	4.00
CER FLAG	D 5	0.00	0.00	0.00	1.00
MECH ENG($,HRS)	D 7	23000.00	1800.00	20000.00	5000.00
ELEC ENG($,HRS)	D 8	15000.00	9000.00	6000.00	1000.00
DRAFTING($,HRS)	D 9	6000.00	4000.00	4000.00	5500.00
DTC/LCC($,HRS)	D10	12000.00	3000.00	9000.00	3000.00
RAM($,HRS)	D11	6500.00	5500.00	7000.00	2000.00
EQUIPMENT($)	D12	1900.00	11000.00	10000.00	12000.00
OTHER($)	D13	0.00	500.00	0.00	72000.00
PROD ENG&PLAN($,HRS)	D14	31000.00	13000.00	15000.00	9000.00
TOOLING($)	D15	26000.00	0.00	24000.00	11000.00
PROGRAMS($,HRS)	D16	0.00	2000.00	0.00	0.00
LABOR($,HRS)	D17	0.00	12000.00	0.00	0.00
MATERIAL($)	D18	0.00	5000.00	0.00	0.00
MFR EQUIP($)	D19	0.00	1900.00	0.00	0.00
TEST EQUIP($)	D20	0.00	1000.00	0.00	0.00
OTHER($)	D21	0.00	2200.00	0.00	0.00
PROTOTYPE MFR($)	D22	0.00	18000.00	23000.00	0.00
MFR LABOR($,HRS)	D23	4950.00	0.00	0.00	3000.00
TEST LABOR($,HRS)	D24	3100.00	0.00	0.00	1500.00
MATERIAL($)	D25	6200.00	0.00	0.00	18000.00
PURCHASED PARTS/ASSYS($)	D26	8000.00	0.00	0.00	35000.00
OTHER($)	D27	0.00	0.00	0.00	13500.00
OTHER($)	D28	0.00	0.00	7000.00	10000.00
TRACE($)	D29	0.00	9000.00	500.00	0.17

SYSTEM: SAMPLE	DATE:01/25/84	TIME: 09:19	WBS RECORD #s		
DISC DRIVE	MASS MEMORY	MICRO COMPUTER	CONTROL PANEL		
11.4.1	11.4.2	11.4.3	11.3		
FSD WORKSHEET		1	2	3	4
BASE YEAR $(YY)	F 1	1983.00	1983.00	1983.00	1983.00
INFLATION TABLE-LABOR(#)	F 2	4.00	4.00	4.00	4.00
INFLATION TABLE-MATERIAL(#)	F 3	4.00	4.00	4.00	4.00
CER FLAG	F 5	0.00	0.00	0.00	2.00
DEVELOPMENT ENGINEERING($)	F 6	0.00	0.00	0.00	19560.00
MECH ENG($,HRS)	F 7	20000.00	9000.00	16000.00	0.00
ELEC ENG($,HRS)	F 8	11000.00	6000.00	5500.00	0.00
DRAFTING($,HRS)	F 9	8000.00	1980.00	3250.00	0.00
DTC/LCC($,HRS)	F10	25000.00	2200.00	1690.00	0.00
RAM($,HRS)	F11	2600.00	4800.00	2500.00	0.00
EQUIPMENT($)	F12	5100.00	3200.00	1700.00	0.00
OTHER($)	F13	0.00	7000.00	0.00	0.00
PROD ENG&PLAN($,HRS)	F14	25000.00	7000.00	13690.00	7000.00
TOOLING($)	F15	31000.00	0.00	18000.00	0.25

FIGURE 44. WBS list - Continued.

Source: https://assist.dla.mil - Downloaded: 2026-10-26T13:40Z
Check the source to verify that this is the current version before use.

SYSTEM: SAMPLE DATE: 01/25/84

DISC DRIVE 11.4.1 FSD WORKSHEET(CONT)	MASS MEMORY 11.4.2	MICRO COMPUTER 11.4.3 1	2	CONTROL PANEL 11.3 3	4
LABOR($,HRS)	F17	0.00	1450.00	0.00	0.00
MATERIAL($)	F18	0.00	2800.00	0.00	0.00
MFR EQUIP($)	F19	0.00	3500.00	0.00	0.00
TEST EQUIP($)	F20	0.00	500.00	0.00	0.00
PROTOTYPE MFR($)	F22	11000.00	17000.00	21000.00	0.00
MFR LABOR($,HRS)	F23	0.00	0.00	0.00	3500.00
TEST LABOR($,HRS)	F24	0.00	0.00	0.00	4900.00
MATERIAL($)	F25	0.00	0.00	0.00	18000.00
PURCHASED PARTS/ASSYS($)	F26	0.00	0.00	0.00	50000.00
OTHER($)	F27	0.00	0.00	0.00	40000.00
OTHER($)	F28	0.00	0.00	0.00	48000.00
TRACE($)	F29	17000.00	0.15	0.08	0.15

SYSTEM: SAMPLE DATE:01/25/84 TIME: 09:20 WBS RECORD #s

DISC DRIVE 11.4.1 PRODUCTION WORKSHEET	MASS MEMORY 11.4.2	MICRO COMPUTER 11.4.3 1	2	CONTROL PANEL 11.3 3	4
BASE YEAR $ (YY)	P 1	1983.00	1983.00	1983.00	1983.00
INFLATION TABLE-LABOR(#)	P 2	3.00	3.00	3.00	3.00
INFLATION TABLE-MAT(#)	P 3	3.00	3.00	3.00	3.00
CER FLAG	P 5	0.00	0.00	0.00	3.00
MATERIAL($/UNIT)	P 6	2200.00	1600.00	1500.00	150.00
SUBCONTRACTED ITEM($/UNIT)	P 7	0.00	0.00	0.00	0.49
PUR PARTS/ASSYS($/UNIT)	P 8	1200.00	1100.00	1100.00	1237.00
FABRICATION($,HRS/UNIT)	P 9	1150.00	180.00	180.00	1.83
ASSEMBLY($,HRS/UNIT)	P10	1155.00	1250.00	1150.00	0.00
QUALCNTRL&INSP($,HRS/UNIT)	P12	1100.00	1100.00	1100.00	0.00
SUSTAIN ENGINEERING($,HRS/UNIT)	P13	1200.00	1250.00	1250.00	0.00
DESIGN ASSUR($,HRS/UNIT)	P14	1100.00	1100.00	1100.00	0.00
PACKAGING($/UNIT)	P15	12.00	10.00	10.00	0.00
SUST TOOL($)	P16	0.00	15000.00	1300.00	0.00
LABOR($,HRS/UNIT)	P18	1250.00	0.00	0.00	0.00
MATERIAL($/UNIT)	P19	160.00	0.00	0.00	0.00
MFR EQUIP($/UNIT)	P20	175.00	0.00	0.00	0.00
TEST EQUIP($/UNIT)	P21	150.00	0.00	0.00	0.00
PROGRAM MGT($,HRS/UNIT)	P23	1450.00	16000.00	1190.00	0.00
NON-REC PROD($)	P25	1800.00	3000.00	3000.00	0.00

SYSTEM: SAMPLE DATE:01/25/84 TIME: 09:20 WBS RECORD #s

DISC DRIVE 11.4.1 DIUPC WORKSHEET	MASS MEMORY 11.4.2	MICRO COMPUTER 11.4.3 1	2	CONTROL PANEL 11.3 3	4
DIUPC DATE(YY)	U 5	1983.00	1983.00	1983.00	1983.00
DIUPC DATE(MM)	U 6	10.00	10.00	10.00	8.00
DIUPC GOAL/GFE UNIT COST($)	U 7	12000.00	45000.00	11000.00	200000.00

FIGURE 44. WBS list. - Continued.

Source: https://assist.dla.mil - Downloaded: 2026-10-26T13:40Z
Check the source to verify that this is the current version before use.

SYSTEM: SAMPLE DATE: 01/25/84

DISC DRIVE 11.4.1	MASS MEMORY 11.4.2	MICRO COMPUTER 11.4.3		CONTROL PANEL 11.3	
DTUPC WORKSHEET(CONT)		1	2	3	4
DTUPC GOAL/BASIS QTY(#)	U 8	80.00	80.00	80.00	1.00
LEARNING CURVE-LABOR(%)	U 9	0.90	0.90	0.90	0.90
LEARNING CURVE-MAT(%)	U10	0.95	0.95	0.95	0.98
LOT(#)	U11	1.00	1.00	1.00	3.00
LOT BUY QTY(#)	U12	150.00	130.00	125.00	1500.00
NUMBER PREVIOUSLY BUILT(#)	U13	3.00	3.00	3.00	0.00
START DATE(YY)	U14	1985.00	1985.00	1985.00	1985.00
START DATE (MM)	U15	10.00	9.00	9.00	8.00
PRODUCTION RATE(#/MO)	U16	15.00	15.00	15.00	30.00
TRACE ($,%)	U17	0.00	0.00	0.00	0.05
RIW ($/UNIT/YEAR)	U18	0.00	600.00	0.00	500.00
RIW PERIOD(YEARS)	U19	0.00	2.00	0.00	2.00
ENGINEERING CHNGS($,%)	U20	0.04	0.04	0.04	0.08

SYSTEM: SAMPLE DATE:01/25/84 TIME: 09:21 WBS RECORD #s

DISC DRIVE 11.4.1	MASS MEMORY 11.4.2	MICRO COMPUTER 11.4.3		CONTROL PANEL 11.3	
EQUIPMENT WORKSHEET		1	2	3	4
OPERATING EQUIP QTY (#)	E 1	130.00	110.00	115.00	105.00
OPERATING CYCLE (HR MI KM RD)	E 2	4200.00	4200.00	4200.00	4200.00
SHARED OPER/EQUIP (#)	E 3	0.00	0.00	0.00	2.50
EQUIPMENT WEIGHT (LB KGM)	E 4	55.00	15.00	32.00	29.50
WEIGHT OF AVG LRU (LB KGM)	E 5	2.00	2.00	2.00	2.00
AVG REPARABLE LRU ($ %UPC)	E 7	21.00	0.10	0.10	0.15
REPAIR MAT COST RATE (% OF E7)	E 8	0.17	0.17	0.17	0.05
REPAIR MATERIAL WEIGHT (LB KGM)	E 9	1.00	1.00	1.00	1.00
MATERIAL CONSUMPTION (UNIT/YR)	E10	25.00	0.00	0.00	0.00
MATERIAL TYPE CODE (1 2 3)	E11	3.00	0.00	0.00	0.00
MATERIAL COST ($/UNIT)	E12	2.50	0.00	0.00	0.00
MATERIAL WEIGHT (LB KGM/UNIT)	E13	0.50	0.00	0.00	0.00
POWER CONSUMPTION (UNITS/CYCLE)	E14	10.00	20.00	4.50	2.80
POWER TYPE CODE (1 2 3)	E15	2.00	2.00	2.00	2.00
FIELD PWR COST ($/UNIT)	E16	0.45	0.45	0.45	0.45
COMM PWR COST ($/UNIT)	E17	0.07	0.07	0.07	0.07
FIELD PWR USE RATE (% OF E14)	E19	0.25	0.25	0.25	0.25
COM PWR USE RATE (% OF E14)	E20	0.75	0.75	0.75	0.75
MTBF: CYCLES/FAIL (HR MI KM RD)	E22	3905.00	2907.50	1413.00	6764.00
ATTRITION RATE (% OF E1)	E23	0.02	0.02	0.01	0.01
MTTR ORG (MHRS)	E24	0.20	0.20	0.30	0.30
MTTR-INT (MHRS)	E25	0.50	0.50	0.60	0.60
MTTR-DSU (MHRS)	E26	0.50	0.50	0.60	0.60
MTTR-DSUCT (MHRS)	E27	0.50	0.50	0.60	0.90
MTTR-GSU (MHRS)	E28	0.50	0.50	0.60	2.50
MTTR-GSUCT (MHRS)	E29	0.50	0.50	0.60	0.80
MTTR-DEPOT (MHRS)	E30	0.75	0.75	0.80	1.50
PREVENT MAINT (MHRS/YR)	E31	52.00	52.00	40.00	40.00

FIGURE 44. WBS list. - Continued.

Source: https://assist.dla.mil - Downloaded: 2026-10-26T13:40Z
Check the source to verify that this is the current version before use.

SYSTEM: SAMPLE DATE: 01/25/84

DISC DRIVE 11.4.1 EQUIPMENT WORKSHEET(CONT)	MASS MEMORY 11.4.2		MICRO COMPUTER 11.4.3 1	2	CONTROL PANEL 11.3 3	4
CALIBRATE-GSU	(MHRS/YR)	E33	0.00	0.00	80.00	32.00

SYSTEM: SAMPLE DATE:01/25/84 TIME: 09:21 WBS RECORD #s

DISC DRIVE 11.4.1 MAINTENANCE WORKSHEET	MASS MEMORY 11.4.2		MICRO COMPUTER 11.4.3 1	2	CONTROL PANEL 11.3 3	4
MOD FACTOR(LAB+MAT)		M 1	0.01	0.01	0.01	0.01
DEPOT LABOR RATE ($/HR)		M 9	32.00	32.00	32.00	32.00
DEPOT MATERIAL RATE ($/HR)		M10	29.00	29.00	29.00	29.00
DISCARD RATE-ORG(%)		M11	1.00	1.00	1.00	1.00
DISCARD RATE-INT(%)		M12	0.10	0.10	0.10	0.10
MAINT RATE ORG.(%)		M18	1.00	1.00	1.00	1.00
MAINT RATE-INT.(%)		M19	0.50	0.50	0.50	0.50
MAINT RATE-GSUCT(%)		M23	0.30	0.30	0.30	0.30
MAINT RATE-DEPOT(%)		M24	0.26	0.26	0.26	0.26
REPAIR RATE ORG.(%)		M25	0.10	0.10	0.10	0.10
REPAIR RATE-INT.(%)		M26	0.80	0.80	0.80	0.80
REPAIR RATE-GSUCT(%)		M30	0.80	0.80	0.80	0.80
REPAIR RATE-DEPOT(%)		M31	0.90	0.90	0.90	0.90
REPAIR OVHD ORG.(HRS)		M32	1.50	1.50	1.50	1.50
REPAIR OVHD-GSUCT(HRS)		M37	3.00	3.00	3.00	3.00
PROB GOOD UNIT REMOVAL-ORG(%)		M39	0.15	0.15	0.15	0.15
PROB GOOD UNIT REMOVAL-INT(%)		M40	0.10	0.10	0.10	0.10
PROB GOOD UNIT REMOVAL-GSUCT(%)		M44	0.10	0.10	0.10	0.10
PROB GOOD UNIT REMOVAL-DEPOT(%)		M45	0.05	0.05	0.05	0.05

SYSTEM: SAMPLE DATE:01/25/84 TIME: 09:21 WBS RECORD #s

OPERATING SYSTEM 11.5 DEM/VAL WORKSHEET			5
BASE YEAR $(YY)		D 1	1983.00
INFLATION TABLE-LABOR(#)		D 2	4.00
INFLATION TABLE-MATERIAL(#)		D 3	4.00
CER FLAG		D 5	3.00
MECH ENG($,HRS)		D 7	210000.00
ELEC ENG($,HRS)		D 8	512.00
DRAFTING($,HRS)		D 9	40000.00
DTC/LCC($,HRS)		D10	1.07
TRACE($)		D29	0.20

FIGURE 44. WBS list. - Continued

Source: https://assist.dla.mil - Downloaded: 2026-10-26T13:40Z
Check the source to verify that this is the current version before use.

SYSTEM: SAMPLE DATE:01/25/84 TIME: 09:22 WBS RECORD #s
OPERATING SYSTEM
11.5
FSD WORKSHEET 5

BASE YEAR $(YY)	F 1	1983.00
INFLATION TABLE-LABOR(#)	F 2	4.00
INFLATION TABLE-MATERIAL(#)	F 3	4.00
CER FLAG	F 5	3.00
MECH ENG($,HRS)	F 7	150000.00
ELEC ENG($,HRS)	F 8	438.00
DRAFTING($,HRS)	F 9	40000.00
DTC/LCC($,HRS)	F10	0.94
TRACE($)	F29	0.25

SYSTEM: SAMPLE DATE:01/25/84 TIME: 09:22 WBS RECORD #s
OPERATING SYSTEM
11.5
PRODUCTION WORKSHEET 5

BASE YEAR $ (YY)	P 1	1983.00
INFLATION TABLE-LABOR(#)	P 2	3.00
INFLATION TABLE-MAT(#)	P 3	3.00
RECURRING PROD($/UNIT)	P 4	500.00

SYSTEM: SAMPLE DATE:01/25/84 TIME: 09:22 WBS RECORD #s
OPERATING SYSTEM
11.5
DTUPC WORKSHEET 5

DTUPC DATE(YY)	U 5	1983.00
DTUPC DATE(MM)	U 6	8.00
DTUPC GOAL/GFE UNIT COST($)	U 7	520.00
DTUPC GOAL/BASIS QTY(#)	U 8	1.00
LEARNING CURVE-LABOR(%)	U 9	1.00
LEARNING CURVE-MAT(%)	U10	1.00
LOT(#)	U11	1.00
LOT BUY QTY(#)	U12	125.00
START DATE(YY)	U14	1985.00
START DATE (MM)	U15	8.00
PRODUCTION RATE(#/MO)	U16	15.00

No data has been entered for EQUIPMENT for records 5
No data has been entered for MAINTENANCE for records 5

FIGURE 44. WBS list. - Continued

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:40Z
Check the source to verify that this is the current version before use.

PHASE DATES & SPENDING RATES

SCHEDULE FOR SAMPLE

PHASE NAME	START DATE	END DATE	LENGTH(MONTHS)
D. & V.	1983. 3	1983. 8	16.000
F.S.D.	1983. 9	1984. 6	10.000
PRODUCTION	1984.12	1987.12	37.000
O. & S.	1987. 5	2005. 7	219.000

DEM-CONTRACTOR

1984	1985
0.4375	0.5625

DEM-GOVERNMENT

1984	1985
0.4375	0.5625

FSD-CONTRACTOR

1983	1984
0.0452	0.9548

FSD-GOVERNMENT

1983	1984
0.0452	0.9548

PRODUCTION-CONTRACTOR, NON-RECURRING

1985	1986	1987	1988
0.2000	0.2500	0.2900	0.2100

PRODUCTION-GOVERNMENT, NON-RECURRING

1985	1986	1987	1988
0.7464	0.2536	0.0000	0.0900

PRODUCTION-CONTRACTOR, RECURRING

1985	1986	1987	1988
0.2703	0.3243	0.3243	0.0811

PRODUCTION-GOVERNMENT, RECURRING

1985	1986	1987	1988
0.2703	0.3243	0.3243	0.0811

FIGURE 45. Schedule list.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:40Z
Check the source to verify that this is the current version before use.

DELIVERY SCHEDULE & RATES

#	YEAR. MONTH	PERCENT %	PERIOD IN MONTHS
1	1987. 5	25.0	12
2	1988. 2	25.0	14
3	1988. 9	50.0	24

FIGURE 46. Delivery list.

TABLE OF ORGANIZATION FOR CIVILIAN

LCC T/O LINE#	LEVEL	PAY GRADE	NUMBER	EQUIP. GROUP	WBS NUMBER
1	PMDD	GS14	2.50	1	11
2	PMFD	GS12	3.00	1	11
3	PMPD	GS13	2.00	1	11

TABLE OF ORGANIZATION FOR MARINE CORPS

LCC T/O LINE#	LEVEL	OS	PAY GRADE	NUMBER	EQUIP. GROUP	WBS NUMBER	TRAINING TRACK #	SERVICE RTR T/O #	T/O LINE
4	OPRD	2851	E 4	27.00	2	11	1	0.23	
5	OLMS	2861	E 5	62.00	1	11.4	2	0.23	
6	ILMS	5977	E 5	30.00	1	11.4	2	0.23	
24	OLMS	2861	E 5	62.00	1	11.4	2	0.23	
25	ILMS	5977	E 5	30.00	1	11.4	2	0.23	
26	GCIS	5977	E 6	30.00	2	11.3	2	0.23	
27	GCIS	5977	E 3	30.00	2	11.3	2	0.23	
28	SWPD	5977	E 7	30.00	2	11.3	2	0.23	

FIGURE 47. Table of organization list.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:40Z
Check the source to verify that this is the current version before use.

TABLE OF ORGANIZATION FOR NAVY

LCC T/O LINE#	LEVEL	OS	PAY GRADE	NUMBER	EQUIP. GROUP	WBS NUMBER	TRAINING TRACK #	RTR T/O #	SERVICE LINE
7	OPRS	CE5642	E 4	116.00	1	11.4	2	0.23	
8	ILMS	CTM-4811	E 5	33.00	1	11	2	0.23	
9	OLMS	DS1617	E 5	45.00	1	11	2	0.23	

TABLE OF ORGANIZATION FOR ARMY

LCC T/O LINE#	LEVEL	OS	PAY GRADE	NUMBER	EQUIP. GROUP	WBS NUMBER	TRAINING TRACK #	RTR T/O #	SERVICE LINE
10	OPRD	36L30	E 5	36.00	1	11.4	2	0.23	
11	GSUS	35K20	E 5	41.00	1	11.1	2	0.23	
12	OLMS	24H20	E 4	28.00	1	11	3	0.23	

TABLE OF ORGANIZATION FOR MANUFACTURER

LCC T/O LINE#	LEVEL	PAY GRADE	NUMBER	EQUIP. GROUP	WBS NUMBER
13	ENDD	ENG1	1.00	2	11.3
14	ENDD	ENG2	4.50	2	11.3
15	ENDD	ENG3	12.00	2	11.3
16	ASDD	DRA3	3.50	2	11.3
17	FADD	MFG1	2.00	2	11.3
18	FADD	MFG2	15.00	2	11.3
19	FADD	SPT1	3.00	2	11.3
20	FADD	SPT2	5.00	2	11.3
21	PEDD	PRE1	2.00	2	11.3
22	QCDD	TST3	3.75	2	11.3
23	QCDD	ENG3	1.00	2	11.3

FIGURE 47. Table of organization list. - Continued

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:40Z
Check the source to verify that this is the current version before use.

INFLATION RATES	FY 83	FY 84	FY 85	FY 86	FY 87	FY 88	FY 89
RDT&E	.051	.047	.045	.044	.044	.044	.044
MILCON	.051	.047	.045	.044	.044	.044	.044
PROC	.067	.068	.060	.058	.056	.056	.056
O&M	.051	.047	.045	.044	.044	.044	.044
OP	.060	.059	.053	.053	.052	.052	.052
MP	.063	.052	.048	.049	.049	.049	.049
RATE1	.045	.045	.045	.045	.045	.045	.045
RATE2	.050	.050	.050	.050	.050	.050	.050

INFLATION RATES	FY 90	FY 91	FY 92	FY 93	FY 94	FY 95	FY 96
RDT&E	.044	.044	.044	.044	.044	.044	.044
MILCON	.044	.044	.044	.044	.044	.044	.044
PROC	.056	.056	.056	.056	.056	.056	.056
O&M	.044	.044	.044	.044	.044	.044	.044
OP	.052	.052	.052	.052	.052	.052	.052
MP	.049	.049	.049	.049	.049	.049	.049
RATE1	.045	.045	.045	.045	.045	.x4=	.045
RATE2	.050	.050	.050	.050	.050	.050	.050

INFLATION RATES	FY 97	FY 98	FY 99	FY 0	FY 1	FY 2	FY 3
RDT&E	.044	.044	.044	.044	.044	.044	.044
MILCON	.044	.044	.044	.044	.044	.044	.044
PROC	.056	.056	.056	.056	.056	.056	.056
O&M	.044	.044	.044	.044	.044	.044	.044
OP	.052	.052	.052	.052	.052	.052	.052
MP	.049	.049	.049	.049	.049	.049	.049
RATE1	.045	.045	.045	.045	.045	.045	.045
RATE2	.050	.050	.050	.050	.050	.050	.050

INFLATION RATES	FY 4
RDT&E	.044
MILCON	.044
PROC	.056
O&M	.044
OP	.052
MP	.049
RATE1	.045
RATE2	.050

FIGURE 48. Inflation table.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:40Z
Check the source to verify that this is the current version before use.

AIR FORCE TRAINING TRACKS

		TRAINING COURSES		PCS MOVES
TRACK #	1	USR3		0.00

MARINE CORP TRAINING TRACKS

		TRAINING COURSES		PCS MOVES
TRACK #	2	USR2		0.00
TRACK #	0	USR3	USR2	0.00

NAVY TRAINING TRACKS

		TRAINING COURSES		PCS MOVES
TRACK #	4	USR3		0.00

ARMY TRAINING TRACKS

		TRAINING COURSES		PCS MOVES
TRACK #	5	USR1	USR3	1.00
TRACK #	6	USR2	USR3	0.00
TRACK #	7	USR3		0.00

FIGURE 49. Training track list.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:40Z
Check the source to verify that this is the current version before use.

USER TRAINING COURSES

COURSE ID #	NAME		FY	MP	PROC	COST O&M	OPROC
USR 2	ELE201		1983	1125.00	0.00	1500.00	0.00
SERVICE CIN		PCS/TDY	LENGTH (DAYS)	ATTRITION RATE		DATE CREATED	DATE UPDATED
84USMC013-2		T	45	.13		05/13/83	

COURSE ID #	NAME		FY	MP	PROC	COST O&M	OPROC
USR 3	CONTRACT		1983	2400.00	0.00	0.00	0.00
SERVICE CIN		PCS/TDY	LENGTH (DAYS)	ATTRITION RATE		DATE CREATED	DATE UPDATED
		T	10	.00		05/13/83	

FIGURE 50. User course list.

COMMENTS FOR RDT&E

THE R&D PHASE WILL BE EXTENDED DUE TO TEST FAILURES

COMMENTS FOR PROD

THE PRODUCTION SCHEDULE HAS BEEN SHORTENED
DUE TO THE INTRODUCTION OF ROBOTICS
STRATEGIC MATERIALS ARE NOT STILL AN ISSUE

COMMENTS FOR O&S

DEPLOYMENT WILL BE DELAYED DUE TO
O&M FUNDING CONSTRAINTS

List: SYStem inputs, WBS inputs, PHAse dates and annual spending rates, DELivery schedule and rates, TABle of organization, INFlation rates, TRAining tracks, USEr training courses, NOTepad, ALL or RETurn
? <cr>
MAIN: EDIt(system,WBS,assumptions), TABle of Org, SCHedule, DEPloy, INFlation NOTepad, REPort, LISt, CREate, GET, SAVe, DELete, HELp, DONe, CHArge
?

FIGURE 51. Notepad list.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:40Z
Check the source to verify that this is the current version before use.

```
<RUN>
                DEFENSE MATERIEL SYSTEM LIFE CYCLE COST MODEL
                FOR MIL-STD 881 WEAPON SYSTEMS
                VERSION 5: MAY 1983
                 05/26/83  19:15:26

CREate, GET, ASSemble, HELp? <GET>

File name: <FILEABC or FILEABC,PASSWORD> or HELp
? <SAMPLE,PASS>

WBS DATA READ FOR                 SAMPLE   CREATED/MODIFIED 05/15/83
System DATA READ FOR              SAMPLE   CREATED/MODIFIED 05/15/83
Table of Org DATA READ FOR        SAMPLE   CREATED/MODIFIED 05/26/83
Deployment DATA READ FOR          SAMPLE   CREATED/MODIFIED 05/26/83
Spread DATA READ FOR              SAMPLE   CREATED/MODIFIED 05/26/83
Inflation DATA READ FOR           SAMPLE   CREATED/MODIFIED 05/16/83
Comments DATA READ FOR            SAMPLE   CREATED/MODIFIED 05/23/83
Training Track DATA READ FOR      SAMPLE   CREATED/MODIFIED 05/26/83
User Course DATA READ FOR         SAMPLE   CREATED/MODIFIED 05/23/83

MAIN: EDIt(system,WBS,assumptions), TABle of Org, SCHedule, DEPloy, INFlation
NOTepad, REPort, LISt, CREate, GET, SAVe, DELete, HELp, DONe, CHArge
? <REP STD ALL>
```

1. GET a data base.

2. Data base "SAMPLE,PASS" is requested.
3. Files are read by Model.

4. REPort option is selected. STD option advises the Model to use the inflation table and the default budget year which is calculated as the current fiscal year + 1. ALL advises the Model to use all WBS and T/O records.

FIGURE 52. Report options.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:40Z
Check the source to verify that this is the current version before use.

Use TOA or OUTlay rates to adjust inflation factors for ASSumptions/Personnel or wbs item. The date reported precedes the first system year

5. The Model advises the user that the base year for selected costs in the data base precedes the first project year and prompts for DoD TOA or OUTLAY inflation rates to adjust these costs. This normally applies to the base year costs for personnel in the Model's data base.

? <TOA>

6. TOA rates are selected.

Reports available this run:

7. Model displays reports available to the user.

Constant dollar reports: DTUpc, LCC, ANNual, POM, ARMy
Inflated dollar reports: IANnual, IPOm, ILCc
Other reports: RESource

Enter options separated by spaces, ALL, or RETurn
? <DTU>

8. DTU report is selected.

FIGURE 52. Report options. - Continued

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:40Z
Check the source to verify that this is the current version before use.

UNIT PRODUCTION COSTS FOR SAMPLE
COSTS IN CONSTANT 1983 YEAR DOLLARS
DATE 01/25/84 TIME 09:31:53

WBS #	NAME	NSN/MPN/LCN	LOT C/GFE REC #
LEARNING CURVE # PREV LAB MAT THEORY BUILT	BASIS QTY	LOT BUY QTY	TARGET UPC	CURRENT UPC	LOT COST REC + NR
11.4.1	DISC DRIVE	1406Z	1 CFE 1
.90 .95 UNIT	3	80	150	12000.00	11461.64	1721046.61
11.4.2	MASS MEMORY	MM1825P	1 CFE 2
.90 .95 CUMM	3	80	130	45000.00	38261.18	4976952.87
11.4.3	MICRO COMPUTER	29356Q	1 CFE 3
.90 .95 UNIT	3	80	125	11000.00	9354.85	1172355.89
11.3	CONTROL PANEL	CP23.45RCA	3 CFE 4
.90 .98 CUMM	0	1	1500	200000.00	134544.74	201817106.00
11.5	OPERATING SYSTEM	ADA2.2	1 CFE 5
*** *** UNIT	0	1	125	520.00	500.00	62500.00

```
Reports available this run:

  Constant dollar reports: DITupc, LCC, ANNual, POM, ARMy
  Inflated dollar reports: IANnual, IPOm, ILCc
         Other reports: RESource
  Enter options separated by spaces, ALL, or RETurn
? <cr>
MAIN: EDIt(system,WBS,assumptions), TABle of Org, SCHedule, DEPloy, INFlation
NOTepad, REPort, LISt, CREate, GET, SAVe, DELete, HELp, DONe, CHArge
? <REP STD GRO>


Enter up to 25 equip/pers GROup numbers for this run.
Personnel and hardware costs will  be calculated
for the GROups selected.

This option will not change system level costs
```

9. Model prompts for another report.

10. <cr> returns to main menu.

11. Standard report options are requested with selection based on personnel-equipment GROup number.

12. Model prompts for GROups to be included in the report. QUI would terminate the process and return to the main menu.

FIGURE 52. Report options. - Continued

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:40Z
Check the source to verify that this is the current version before use.

```
? <1>

Enter more #s, a blank line <cr> if done, or QUIt
?Reports available this run:

  Constant dollar reports: DTUpc, LCC, ANNual, POM, ARMy
  Inflated dollar reports: IANnual, IPOm, ILCc
          Other reports:   RESource

  Enter options separated by spaces, ALL, or RETurn
? <DTU>
```

13. Equipment GROup 1 is selected.

14. <cr> terminates input.

15. The DTU report is requested.

16. The DTU report is displayed. Records 4 and 5 did not list since they are not in equipment GROup 1.

```
Which report option for: DTUPC
Complete report (1), changes only (2), or both (3):Enter 1 2 or 3
? <1>
```

UNIT PRODUCTION COSTS FOR SAMPLE
COSTS IN CONSTANT 1983 YEAR DOLLARS
DATE 01/25/84 TIME 09:34:09

WBS # / LEARNING CURVE / LAB MAT THEORY	NAME / # PREV BUILT	BASIS QTY	LOT BUY QTY	NSN/MPN/LCN TARGET UPC	CURRENT UPC	LOT C/GFE REC # / LOT COST / REC + NR
11.4.1	DISC DRIVE			1406Z		1 CFE 1
.90 .95 UNIT	3	80	150	12000.00	11461.64	1721046.61
11.4.2	MASS MEMORY			MM1825P		1 CFE 2
.90 .95 CUMM	3	80	130	45000.00	38261.18	4976952.87
11.4.3	MICRO COMPUTER			29356Q		1 CFE 3
.90 .95 UNIT	3	80	125	11000.00	9354.85	1172355.89

```
Reports available this run:

  Constant dollar reports: DTUpc, LCC, ANNual, POM, ARMy
  Inflated dollar reports: IANnual, IPOm, ILCc
          Other reports: RESource
  Enter options separated by spaces, ALL, or RETurn
? <cr>
```

17. <cr> returns to main menu.

FIGURE 52. Report options. - Continued

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:40Z
Check the source to verify that this is the current version before use.

```
MAIN: EDIt(system,WBS,assumptions), TABle of Org, SCHedule, DEPloy, INFlation
NOTepad, REPort, LISt, CREate, GET, SAVe, DELete, HELp, DONe, CHArge
? <REP>
```

18. REPort with no options is selected.

```
 Use Budget Year 1984 for POM reports (Y,N)? <Y>
```

19. Budget year is not changed.

20. Model prompts for selection of equipment and personnel records for this report.

```
 Select: ALL, GROup #s, SERvice(s), BLOck(s), INDividual records,
HELp or RETurn? <IND>
```

21. INDividual records is selected.

```
Enter up to 33 WBS record numbers for this run
This process does not check for duplicate record number
This will not change costs for dedicated personnel
? <1 3>
```

22. Instructions are displayed.

23. Records 1 & 3 are selected.

```
Enter more #s, a blank line <cr> if done, or QUIt
? <cr>
```

24. <cr> terminates input.

```
 Reports available this run:
  Constant dollar reports: DIUpc, LCC, ANNual, POM, ARMy
  Inflated dollar reports: IANnual, IPOm, ILCc
          Other reports: RESource

  Enter options separated by spaces, ALL, or RETurn
? <cr>
```

25. No reports are requested. <cr> returns to main menu.

```
MAIN: EDIt(system,WBS,assumptions), TABle of Org, SCHedule, DEPloy, INFlation
NOTepad, REPort, LISt, CREate, GET, SAVe, DELete, HELp, DONe, CHArge
? <REP>
```

26. REPort option is selected.

```
 Use Budget Year 1984 for POM reports (Y,N)? <Y>
 Select: ALL, GROup #s, SERvice(s), BLOck(s), INDividual records,
HELp or RETurn? <BLO>
 Enter the first and last record numbers for this block? <1 4>
```

27. Define a BLOck of WBS
28. WBS records 1-4 are selected.

```
Enter more #s, a blank line <cr> if done, or QUIt? <cr>
```

29. <cr> terminates input.

FIGURE 52. Report options. - Continued

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:40Z
Check the source to verify that this is the current version before use.

```
 Reports available this run:
  Constant dollar reports: DTUpc, LCC, ANNual, POM, ARMy
  Inflated dollar reports: IANnual, IPOm, ILCc
         Other reports: RESource
  Enter options separated by spaces, ALL, or RETurn
? <cr>
```

30. <cr> returns to main menu. No reports are requested.

```
MAIN: EDIt(system,WBS,assumptions), TABle of Org, SCHedule, DEPloy, INFlation
NOTepad, REPort, LIST, CREate, GET, SAVe, DELete, HELp, DONe, CHArge
? <REP STD SER>
```

31. Standard report option is requested with selection based on SERvice for T/O and WBS records.

```
 Which service(s): DOD, ARMy, NAVy, AIR force, MARines, OTHer or QUIt
Only WBS records and T/O lines with the requested Service codes will be included
except:  (1) civilians and contractor personnel may not be excluded.
         (2) DOD & OTHer do not influence T/O record selection
? <MAR>
```

32. MARine Corps WBS & T/O records are selected.

```
 Reports available this run:
  Constant dollar reports: DTUpc, LCC, ANNual, POM, ARMy
  Inflated dollar reports: IANnual, IPOm, ILCc
         Other reports: RESource

  Enter options separated by spaces, ALL, or RETurn
? <ILC>
```

33. The Inflated Life Cycle cost report is selected.

```
 Which report option for: BASE YEAR VS. INFLATED DOLLARS
```

34. Report options are displayed. Comparisons to prior reports may be made.

```
 Complete report (1), changes only (2), or both (3):Enter 1 2 or 3
? <2>
 Which previous run number should be used for comparison to this run
Enter a number between 1 and  3? <1>
```

35. Changes option is selected.
36. Number of prior reports is displayed. First report is selected.
37. The report is not printed here. The reports are contained in the following figures.

FIGURE 52. Report options. - Continued

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:40Z
Check the source to verify that this is the current version before use.

```
MAIN: EDIt(system,WBS,assumptions), TABle of Org, SCHedule, DEPloy, INFlation
NOTepad, REPort, LISt, CREate, GET, SAVe, DELete, HELp, DONe, CHArge
? <REP STD ALL>
 Reports available this run:

  Constant dollar reports: DTUpc, LCC, ANNual, POM, ARMy
  Inflated dollar reports:        ILC, IANnual,IPOm,

           Other reports: RESource

  Enter options separated by spaces, ALL, or RETurn
? <DTU>
```

UNIT PRODUCTION COSTS FOR SAMPLE

COSTS IN CONSTANT 1983 YEAR DOLLARS
DATE 01/25/84 TIME 09:31:53

WBS #	NAME	NSN/MPN/LCN	LOT C/GFE REC #
LEARNING CURVE # LAB MAT THEORY	PREV BUILT	BASIS QTY	LOT QTY	BUY QTY	TARGET UPC	CURRENT UPC	LOT COST REC + NR
11.4.1	DISC DRIVE	1406Z	1 CFE 1
.90 .95 UNIT	3	80	150	12000.00	11461.64	1721046.61
11.4.2	MASS MEMORY	MM1825P	1 CFE 2
.90 .95 CUMM	3	80	130	45000.00	38261.18	4976952.87
11.4.3	MICRO COMPUTER	29356Q	1 CFE 3
.90 .95 UNIT	3	80	125	11000.00	9354.85	1172355.89
11.3	CONTROL PANEL	CP23.45RCA	3 CFE 4
.90 .98 CUMM	0	1	1500	200000.00	134544.74	201817106.00
11.5	OPERATING SYSTEM	ADA2.2	1 CFE 5
*** *** UNIT	0	1	125	520.00	500.00	62500.00

FIGURE 53. Unit production cost report.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:40Z
Check the source to verify that this is the current version before use.

```
MAIN: EDIt(system,WBS,assumptions), TABle of Org, SCHedule, DEPloy, INFlation
NOTepad, REPort, LIST, CREate, GET, SAVe, DELete, HELp, DONe, CHArge
? <REP STD ALL>
 Reports available this run:

  Constant dollar reports: DIUpc, LCC, ANNual, POM, ARMy
  Inflated dollar reports:       ILC, IANnual,IPOm,
            Other reports: RESource

  Enter options separated by spaces, ALL, or RETurn
? <LCC>

PRINT detail for the LCC report:

SUB element,FIRst, SECond or THIrd

? <THI>
  Which LCC Phase(s): RESearch, PRODuction, OPErations, ALL

? <ALL>
```

FIGURE 54. Life cycle cost report.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:40Z
Check the source to verify that this is the current version before use.

RESEARCH AND DEVELOPMENT COSTS FOR SAMPLE
IN THOUSANDS OF CONSTANT 1983 DOLLARS

DATE 01/25/84
TIME 09:40:43

LIFE CYCLE COST ELEMENTS STRUCTURE (BY LEVEL)	LEVEL 3	LEVEL 2	LEVEL 1	SUB ELEM	ELEM
110 DEMONSTRATION & VALIDATION					70550.
111 CONTRACTOR				70139.	
111.11 PRIME MISSION EQUIP (PME)		53435.			
111.11.3 COMMUNICATIONS	1213.				
111.11.4 AUTO DATA PROCESSING EQUIP	369.				
111.11.5 COMPUTER PROGRAMS	51853.				
111.12 SYSTEM, PROJECT MANAGEMENT		16132.			
111.13 SYSTEM TEST & EVALUATION		117.			
111.14 TRAINING		139.			
111.15 DATA		128.			
111.17 SOFTWARE CENTER		189.			
112 GOVERNMENT				411.	
112.12 PROGRAM MNGMNT		133.			
112.12.2 PROGRAM MANAGEMENT CIVILIAN	75.				
112.12.3 PGM MGT CONTRACTOR SUPPORT	58.				
112.13 GVRNMNT TEST (DT/OT I)		189.			
112.13.1 TEST SITE ACTIVATION	112.				
112.13.2 DEVELOP TEST & EVAL (DT&E)	35.				
112.13.3 OPRTNL TEST & EVAL (OT&E)	42.				
112.14 TRAINING		89.			
120 FULL SCALE DEVELOPMENT					14612.
121 CONTRACTOR				14173.	
121.11 PRIME MISSION EQUIP (PME)		12203.			
121.11.3 COMMUNICATIONS	114.				
121.11.4 AUTO DATA PROCESSING EQUIP	305.				
121.11.5 COMPUTER PROGRAMS	11784.				
121.12 SYSTEM, PROJECT MANAGEMENT		55.			
121.12.1 SYSTEM ENGINEERING	55.				
121.13 SYSTEM TEST & EVALUATION		1000.			
121.13.1 MOCKUPS	2.				
121.13.2 TEST & EVALUATION SUPPORT	950.				
121.13.3 TEST FACILITIES	49.				
121.14 TRAINING		72.			
121.15 DATA		658.			
121.17 SOFTWARE CENTER		185.			
122 GOVERNMENT				438.	
122.12 PROGRAM MNGMNT		178.			
122.12.2 PROGRAM MANAGEMENT CIVILIAN	90.				
122.12.3 PGM MGT CONTRACTOR SUPPORT	88.				
122.13 GVRNMNT TEST (DT/OT II)		146.			
122.13.1 TEST SITE ACTIVATION	61.				
122.13.2 DEVELOP TEST & EVAL (DT&E)	29.				
122.13.3 OPRTNL TEST & EVAL (OT&E)	56.				
122.14 TRAINING		115.			
TOTAL COSTS FOR RESEARCH AND DEVELOPMENT			REPORT USED: 3		85162.
THE R&D PHASE WILL BE EXTENDED DUE TO TEST FAILURES					

FIGURE 54. Life cycle cost report. - Continued

Source: https://assist.dla.mil - Downloaded: 2026-10-26T13:40Z
Check the source to verify that this is the current version before use.

PRODUCTION COSTS FOR SAMPLE
IN THOUSANDS OF CONSTANT 1983 DOLLARS

DATE 01/25/84
TIME 09:41:01

LIFE CYCLE COST ELEMENTS STRUCTURE (BY LEVEL)	LEVEL 3	LEVEL 2	LEVEL 1	SUB ELEM	ELEM
210 PRODUCTION (NON-RECURRING)					1343.
211 CONTRACTOR				1048.	
211.11 PRIME MISSION EQUIP		8.			
211.11.4 AUTO DATA PROCESSING EQUIP	8.				
211.12 SYSTEM/PROJECT MNGMNT		245.			
211.12.1 SYSTEM ENGINEERING	119.				
211.12.2 PROJECT MANAGEMENT	126.				
211.13 TRAINING		175.			
211.13.1 EQUIPMENT	99.				
211.13.2 SERVICES	38.				
211.13.3 FACILITIES	38.				
211.14 PRODUCTION STARTUP		189.			
211.15 DATA		245.			
211.17 SYSTEM TEST & EVAL SUPT		122.			
211.18 SOFTWARE CENTER		22.			
211.19 CONTRACTOR TECH SUPPORT		43.			
212 GOVERNMENT				294.	
212.12 INITIAL TRAINING		65.			
212.13 SYSTEM TEST & EVALUATION		170.			
212.13.1 PROD ACCPT TEST&EVAL(PATE)	73.				
212.13.2 OPRTNL TEST & EVAL(OT&E)	97.				
212.14 TEST SITE ACTIVATION		39.			
212.17 INVENTORY MANAGEMENT		21.			
220 PRODUCTION(RECURRING)					243891.
221 CONTRACTOR				243286.	
221.11 PRIME MISSION EQUIP		209742.			
221.11.3 COMMUNICATIONS	201817.				
221.11.4 AUTO DATA PROCESSING EQUIP	7863.				
221.11.5 COMPUTER PROGRAMS	63.				
221.16 ENGINEERING CHANGES		16460.			
221.18 INITIAL SPARES/REPAIR PARTS		16774.			
222 GOVERNMENT				604.	
222.12 PROGRAM MANAGEMENT		313.			
222.12.2 PROGRAM MANAGEMENT CIVILIAN	267.				
222.12.3 PGM MNGMNT CONTRACTOR SUPT	46.				
222.13 TRANSPORTATION		49.			
222.14 OPERATIONAL/SITE ACTIVATION		91.			
222.15 QUALITY CONTROL & INSPECT		85.			
222.18 SYSTEM TEST & EVAL		67.			
TOTAL COSTS FOR PRODUCTION		REPORT USED:	3		245234.

THE PRODUCTION SCHEDULE HAS BEEN SHORTENED DUE TO THE INTRODUCTION OF ROBOTICS
STRATEGIC MATERIALS ARE NO LONGER AN ISSUE

FIGURE 54. Life cycle cost report. - Continued

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:40Z
Check the source to verify that this is the current version before use.

OPERATIONS AND SUPPORT COSTS FOR SAMPLE
IN THOUSANDS OF CONSTANT 1983 DOLLARS

DATE 01/25/84
TIME 09:41:36

LIFE CYCLE COST ELEMENTS STRUCTURE (BY LEVEL)	LEVEL 3	LEVEL 2	LEVEL 1	SUB ELEM	ELEM
310 OPERATIONS					257106.
311 OPERATOR PERSONNEL				21406.	
311.1 CREW			21406.		
311.1.1 MILITARY CREW		21406.			
BASE PAY AND ALLOWANCES	13200.				
REPLACEMENT TRAINING	2945.				
HEALTH CARE	526.				
PERM CHANGE OF STATION	888.				
RETIREMENT	1478.				
TRANS,PRIS,PATIENTS	436.				
BASE OPERATING SUPT	1933.				
312 MATERIAL CONSUMPTION				216.	
312.3 OTHER MATERIAL			122.		
312.4 MATERIAL TRANSPORTATION			94.		
313 ENERGY CONSUMPTION				44818.	
313.2 ELECTRIC POWER			44818.		
314 OPERATIONAL FACILITIES				5512.	
315 EQUIPMENT LEASEHOLDS				2520.	
316 OPERATIONAL TRANSPORTATION				180383.	
317 OTHER OPERATIONS COSTS				2250.	
320 MAINTENANCE					37041.
321 ORGANIZATIONAL MAINTENANCE				9584.	
321.1 PERSONNEL			702.		
321.1.1 MILITARY MAINT PERS		702.			
BASE PAY AND ALLOWANCES	433.				
REPLACEMENT TRAINING	47.				
HEALTH CARE	25.				
PERM CHANGE OF STATION	26.				
RETIREMENT	69.				
TRANS,PRIS,PATIENTS	14.				
BASE OPERATING SUPT	87.				
321.2 MAINT MATERIAL			3370.		
321.2.2 REPAIR MATERIAL		3370.			
321.4 ORG MAINT FACILITIES			5512.		
322 INTERMEDIATE MAINTENANCE				6678.	
322.1 INTER MAINT PERSONNEL			135.		
322.1.1 MILITARY MAINT PERS		135.			
BASE PAY AND ALLOWANCES	82.				
REPLACEMENT TRAINING	9.				
HEALTH CARE	5.				
PERM CHANGE OF STATION	5.				
RETIREMENT	14.				
TRANS,PRIS,PATIENTS	3.				
BASE OPERATING SUPT	17.				

FIGURE 54. Life cycle cost report. - Continued

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:40Z
Check the source to verify that this is the current version before use.

OPERATIONS AND SUPPORT COSTS FOR SAMPLE

IN THOUSANDS OF CONSTANT 1983 DOLLARS

DATE 01/25/84
TIME 09:42:10

LIFE CYCLE COST ELEMENTS STRUCTURE (BY LEVEL)	LEVEL 3	LEVEL 2	LEVEL 1	SUB ELEM	ELEM
322.2 MAINT MATERIAL			3364.		
322.2.1 DISCARDED REPARABLES		1348.			
322.2.2 REPAIR MATERIAL		2016.			
322.3 TRANSPORTATION			30.		
322.4 INTER MAINT FACILITIES			3150.		
323 DEPOT REPAIR				1053.	
323.1 LABOR			74.		
323.2 MATERIAL			937.		
323.3 TRANSPORTATION			42.		
325 OPER SOFTWARE SUPPORT				17741.	
325.1 SOFTWARE MAINT PERSONNEL			16951.		
325.1.1 MILITARY S/W PERS		16951.			
BASE PAY AND ALLOWANCES	9571.				
REPLACEMENT TRAINING	743.				
HEALTH CARE	402.				
PERM CHANGE OF STATION	415.				
RETIREMENT	4117.				
TRANS,PRIS,PATIENTS	316.				
BASE OPERATING SUPT	1388.				
325.2 SOFTWARE CENTER			490.		
325.3 CONTRACT S/W MAINTENANCE			300.		
326 MAINT SOFTWARE SUPPORT				304.	
326.2 SOFTWARE CENTER			270.		
326.3 CONTRACT S/W MAINTENANCE			34.		
327 CONTRACT MAINTENANCE				1680.	
330 MODIFICATIONS					31452.
340 SUPPLY SUPPORT					1458.
341 SUPPLY PERSONNEL				15.	
341.1 ORGANIZATIONAL SUPPLY			13.		
341.2 INTERMEDIATE SUPPLY			2.		
342 SUPPLY FACILITIES				1305.	
342.1 ORG SUPPLY			525.		
342.2 INTER SUPPLY			300.		
342.4 BONDED STORAGE			480.		
343 INVENTORY ADMINISTRATION				137.	
343.1 INVENTORY MANAGEMENT			137.		
350 TECH DATA REVISIONS					112.
360 OTHER LOGISTIC SUPT COSTS					8250.
TOTAL COSTS FOR OPERATIONS AND SUPPORT		REPORT USED:	3		335419.
DEPLOYMENT WILL BE DELAYED DUE TO O&M FUNDING CONSTRAINTS					
TOTAL LIFE CYCLE COSTS					665814.

FIGURE 54. Life cycle cost report. - Continued

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:40Z
Check the source to verify that this is the current version before use.

ANNUAL LIFE CYCLE COSTS FOR SAMPLE

COSTS IN THOUSANDS OF CONSTANT 1983 DOLLARS.
DATE 01/25/84 TIME 14:44:16

LIFE CYCLE COST ELEMENTS		FY1983	FY1984	TOTAL
100	R & D			
110	CONCPT EXPL & VALID	70550.	0.	70550.
111	CONTRACTOR	70139.	0.	70139.
112	GOVERNMENT	411.	0.	411.
120	FULL SCALE DEVEL	661.	13951.	14612.
120.1	CONTRACTOR	641.	13532.	14173.
120.2	GOVERNMENT	20.	419.	438.
TOTAL RESEARCH & DEVELOPMENT		71211.	13951.	85162.

THE R&D PHASE WILL BE EXTENDED DUE TO TEST FAILURES

ANNUAL LIFE CYCLE COSTS FOR SAMPLE

COSTS IN THOUSANDS OF CONSTANT 1983 DOLLARS.
DATE 01/25/84 TIME 14:44:19

LIFE CYCLE COST ELEMENTS		FY1985	FY1986	FY1987	FY1988	FY1989
200	PRODUCTION					
210	NON-RECURRING	434.	337.	302.	245.	0.
211.1	CONTRACTOR	214.	262.	302.	219.	0.
212.1	GOVERNMENT	220.	75.	0.	27.	0.
220	RECURRING	10426.	64536.	56482.	56260.	56186.
221.1	CONTRACTOR	10263.	64340.	56286.	56211.	56186.
222.1	GOVERNMENT	163.	196.	196.	49.	0.
TOTAL PRODUCTION		10860.	64873.	56784.	56505.	56186.

COSTS IN THOUSANDS OF CONSTANT 1983 DOLLARS.
DATE 01/25/84 TIME 14:44:25

LIFE CYCLE COST ELEMENTS		TOTAL
200	PRODUCTION	
210	NON-RECURRING	1317.
211.1	CONTRACTOR	996.
212.1	GOVERNMENT	321.
220	RECURRING	243891.
221.1	CONTRACTOR	243286.
222.1	GOVERNMENT	604.
TOTAL PRODUCTION		245208.

THE PRODUCTION SCHEDULE HAS BEEN SHORTENED DUE TO THE INTRODUCTION OF ROBOTICS
STRATEGIC MATERIALS ARE NO LONGER AN ISSUE

FIGURE 55. Annual report.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:40Z
Check the source to verify that this is the current version before use.

ANNUAL LIFE CYCLE COSTS FOR SAMPLE
COSTS IN THOUSANDS OF CONSTANT 1983 DOLLARS.
DATE 01/25/84 TIME 14:44:34

LIFE CYCLE COST ELEMENTS	FY1987	FY1988	FY1989	FY1990	FY1991
300 OPERATIONS AND SUPPORT					
310 OPERATIONS	1662.	7176.	13034.	16694.	17140.
311 OPERATOR PERSONNEL	138.	597.	1085.	1390.	1427.
311.1 CREW	138.	597.	1085.	1390.	1427.
311.2 INDIRECT PERSONNEL	0.	0.	0.	0.	0.
312 MATERIAL CONSUMPTION	1.	6.	11.	14.	14.
313 ENERGY CONSUMPTION	290.	1251.	2272.	2910.	2988.
314 OPERATIONAL FACILITIES	36.	154.	279.	358.	367.
315 EQUIPMENT LEASEHOLDS	16.	70.	128.	164.	168.
316 OPERATIONAL TRANSPORTATION	1166.	5035.	9144.	11712.	12026.
317 OTHER OPERATIONS COSTS	15.	63.	114.	146.	150.
320 MAINTENANCE	376.	1132.	2375.	2784.	2670.
321 ORGANIZATIONAL MAINTENANCE	62.	267.	486.	622.	639.
321.1 PERSONNEL	5.	20.	36.	46.	47.
321.2 MAINT MATERIAL	22.	94.	171.	219.	225.
322 INTERMEDIATE MAINTENANCE	43.	186.	339.	434.	445.
322.1 INTER MAINT PERSONNEL	1.	4.	7.	9.	9.
322.2 MAINT MATERIAL	22.	94.	171.	218.	224.
323 DEPOT REPAIR	7.	29.	53.	68.	70.
323.1 LABOR	0.	2.	4.	5.	5.
323.2 MATERIAL	6.	26.	47.	61.	62.
323.3 TRANSPORTATION	0.	1.	2.	3.	3.
324 DEPOT OVERHAUL	0.	0.	0.	0.	0.
324.1 LABOR	0.	0.	0.	0.	0.
324.2 MATERIAL CHARGES	0.	0.	0.	0.	0.
324.3 TRANSPORTATION	0.	0.	0.	0.	0.
325 OPR SOFTWARE SUPPORT	62.	179.	1047.	1210.	1240.
325.1 OPR SOFTWARE MAINT PERS	0.	0.	890.	1140.	1170.
325.2 OPR SOFTWARE CENTER	0.	29.	70.	70.	70.
325.3 CONTRACT OPR S/W MAINT	62.	150.	87.	0.	0.
326 M&D SOFTWARE SUPPORT	27.	50.	30.	30.	30.
326.1 M&D SOFTWARE MAINT PERS	0.	0.	0.	0.	0.
326.2 M&D SOFTWARE CENTER	12.	30.	30.	30.	30.
326.3 CONTRACT M&D S/W MAINT	14.	20.	0.	0.	0.
327 CONTRACT MAINTENANCE	175.	420.	420.	420.	245.
330 MODIFICATIONS	203.	878.	1594.	2042.	2097.
340 SUPPLY SUPPORT	9.	41.	74.	95.	97.
341 SUPPLY PERSONNEL	0.	0.	1.	1.	1.
342 SUPPLY FACILITIES	8.	36.	66.	85.	87.
343 INVENTORY ADMINISTRATION	1.	4.	7.	9.	9.
350 TECH DATA REVISIONS	1.	3.	6.	7.	7.
360 OTHER LOGISTIC SPT COSTS	53.	230.	418.	536.	550.
TOTAL OPERATING & SUPPORT	2305.	9460.	17501.	22158.	22562.

FIGURE 55. Annual report. - Continued

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:40Z
Check the source to verify that this is the current version before use.

COSTS IN THOUSANDS OF CONSTANT 1983 DOLLARS.
DATE 01/25/84 TIME 14:45:10

LIFE CYCLE COST ELEMENTS	FY1992	FY1993	FY1994	FY1995	FY1996
300 OPERATIONS AND SUPPORT					
310 OPERATIONS	17140.	17140.	17140.	17140.	17140.
311 OPERATOR PERSONNEL	1427.	1427.	1427.	1427.	1427.
311.1 CREW	1427.	1427.	1427.	1427.	1427.
311.2 INDIRECT PERSONNEL	0.	0.	0.	0.	0.
312 MATERIAL CONSUMPTION	14.	14.	14.	14.	14.
313 ENERGY CONSUMPTION	2988.	2988.	2988.	2988.	2988.
314 OPERATIONAL FACILITIES	367.	367.	367.	367.	367.
315 EQUIPMENT LEASEHOLDS	168.	168.	168.	168.	168.
316 OPERATIONAL TRANSPORTATION	12026.	12026.	12026.	12026.	12026.
317 OTHER OPERATIONS COSTS	150.	150.	150.	150.	150.
320 MAINTENANCE	2425.	2425.	2425.	2396.	2342.
321 ORGANIZATIONAL MAINTENANCE	639.	639.	639.	639.	639.
321.1 PERSONNEL	47.	47.	47.	47.	47.
321.2 MAINT MATERIAL	225.	225.	225.	225.	225.
322 INTERMEDIATE MAINTENANCE	445.	445.	445.	445.	445.
322.1 INTER MAINT PERSONNEL	9.	9.	9.	9.	9.
322.2 MAINT MATERIAL	224.	224.	224.	224.	224.
323 DEPOT REPAIR	70.	70.	70.	70.	70.
323.1 LABOR	5.	5.	5.	5.	5.
323.2 MATERIAL	62.	62.	62.	62.	62.
323.3 TRANSPORTATION	3.	3.	3.	3.	3.
324 DEPOT OVERHAUL	0.	0.	0.	0.	0.
324.1 LABOR	0.	0.	0.	0.	0.
324.2 MATERIAL CHARGES	0.	0.	0.	0.	0.
324.3 TRANSPORTATION	0.	0.	0.	0.	0.
325 OPR SOFTWARE SUPPORT	1240.	1240.	1240.	1211.	1170.
325.1 OPR SOFTWARE MAINT PERS	1170.	1170.	1170.	1170.	1170.
325.2 OPR SOFTWARE CENTER	70.	70.	70.	41.	0.
325.3 CONTRACT OPR S/W MAINT	0.	0.	0.	0.	0.
326 M&D SOFTWARE SUPPORT	30.	30.	30.	30.	17.
326.1 M&D SOFTWARE MAINT PERS	0.	0.	0.	0.	0.
326.2 M&D SOFTWARE CENTER	30.	30.	30.	30.	17.
326.3 CONTRACT M&D S/W MAINT	0.	0.	0.	0.	0.
327 CONTRACT MAINTENANCE	0.	0.	0.	0.	0.
330 MODIFICATIONS	2097.	2097.	2097.	2097.	2097.
340 SUPPLY SUPPORT	97.	97.	97.	97.	97.
341 SUPPLY PERSONNEL	1.	1.	1.	1.	1.
342 SUPPLY FACILITIES	87.	87.	87.	87.	87.
343 INVENTORY ADMINISTRATION	9.	9.	9.	9.	9.
350 TECH DATA REVISIONS	7.	7.	7.	7.	7.
360 OTHER LOGISTIC SPT COSTS	550.	550.	550.	550.	550.
TOTAL OPERATING & SUPPORT	22317.	22317.	22317.	22287.	22234.

FIGURE 55. Annual report. - Continued

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:40Z
Check the source to verify that this is the current version before use.

COSTS IN THOUSANDS OF CONSTANT 1983 DOLLARS.
DATE 01/25/84 TIME 14:45:45

LIFE CYCLE COST ELEMENTS	FY1997	FY1998	FY1999	FY2000	FY2001
300 OPERATIONS AND SUPPORT					
310 OPERATIONS	17140.	17140.	17140.	17140.	17140.
311 OPERATOR PERSONNEL	1427.	1427.	1427.	1427.	1427.
311.1 CREW	1427.	1427.	1427.	1427.	1427.
311.2 INDIRECT PERSONNEL	0.	0.	0.	0.	0.
312 MATERIAL CONSUMPTION	14.	14.	14.	14.	14.
313 ENERGY CONSUMPTION	2988.	2988.	2988.	2988.	2988.
314 OPERATIONAL FACILITIES	367.	367.	367.	367.	367.
315 EQUIPMENT LEASEHOLDS	168.	168.	168.	168.	168.
316 OPERATIONAL TRANSPORTATION	12026.	12026.	12026.	12026.	12026.
317 OTHER OPERATIONS COSTS	150.	150.	150.	150.	150.
320 MAINTENANCE	2325.	2325.	2325.	2325.	2325.
321 ORGANIZATIONAL MAINTENANCE	639.	639.	639.	639.	639.
321.1 PERSONNEL	47.	47.	47.	47.	47.
321.2 MAINT MATERIAL	225.	225.	225.	225.	225.
322 INTERMEDIATE MAINTENANCE	445.	445.	445.	445.	445.
322.1 INTER MAINT PERSONNEL	9.	9.	9.	9.	9.
322.2 MAINT MATERIAL	224.	224.	224.	224.	224.
323 DEPOT REPAIR	70.	70.	70.	70.	70.
323.1 LABOR	5.	5.	5.	5.	5.
323.2 MATERIAL	62.	62.	62.	62.	62.
323.3 TRANSPORTATION	3.	3.	3.	3.	3.
324 DEPOT OVERHAUL	0.	0.	0.	0.	0.
324.1 LABOR	0.	0.	0.	0.	0.
324.2 MATERIAL CHARGES	0.	0.	0.	0.	0.
324.3 TRANSPORTATION	0.	0.	0.	0.	0.
325 OPR SOFTWARE SUPPORT	1170.	1170.	1170.	1170.	1170.
325.1 OPR SOFTWARE MAINT PERS	1170.	1170.	1170.	1170.	1170.
325.2 OPR SOFTWARE CENTER	0.	0.	0.	0.	0.
325.3 CONTRACT OPR S/W MAINT	0.	0.	0.	0.	0.
326 M&D SOFTWARE SUPPORT	0.	0.	0.	0.	0.
326.1 M&D SOFTWARE MAINT PERS	0.	0.	0.	0.	0.
326.2 M&D SOFTWARE CENTER	0.	0.	0.	0.	0.
326.3 CONTRACT M&D S/W MAINT	0.	0.	0.	0.	0.
327 CONTRACT MAINTENANCE	0.	0.	0.	0.	0.
330 MODIFICATIONS	2097.	2097.	2097.	2097.	2097.
340 SUPPLY SUPPORT	97.	97.	97.	97.	97.
341 SUPPLY PERSONNEL	1.	1.	1.	1.	1.
342 SUPPLY FACILITIES	87.	87.	87.	87.	87.
343 INVENTORY ADMINISTRATION	9.	9.	9.	9.	9.
350 TECH DATA REVISIONS	7.	7.	7.	7.	7.
360 OTHER LOGISTIC SPT COSTS	550.	550.	550.	550.	550.
TOTAL OPERATING & SUPPORT	22217.	22217.	22217.	22217.	22217.

FIGURE 55. Annual report. - Continued

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:40Z
Check the source to verify that this is the current version before use.

COSTS IN THOUSANDS OF CONSTANT 1983 DOLLARS.
DATE 01/25/84 TIME 14:46:22

LIFE CYCLE COST ELEMENTS	FY2002	FY2003	FY2004	FY2005	TOTAL
300 OPERATIONS AND SUPPORT					
310 OPERATIONS	15478.	9965.	4107.	446.	257106.
311 OPERATOR PERSONNEL	1289.	830.	342.	37.	21406.
311.1 CREW	1289.	830.	342.	37.	21406.
311.2 INDIRECT PERSONNEL	0.	0.	0.	0.	0.
312 MATERIAL CONSUMPTION	13.	8.	3.	0.	216.
313 ENERGY CONSUMPTION	2698.	1737.	716.	78.	44818.
314 OPERATIONAL FACILITIES	332.	214.	88.	10.	5512.
315 EQUIPMENT LEASEHOLDS	152.	98.	40.	4.	2520.
316 OPERATIONAL TRANSPORTATION	10859.	6991.	2881.	313.	180383.
317 OTHER OPERATIONS COSTS	135.	87.	36.	4.	2250.
320 MAINTENANCE	2099.	1351.	557.	61.	37041.
321 ORGANIZATIONAL MAINTENANCE	577.	371.	153.	17.	9584.
321.1 PERSONNEL	42.	27.	11.	1.	702.
321.2 MAINT MATERIAL	203.	131.	54.	6.	3370.
322 INTERMEDIATE MAINTENANCE	402.	259.	107.	12.	6678.
322.1 INTER MAINT PERSONNEL	8.	5.	2.	0.	135.
322.2 MAINT MATERIAL	203.	130.	54.	6.	3364.
323 DEPOT REPAIR	63.	41.	17.	2.	1053.
323.1 LABOR	4.	3.	1.	0.	74.
323.2 MATERIAL	56.	36.	15.	2.	937.
323.3 TRANSPORTATION	3.	2.	1.	0.	42.
324 DEPOT OVERHAUL	0.	0.	0.	0.	0.
324.1 LABOR	0.	0.	0.	0.	0.
324.2 MATERIAL CHARGES	0.	0.	0.	0.	0.
324.3 TRANSPORTATION	0.	0.	0.	0.	0.
325 OPR SOFTWARE SUPPORT	1057.	680.	280.	30.	17741.
325.1 OPR SOFTWARE MAINT PERS	1057.	680.	280.	30.	16951.
325.2 OPR SOFTWARE CENTER	0.	0.	0.	0.	490.
325.3 CONTRACT OPR S/W MAINT	0.	0.	0.	0.	300.
326 M&D SOFTWARE SUPPORT	0.	0.	0.	0.	304.
326.1 M&D SOFTWARE MAINT PERS	0.	0.	0.	0.	0.
326.2 M&D SOFTWARE CENTER	0.	0.	0.	0.	270.
326.3 CONTRACT M&D S/W MAINT	0.	0.	0.	0.	34.
327 CONTRACT MAINTENANCE	0.	0.	0.	0.	1680.
330 MODIFICATIONS	1893.	1219.	502.	55.	31452.
340 SUPPLY SUPPORT	88.	56.	23.	3.	1458.
341 SUPPLY PERSONNEL	1.	1.	0.	0.	15.
342 SUPPLY FACILITIES	79.	51.	21.	2.	1305.
343 INVENTORY ADMINISTRATION	8.	5.	2.	0.	137.
350 TECH DATA REVISIONS	7.	4.	2.	0.	112.
360 OTHER LOGISTIC SPT COSTS	497.	320.	132.	14.	8250.
TOTAL OPERATING & SUPPORT	20062.	12916.	5323.	579.	335419.

DEPLOYMENT WILL BE DELAYED DUE TO O&M FUNDING CONSTRAINTS

FIGURE 55. Annual report. - Continued

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:40Z
Check the source to verify that this is the current version before use.

POM/BUDGET REPORT FOR SAMPLE
TOTAL OBLIGATION AUTHORITY IN THOUSANDS OF CONSTANT 1983 DOLLARS
BUDGET YEAR 1985
DATE 01/25/84 TIME 09:48:08

RESEARCH & DEVELOPMENT

BUDGET CATEGORY	FY 1983	FY 1984	FY 1985	FY 1986
RDT&E	71211.	13951.	0.	0.
MILCON	0.	0.	0.	0.
PROC	0.	0.	0.	0.
O&M	0.	0.	0.	0.
OP	0.	0.	0.	0.
MP	0.	0.	0.	0.

BUDGET CATEGORY	FY 1987	FY 1988	FY 1989	OUTYEARS
RDT&E	0.	0.	0.	0.
MILCON	0.	0.	0.	0.
PROC	0.	0.	0.	0.
O&M	0.	0.	0.	0.
OP	0.	0.	0.	0.
MP	0.	0.	0.	0.

THE R&D PHASE WILL BE EXTENDED DUE TO TEST FAILURES

PRODUCTION

BUDGET CATEGORY	FY 1983	FY 1984	FY 1985	FY 1986
RDT&E	0.	0.	0.	0.
MILCON	0.	0.	8.	10.
PROC	0.	0.	10725.	64813.
O&M	0.	0.	56.	26.
OP	0.	0.	40.	14.
MP	0.	0.	32.	11.

BUDGET CATEGORY	FY 1987	FY 1988	FY 1989	OUTYEARS
RDT&E	0.	0.	0.	0.
MILCON	11.	8.	0.	0.
PROC	56762.	56475.	56186.	0.
O&M	11.	14.	0.	0.
OP	0.	5.	0.	0.
MP	0.	4.	0.	0.

THE PRODUCTION SCHEDULE HAS BEEN SHORTENED DUE TO THE INTRODUCTION OF ROBOTICS
STRATEGIC MATERIALS ARE NO LONGER AN ISSUE

FIGURE 56. Program objective memorandum report.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:40Z
Check the source to verify that this is the current version before use.

POM/BUDGET REPORT FOR SAMPLE
TOTAL OBLIGATION AUTHORITY IN THOUSANDS OF CONSTANT 1983 DOLLARS
BUDGET YEAR 1985

DATE 01/25/84 TIME 09:48:34
OPERATING & SUPPORT

BUDGET CATEGORY	FY 1983	FY 1984	FY 1985	FY 1986
RDT&E	0.	0.	0.	0.
MILCON	0.	0.	0.	0.
PROC	0.	0.	0.	0.
O&M	0.	0.	0.	0.
OP	0.	0.	0.	0.
MP	0.	0.	0.	0.

BUDGET CATEGORY	FY 1987	FY 1988	FY 1989	OUTYEARS
RDT&E	0.	0.	0.	0.
MILCON	0.	0.	0.	0.
PROC	10.	45.	91.	1644.
O&M	2152.	8800.	15499.	270021.
OP	0.	0.	0.	0.
MP	132.	572.	1616.	29158.

DEPLOYMENT WILL BE DELAYED DUE TO O&M FUNDING CONSTRAINTS

TOTALS

BUDGET CATEGORY	FY 1983	FY 1984	FY 1985	FY 1986
RDT&E	71211.	13951.	0.	0.
MILCON	0.	0.	8.	10.
PROC	0.	0.	10725.	64813.
O&M	0.	0.	56.	26.
OP	0.	0.	40.	14.
MP	0.	0.	32.	11.
TOTAL	71211.	13951.	10860.	64873.

BUDGET CATEGORY	FY 1987	FY 1988	FY 1989	OUTYEARS
RDT&E	0.	0.	0.	0.
MILCON	11.	8.	0.	0.
PROC	56773.	56520.	56277.	1644.
O&M	2163.	8814.	15499.	270021.
OP	0.	5.	0.	0.
MP	132.	575.	1616.	29158.
TOTAL	59079.	65921.	73392.	300823.

FIGURE 56. Program objective memorandum report. - Continued

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:40Z
Check the source to verify that this is the current version before use.

ARMY LIFE CYCLE COST MATRIX FOR SAMPLE

COST IN MILLIONS OF CONSTANT 1983 DOLLARS
DATE: 01/25/84 TIME: 11:28:06

ROW	DEFN REF	+ COST ELEMENT +	+ SYSTEM STRUCTURE TOTAL	INTEGRAT AND ASSEM	SENSORS	COMMUNI-CATIONS	COMPUTER ADPE	COMPUTER PROGRAMS	DATA DISPLAYS	AUX EQUIP	COMMON SUPPORT EQUIP	PECULIAR SUPPORT EQUIP	OTHER EQUIP
1	1.0	RESEARCH AND DEVELOPMENT	73.94			1.14	0.65	52.64	5 52.64				
2	1.01	DEVELOPMENT ENGINEERING	53.48			0.55	0.29	52.64	9 52.64				
3	1.02	PROD ENG & PLAN(PEP)	0.45			0.34	0.10		0				
4	1.03	TOOLING	0.17			0.04	0.13		3				
5	1.04	PROTOTYPE MANUFACTURING	0.26			0.15	0.11		1				
6	1.05	DATA	0.79										
7	1.06	SYSTEM TEST & EVALUATION	1.45										
8	1.07	SYSTEM/PROJECT MANAGEMENT	16.50										
9	1.08	TRAINING	0.41										
10	1.09	FACILITIES	0.37										
11	1.10	OTHER	0.06			0.06	0.01		1				
12	2.0	INVESTMENT	245.21			234.11	8.81	0.06	1 0.06				
13	2.01	NONRECURRING INVESTMENT	0.26				0.01		1				
14	2.02	PRODUCTION	210.05			201.82	7.86	0.06	6 0.06				
15	2.03	ENGINEERING CHANGES	16.46			16.15	0.31		1				
16	2.04	SYSTEM TEST & EVALUATION	0.40										
17	2.05	DATA	0.24										
18	2.06	SYSTEM/PROJECT MANAGEMENT	0.64										
19	2.07	OPRL/SITE ACTIVATION	0.09										
20	2.08	TRAINING	0.24										
21	2.09	INIT SPARES & REPAIR PART	16.77			16.15	0.63						
22	2.10	TRANSPORTATION	0.05										

FIGURE 57. Army report.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:40Z
Check the source to verify that this is the current version before use.

ARMY LIFE CYCLE COST MATRIX FOR SAMPLE - CONTINUED

ROW	DEFN REF	+ COST ELEMENT +	+ SYSTEM STRUCTURE TOTAL	INTEGRAT AND ASSEM	SENSORS	COMMUNI-CATIONS	COMPUTER ADPE	COMPUTER PROGRAMS	DATA DISPLAYS	AUX EQUIP	COMMON SUPPORT EQUIP	PECULIAR SUPPORT EQUIP	PECULIAR OTHER EQUIP
24	3.0	OPERATING AND SUPPORT COST	323.75			37.26	60.23	7.09					
25	3.01	MILITARY PERSONNEL	14.88			0.02	8.95	0.23					
26	3.011	CREW PAY & ALLOWANCES	13.20				7.90						
27	1.012	MAINT PAY & ALLOWANCES	0.52			0.02	0.49						
28	3.013	INDIRECT PAY AND ALLOW	0.02										
29	3.014	PERM CHANGE OF STATION	1.15				0.55	0.23					
30	3.02	CONSUMPTION	6.77			3.36	3.41						
31	3.021	REPLENISHMENT SPARES	6.77			3.36	3.41						
34	3.03	DEPOT MAINTENANCE	1.05			0.54	0.51						
35	3.031	LABOR	0.07			0.01	0.06						
36	3.032	MATERIEL	0.94			0.52	0.41						
37	3.033	TRANSPORTATION	0.04				0.04						
38	3.04	MODIFICATIONS, MATERIEL	31.45			30.27	1.18						
39	3.05	OTHER DIRECT SUPT OPRNS	73.25			3.06	41.88	5.29					
41	3.052	OTHER DIRECT	73.25			3.06	41.88	5.29					
42	3.06	INDIRECT SUPT OPERATIONS	196.35			0.01	4.30	1.57					
43	3.061	PERSONNEL REPLACEMENT	3.41				2.92	0.41					
44	3.062	TRANS,PATIENTS & PRIS	0.63				0.28	0.17					
45	3.063	QTRS,MAINT & UTILITIES	2.80				0.81	0.77					
46	3.064	MEDICAL SUPPORT	0.78				0.20	0.22					
47	3.065	OTHER INDIRECT	188.73				0.09						
48		TOTAL SYSTEM COST	642.91			272.51	69.69	59.79					
49		TRADE-DEM&VAL	8.83			0.18	0.01	8.64					
50		TRADE-FSD	2.39			0.01	0.02	2.36					

THE R&D PHASE WILL BE EXTENDED DUE TO TEST FAILURES
THE PRODUCTION SCHEDULE HAS BEEN SHORTENED DUE TO THE INTRODUCTION OF ROBOTICS
STRATEGIC MATERIALS ARE NO LONGER AN ISSUE
DEPLOYMENT WILL BE DELAYED DUE TO O&M FUNDING CONSTRAINTS

FIGURE 57. Army report. - Continued

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:40Z
Check the source to verify that this is the current version before use.

ANNUAL LIFE CYCLE COSTS FOR SAMPLE

COSTS IN THOUSANDS OF INFLATED 1983 DOLLARS.
DATE 01/25/84 TIME 14:47:32

LIFE CYCLE COST ELEMENTS		FY1983	FY1984	TOTAL
100	R & D			
110	CONCPT EXPL & VALID	70550.	0.	70550.
111	CONTRACTOR	70139.	0.	70139.
112	GOVERNMENT	411.	0.	411.
120	FULL SCALE DEVEL	661.	14556.	15217.
120.1	CONTRACTOR	641.	14119.	14760.
120.2	GOVERNMENT	20.	437.	457.
TOTAL RESEARCH & DEVELOPMENT		71211.	14556.	85767.

THE R&D PHASE WILL BE EXTENDED DUE TO TEST FAILURES

LIFE CYCLE COST ELEMENTS		FY1985	FY1986	FY1987	FY1988	FY1989
200	PRODUCTION					
210	NON-RECURRING	484.	397.	377.	322.	0.
211.1	CONTRACTOR	240.	310.	377.	288.	0.
212.1	GOVERNMENT	244.	87.	0.	34.	0.
220	RECURRING	11705.	76525.	70743.	74428.	78510.
221.1	CONTRACTOR	11522.	76293.	70497.	74363.	78510.
222.1	GOVERNMENT	183.	232.	246.	65.	0.
TOTAL PRODUCTION		12189.	76922.	71119.	74750.	78510.

LIFE CYCLE COST ELEMENTS		TOTAL
200	PRODUCTION	
210	NON-RECURRING	1580.
211.1	CONTRACTOR	1214.
212.1	GOVERNMENT	366.
220	RECURRING	311911.
221.1	CONTRACTOR	311184.
222.1	GOVERNMENT	726.
TOTAL PRODUCTION		313491.

THE PRODUCTION SCHEDULE HAS BEEN SHORTENED DUE TO THE INTRODUCTION OF ROBOTICS
STRATEGIC MATERIALS ARE NO LONGER AN ISSUE

FIGURE 58. Inflated annual report.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:40Z
Check the source to verify that this is the current version before use.

ANNUAL LIFE CYCLE COSTS FOR SAMPLE

COSTS IN THOUSANDS OF INFLATED 1983 DOLLARS.
DATE 01/25/84 TIME 14:47:56

LIFE CYCLE COST ELEMENTS	FY1987	FY1988	FY1989	FY1990	FY1991
300 OPERATIONS AND SUPPORT					
310 OPERATIONS	1985.	8951.	16986.	22728.	24379.
311 OPERATOR PERSONNEL	168.	759.	1444.	1939.	2088.
311.1 CREW	168.	759.	1444.	1939.	2088.
311.2 INDIRECT PERSONNEL	0.	0.	0.	0.	0.
312 MATERIAL CONSUMPTION	2.	8.	14.	19.	20.
313 ENERGY CONSUMPTION	346.	1558.	2955.	3953.	4239.
314 OPERATIONAL FACILITIES	42.	192.	363.	486.	521.
315 EQUIPMENT LEASEHOLDS	19.	88.	166.	222.	238.
316 OPERATIONAL TRANSPORTATION	1391.	6270.	11894.	15910.	17060.
317 OTHER OPERATIONS COSTS	17.	78.	148.	198.	213.
320 MAINTENANCE	473.	1431.	3124.	3836.	3854.
321 ORGANIZATIONAL MAINTENANCE	74.	334.	633.	847.	908.
321.1 PERSONNEL	5.	25.	47.	64.	68.
321.2 MAINT MATERIAL	26.	117.	222.	297.	319.
322 INTERMEDIATE MAINTENANCE	52.	235.	447.	600.	645.
322.1 INTER MAINT PERSONNEL	1.	5.	9.	12.	13.
322.2 MAINT MATERIAL	26.	120.	228.	307.	331.
323 DEPOT REPAIR	8.	37.	69.	93.	100.
323.1 LABOR	1.	3.	5.	7.	7.
323.2 MATERIAL	7.	33.	62.	83.	89.
323.3 TRANSPORTATION	0.	1.	3.	4.	4.
324 DEPOT OVERHAUL	0.	0.	0.	0.	0.
324.1 LABOR	0.	0.	0.	0.	0.
324.2 MATERIAL CHARGES	0.	0.	0.	0.	0.
324.3 TRANSPORTATION	0.	0.	0.	0.	0.
325 OPR SOFTWARE SUPPORT	75.	223.	1389.	1685.	1811.
325.1 OPR SOFTWARE MAINT PERS	0.	0.	1184.	1590.	1712.
325.2 OPR SOFTWARE CENTER	0.	36.	91.	95.	99.
325.3 CONTRACT OPR S/W MAINT	75.	187.	114.	0.	0.
326 M&D SOFTWARE SUPPORT	55.	80.	39.	41.	43.
326.1 M&D SOFTWARE MAINT PERS	0.	0.	0.	0.	0.
326.2 M&D SOFTWARE CENTER	15.	37.	39.	41.	43.
326.3 CONTRACT M&D S/W MAINT	41.	42.	0.	0.	0.
327 CONTRACT MAINTENANCE	209.	523.	546.	571.	348.
330 MODIFICATIONS	242.	1093.	2074.	2774.	2975.
340 SUPPLY SUPPORT	11.	51.	96.	129.	138.
341 SUPPLY PERSONNEL	0.	1.	1.	1.	1.
342 SUPPLY FACILITIES	10.	45.	86.	115.	123.
343 INVENTORY ADMINISTRATION	1.	5.	9.	12.	13.
350 TECH DATA REVISIONS	1.	4.	7.	10.	11.
360 OTHER LOGISTIC SPT COSTS	64.	288.	548.	733.	787.
TOTAL OPERATING & SUPPORT	2776.	11819.	22835.	30210.	32144.

FIGURE 58. Inflated annual report. - Continued

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:40Z
Check the source to verify that this is the current version before use.

COSTS IN THOUSANDS OF INFLATED 1983 DOLLARS.
DATE 01/25/84 TIME 14:48:29

LIFE CYCLE COST ELEMENTS	FY1992	FY1993	FY1994	FY1995	FY1996
300 OPERATIONS AND SUPPORT					
310 OPERATIONS	25469.	26608.	27798.	29041.	30340.
311 OPERATOR PERSONNEL	2189.	2294.	2405.	2522.	2644.
311.1 CREW	2189.	2294.	2405.	2522.	2644.
311.2 INDIRECT PERSONNEL	0.	0.	0.	0.	0.
312 MATERIAL CONSUMPTION	21.	22.	23.	24.	25.
313 ENERGY CONSUMPTION	4427.	4623.	4828.	5043.	5266.
314 OPERATIONAL FACILITIES	544.	569.	594.	620.	648.
315 EQUIPMENT LEASEHOLDS	249.	260.	271.	284.	296.
316 OPERATIONAL TRANSPORTATION	17817.	18608.	19433.	20296.	21196.
317 OTHER OPERATIONS COSTS	222.	232.	242.	253.	264.
320 MAINTENANCE	3670.	3843.	4023.	4162.	4263.
321 ORGANIZATIONAL MAINTENANCE	949.	991.	1036.	1082.	1130.
321.1 PERSONNEL	72.	75.	79.	83.	86.
321.2 MAINT MATERIAL	333.	348.	363.	379.	396.
322 INTERMEDIATE MAINTENANCE	675.	707.	740.	775.	811.
322.1 INTER MAINT PERSONNEL	14.	14.	15.	16.	17.
322.2 MAINT MATERIAL	347.	364.	382.	401.	421.
323 DEPOT REPAIR	104.	109.	113.	118.	124.
323.1 LABOR	7.	8.	8.	8.	9.
323.2 MATERIAL	93.	97.	101.	105.	110.
323.3 TRANSPORTATION	4.	4.	5.	5.	5.
324 DEPOT OVERHAUL	0.	0.	0.	0.	0.
324.1 LABOR	0.	0.	0.	0.	0.
324.2 MATERIAL CHARGES	0.	0.	0.	0.	0.
324.3 TRANSPORTATION	0.	0.	0.	0.	0.
325 OPR SOFTWARE SUPPORT	1898.	1989.	2085.	2136.	2167.
325.1 OPR SOFTWARE MAINT PERS	1794.	1881.	1972.	2067.	2167.
325.2 OPR SOFTWARE CENTER	104.	108.	113.	69.	0.
325.3 CONTRACT OPR S/W MAINT	0.	0.	0.	0.	0.
326 M&D SOFTWARE SUPPORT	44.	46.	48.	51.	31.
326.1 M&D SOFTWARE MAINT PERS	0.	0.	0.	0.	0.
326.2 M&D SOFTWARE CENTER	44.	46.	48.	51.	31.
326.3 CONTRACT M&D S/W MAINT	0.	0.	0.	0.	0.
327 CONTRACT MAINTENANCE	0.	0.	0.	0.	0.
330 MODIFICATIONS	3107.	3244.	3388.	3539.	3696.
340 SUPPLY SUPPORT	144.	150.	157.	164.	171.
341 SUPPLY PERSONNEL	2.	2.	2.	2.	2.
342 SUPPLY FACILITIES	129.	135.	141.	147.	153.
343 INVENTORY ADMINISTRATION	14.	14.	15.	15.	16.
350 TECH DATA REVISIONS	11.	12.	12.	13.	13.
360 OTHER LOGISTIC SPT COSTS	823.	861.	900.	941.	984.
TOTAL OPERATING & SUPPORT	33225.	34718.	36278.	37860.	39468.

FIGURE 58. Inflated annual report. - Continued

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:40Z
Check the source to verify that this is the current version before use.

COSTS IN THOUSANDS OF INFLATED 1983 DOLLARS.
DATE 01/25/84 TIME 14:49:08

LIFE CYCLE COST ELEMENTS	FY1997	FY1998	FY1999	FY2000	FY2001
300 OPERATIONS AND SUPPORT					
310 OPERATIONS	31697.	33114.	34595.	36142.	37759.
311 OPERATOR PERSONNEL	2771.	2905.	3046.	3193.	3348.
311.1 CREW	2771.	2905.	3046.	3193.	3348.
311.2 INDIRECT PERSONNEL	0.	0.	0.	0.	0.
312 MATERIAL CONSUMPTION	27.	28.	29.	30.	32.
313 ENERGY CONSUMPTION	5500.	5744.	5999.	6265.	6543.
314 OPERATIONAL FACILITIES	676.	707.	738.	771.	805.
315 EQUIPMENT LEASEHOLDS	309.	323.	337.	352.	368.
316 OPERATIONAL TRANSPORTATION	22137.	23119.	24145.	25216.	26335.
317 OTHER OPERATIONS COSTS	276.	288.	301.	315.	328.
320 MAINTENANCE	4432.	4640.	4858.	5087.	5326.
321 ORGANIZATIONAL MAINTENANCE	1181.	1233.	1289.	1346.	1406.
321.1 PERSONNEL	91.	95.	100.	104.	109.
321.2 MAINT MATERIAL	414.	432.	451.	471.	492.
322 INTERMEDIATE MAINTENANCE	850.	890.	932.	976.	1022.
322.1 INTER MAINT PERSONNEL	17.	18.	19.	20.	21.
322.2 MAINT MATERIAL	442.	464.	487.	511.	536.
323 DEPOT REPAIR	129.	135.	141.	147.	154.
323.1 LABOR	9.	10.	10.	10.	11.
323.2 MATERIAL	115.	120.	125.	131.	137.
323.3 TRANSPORTATION	5.	5.	6.	6.	6.
324 DEPOT OVERHAUL	0.	0.	0.	0.	0.
324.1 LABOR	0.	0.	0.	0.	0.
324.2 MATERIAL CHARGES	0.	0.	0.	0.	0.
324.3 TRANSPORTATION	0.	0.	0.	0.	0.
325 OPR SOFTWARE SUPPORT	2272.	2382.	2497.	2618.	2744.
325.1 OPR SOFTWARE MAINT PERS	2272.	2382.	2497.	2618.	2744.
325.2 OPR SOFTWARE CENTER	0.	0.	0.	0.	0.
325.3 CONTRACT OPR S/W MAINT	0.	0.	0.	0.	0.
326 M&D SOFTWARE SUPPORT	0.	0.	0.	0.	0.
326.1 M&D SOFTWARE MAINT PERS	0.	0.	0.	0.	0.
326.2 M&D SOFTWARE CENTER	0.	0.	0.	0.	0.
326.3 CONTRACT M&D S/W MAINT	0.	0.	0.	0.	0.
327 CONTRACT MAINTENANCE	0.	0.	0.	0.	0.
330 MODIFICATIONS	3860.	4031.	4210.	4397.	4592.
340 SUPPLY SUPPORT	179.	187.	195.	204.	213.
341 SUPPLY PERSONNEL	2.	2.	2.	2.	2.
342 SUPPLY FACILITIES	160.	167.	175.	182.	191.
343 INVENTORY ADMINISTRATION	17.	18.	18.	19.	20.
350 TECH DATA REVISIONS	14.	14.	15.	16.	16.
360 OTHER LOGISTIC SPT COSTS	1029.	1076.	1125.	1176.	1230.
TOTAL OPERATING & SUPPORT	41210.	43062.	44998.	47021.	49136.

FIGURE 58. Inflated annual report. - Continued

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:40Z
Check the source to verify that this is the current version before use.

COSTS IN THOUSANDS OF INFLATED 1983 DOLLARS.
DATE 01/25/84 TIME 14:49:42

LIFE CYCLE COST ELEMENTS	FY2002	FY2003	FY2004	FY2005	TOTAL
300 OPERATIONS AND SUPPORT					
310 OPERATIONS	35622.	23959.	10315.	1121.	458612.
311 OPERATOR PERSONNEL	3169.	2139.	924.	100.	40048.
311.1 CREW	3169.	2139.	924.	100.	40048.
311.2 INDIRECT PERSONNEL	0.	0.	0.	0.	0.
312 MATERIAL CONSUMPTION	30.	20.	9.	1.	384.
313 ENERGY CONSUMPTION	6171.	4149.	1786.	194.	79589.
314 OPERATIONAL FACILITIES	759.	510.	220.	24.	9789.
315 EQUIPMENT LEASEHOLDS	347.	233.	100.	11.	4475.
316 OPERATIONAL TRANSPORTATION	24837.	16699.	7187.	781.	320330.
317 OTHER OPERATIONS COSTS	310.	208.	90.	10.	3996.
320 MAINTENANCE	5036.	3394.	1465.	159.	67075.
321 ORGANIZATIONAL MAINTENANCE	1327.	892.	384.	42.	17083.
321.1 PERSONNEL	104.	70.	30.	3.	1310.
321.2 MAINT MATERIAL	464.	312.	134.	15.	5984.
322 INTERMEDIATE MAINTENANCE	966.	651.	281.	31.	12284.
322.1 INTER MAINT PERSONNEL	20.	13.	6.	1.	252.
322.2 MAINT MATERIAL	509.	344.	149.	16.	6386.
323 DEPOT REPAIR	145.	97.	42.	5.	1870.
323.1 LABOR	10.	7.	3.	0.	132.
323.2 MATERIAL	129.	87.	37.	4.	1663.
323.3 TRANSPORTATION	6.	4.	2.	0.	74.
324 DEPOT OVERHAUL	0.	0.	0.	0.	0.
324.1 LABOR	0.	0.	0.	0.	0.
324.2 MATERIAL CHARGES	0.	0.	0.	0.	0.
324.3 TRANSPORTATION	0.	0.	0.	0.	0.
325 OPR SOFTWARE SUPPORT	2598.	1753.	758.	82.	33164.
325.1 OPR SOFTWARE MAINT PERS	2598.	1753.	758.	82.	32073.
325.2 OPR SOFTWARE CENTER	0.	0.	0.	0.	716.
325.3 CONTRACT OPR S/W MAINT	0.	0.	0.	0.	375.
326 M&D SOFTWARE SUPPORT	0.	0.	0.	0.	478.
326.1 M&D SOFTWARE MAINT PERS	0.	0.	0.	0.	0.
326.2 M&D SOFTWARE CENTER	0.	0.	0.	0.	395.
326.3 CONTRACT M&D S/W MAINT	0.	0.	0.	0.	83.
327 CONTRACT MAINTENANCE	0.	0.	0.	0.	2196.
330 MODIFICATIONS	4331.	2912.	1253.	136.	55853.
340 SUPPLY SUPPORT	201.	135.	58.	6.	2589.
341 SUPPLY PERSONNEL	2.	1.	1.	0.	27.
342 SUPPLY FACILITIES	180.	121.	52.	6.	2317.
343 INVENTORY ADMINISTRATION	19.	13.	5.	1.	244.
350 TECH DATA REVISIONS	15.	10.	4.	0.	200.
360 OTHER LOGISTIC SPT COSTS	1161.	782.	337.	37.	14881.
TOTAL OPERATING & SUPPORT	46366.	31192.	13433.	1460.	599210.

DEPLOYMENT WILL BE DELAYED DUE TO O&M FUNDING CONSTRAINTS

FIGURE 58. Inflated annual report. - Continued

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:40Z
Check the source to verify that this is the current version before use.

POM/BUDGET REPORT FOR SAMPLE
TOTAL OBLIGATION AUTHORITY IN THOUSANDS OF INFLATED 1983 DOLLARS
BUDGET YEAR 1984
DATE 05/26/83 TIME 19:28:05
RESEARCH & DEVELOPMENT

BUDGET CATEGORY	FY 1982	FY 1983	FY 1984	FY 1985
RDT&E	0.	71216.	14562.	0.
MILCON	0.	0.	0.	0.
PROC	0.	0.	0.	0.
O&M	0.	0.	0.	0.
OP	0.	0.	0.	0.
MP	0.	0.	0.	0.

BUDGET CATEGORY	FY 1986	FY 1987	FY 1988	OUTYEARS
RDT&E	0.	0.	0.	0.
MILCON	0.	0.	0.	0.
PROC	0.	0.	0.	0.
O&M	0.	0.	0.	0.
OP	0.	0.	0.	0.
MP	0.	0.	0.	0.

THE R&D PHASE WILL BE EXTENDED DUE TO TEST FAILURES

PRODUCTION

BUDGET CATEGORY	FY 1982	FY 1983	FY 1984	FY 1985
RDT&E	0.	0.	0.	0.
MILCON	0.	0.	0.	8.
PROC	0.	0.	0.	12045.
O&M	0.	0.	0.	61.
OP	0.	0.	0.	45.
MP	0.	0.	0.	35.

BUDGET CATEGORY	FY 1986	FY 1987	FY 1988	OUTYEARS
RDT&E	0.	0.	0.	0.
MILCON	11.	13.	10.	0.
PROC	76860.	71100.	74713.	78510.
O&M	30.	13.	17.	0.
OP	16.	0.	6.	0.
MP	12.	0.	5.	0.

THE PRODUCTION SCHEDULE HAS BEEN SHORTENED DUE TO INTRODUCTION OF ROBOTICS

FIGURE 59. Inflated program objective memorandum report.

Source: https://assist.dla.mil -- Downloaded: 2020-10-26T13:40Z
Check the source to verify that this is the current version before use.

OPERATING & SUPPORT

BUDGET CATEGORY	FY 1982	FY 1983	FY 1984	FY 1985
RDT&E	0.	0.	0.	0.
MILCON	0.	0.	0.	0.
PROC	0.	0.	0.	0.
O&M	0.	0.	0.	0.
OP	0.	0.	0.	0.
MP	0.	0.	0.	0.

BUDGET CATEGORY	FY 1986	FY 1987	FY 1988	OUTYEARS
RDT&E	0.	0.	0.	0.
MILCON	0.	0.	0.	0.
PROC	0.	8.	89.	8309.
O&M	0.	943.	7344.	526573.
OP	0.	0.	0.	0.
MP	0.	43.	468.	60911.

DEPLOYMENT WILL BE DELAYED DUE TO O&M FUNDING DELAYS

TOTALS

BUDGET CATEGORY	FY 1982	FY 1983	FY 1984	FY 1985
RDT&E	0.	71216.	14562.	0.
MILCON	0.	0.	0.	8.
PROC	0.	0.	0.	12045.
O&M	0.	0.	0.	61.
OP	0.	0.	0.	45.
MP	0.	0.	0.	35.
TOTAL	0.	71216.	14562.	12194.

BUDGET CATEGORY	FY 1986	FY 1987	FY 1988	OUTYEARS
RDT&E	0.	0.	0.	0.
MILCON	11.	13.	10.	0.
PROC	76860.	71108.	74803.	86820.
O&M	30.	956.	7362.	526573.
OP	16.	0.	6.	0.
MP	12.	43.	473.	60911.
TOTAL	76929.	72121.	82653.	674303.

FIGURE 59. Inflated program objective memorandum report. - Continued

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:40Z
Check the source to verify that this is the current version before use.

INFLATION RATES	FY 83	FY 84	FY 85	FY 86	FY 87	FY 88	FY 89
RDT&E	.049	.043	.048	.044	.044	.044	.044
MILCON	.047	.045	.044	.044	.044	.044	.044
PROC	.064	.060	.059	.056	.056	.056	.056
O&M	.049	.046	.045	.044	.044	.044	.044
OP	.058	.055	.054	.052	.052	.052	.052
MP	.062	.052	.048	.049	.049	.049	.049
RATE1	.000	.000	.000	.000	.000	.000	.000
RATE2	.000	.000	.000	.000	.000	.000	.000

INFLATION RATES	FY 90	FY 91	FY 92	FY 93	FY 94	FY 95	FY 96
RDT&E	.044	.044	.044	.044	.044	.044	.044
MILCON	.044	.044	.044	.044	.044	.044	.044
PROC	.056	.056	.056	.056	.056	.056	.056
O&M	.044	.044	.044	.044	.044	.044	.044
OP	.052	.052	.052	.052	.052	.052	.052
MP	.049	.049	.049	.049	.049	.049	.049
RATE1	.000	.000	.000	.000	.000	.000	.000
RATE2	.000	.000	.000	.000	.000	.000	.000

INFLATION RATES	FY 97	FY 98	FY 99	FY 0	FY 1	FY 2	FY 3
RDT&E	.044	.044	.044	.044	.044	.044	.044
MILCON	.044	.044	.044	.044	.044	.044	.044
PROC	.056	.056	.056	.056	.056	.056	.056
O&M	.044	.044	.044	.044	.044	.044	.044
OP	.052	.052	.052	.052	.052	.052	.052
MP	.049	.049	.049	.049	.049	.049	.049
RATE1	.000	.000	.000	.000	.000	.000	.000
RATE2	.000	.000	.000	.000	.000	.000	.000

INFLATION RATES	FY 4	FY 5
RDT&E	.044	.000
MILCON	.044	.000
PROC	.056	.000
O&M	.044	.000
OP	.052	.000
MP	.049	.000
RATE1	.000	.000
RATE2	.000	.000

FIGURE 59. Inflated program objective memorandum report. - Continued

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:40Z
Check the source to verify that this is the current version before use.

LIFE CYCLE COST TABLE FOR SAMPLE

COSTS IN THOUSANDS OF CONSTANT AND INFLATED 1983 DOLLARS
DATE 01/25/84 TIME 10:04:01

LIFE CYCLE COST ELEMENTS	CONSTANT 1983 DOLLARS	INFLATED 1983 DOLLARS
100 R & D	70550.	70550.
110 CONCPT EXPL & VALID	70139.	70139.
111 CONTRACTOR	411.	411.
112 GOVERNMENT	14612.	15217.
120 FULL SCALE DEVEL	14173.	14760.
120.1 CONTRACTOR	438.	457.
120.2 GOVERNMENT	85162.	85767.
TOTAL RESEARCH & DEVELOPMENT		

THE R&D PHASE WILL BE EXTENDED DUE TO TEST FAILURES

COSTS IN THOUSANDS OF CONSTANT AND INFLATED 1983 DOLLARS
DATE 01/25/84 TIME 10:04:06

LIFE CYCLE COST ELEMENTS	CONSTANT 1983 DOLLARS	INFLATED 1983 DOLLARS
200 PRODUCTION	1317.	1580.
210 NON-RECURRING	996.	1214.
211.1 CONTRACTOR	321.	366.
212.1 GOVERNMENT	243891.	311911.
220 RECURRING	243286.	311184.
221.1 CONTRACTOR	604.	726.
222.1 GOVERNMENT	245208.	313491.
TOTAL PRODUCTION		

THE PRODUCTION SCHEDULE HAS BEEN SHORTENED DUE TO THE INTRODUCTION OF ROBOTICS
STRATEGIC MATERIALS ARE NO LONGER AN ISSUE

FIGURE 60. Inflated life cycle cost report.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:40Z
Check the source to verify that this is the current version before use.

COSTS IN THOUSANDS OF CONSTANT AND INFLATED 1983 DOLLARS
DATE 01/25/84 TIME 10:04:17

LIFE CYCLE COST ELEMENTS	CONSTANT 1983 DOLLARS	INFLATED 1983 DOLLARS
300 OPERATIONS AND SUPPORT		
310 OPERATIONS	257106.	458612.
311 OPERATOR PERSONNEL	21406.	40048.
311.1 CREW	21406.	40048.
311.2 INDIRECT PERSONNEL	0.	0.
312 MATERIAL CONSUMPTION	216.	384.
313 ENERGY CONSUMPTION	44818.	79589.
314 OPERATIONAL FACILITIES	5512.	9789.
315 EQUIPMENT LEASEHOLDS	2520.	4475.
316 OPERATIONAL TRANSPORTATION	180383.	320330.
317 OTHER OPERATIONS COSTS	2250.	3996.
320 MAINTENANCE	37041.	67075.
321 ORGANIZATIONAL MAINTENANCE	9584.	17083.
321.1 PERSONNEL	702.	1310.
321.2 MAINT MATERIAL	3370.	5984.
322 INTERMEDIATE MAINTENANCE	6678.	12284.
322.1 INTER MAINT PERSONNEL	135.	252.
322.2 MAINT MATERIAL	3364.	6386.
323 DEPOT REPAIR	1053.	1870.
323.1 LABOR	74.	132.
323.2 MATERIAL	937.	1663.
323.3 TRANSPORTATION	42.	74.
324 DEPOT OVERHAUL	0.	0.
324.1 LABOR	0.	0.
324.2 MATERIAL CHARGES	0.	0.
324.3 TRANSPORTATION	0.	0.
325 OPR SOFTWARE SUPPORT	17741.	33164.
325.1 OPR SOFTWARE MAINT PERS	16951.	32073.
325.2 OPR SOFTWARE CENTER	490.	716.
325.3 CONTRACT OPR S/W MAINT	300.	375.
326 M&D SOFTWARE SUPPORT	304.	478.
326.1 M&D SOFTWARE MAINT PERS	0.	0.
326.2 M&D SOFTWARE CENTER	270.	395.
326.3 CONTRACT M&D S/W MAINT	34.	83.
327 CONTRACT MAINTENANCE	1680.	2196.
330 MODIFICATIONS	31452.	55853.
340 SUPPLY SUPPORT	1458.	2589.
341 SUPPLY PERSONNEL	15.	27.
342 SUPPLY FACILITIES	1305.	2317.
343 INVENTORY ADMINISTRATION	137.	244.
350 TECH DATA REVISIONS	112.	200.
360 OTHER LOGISTIC SPT COSTS	8250.	14881.
TOTAL OPERATING & SUPPORT	335419.	599210.
TOTAL LIFE CYCLE COST	665788.	998467.

FIGURE 60. Inflated life cycle cost report. - Continued

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:40Z
Check the source to verify that this is the current version before use.

WBS ITEM RESOURCE REPORT
DATE: 01/25/84 TIME: 10:05:42

DISC DRIVE	MASS MEMORY	MICRO COMPUTER	CONTROL PANEL
11.4.1	11.4.2	11.4.3	11.3

WBS ITEM #	1	2	3	4
OPERATOR MANYEARS/YEAR	0.0	0.0	0.0	667.0
ORG MAINT MANHOURS/YEAR	325.3	362.6	747.6	175.0
INT MAINT MANHOURS/YEAR	38.5	43.7	112.8	21.5
GSUCT MANHOURS/YEAR	161.5	183.5	406.1	81.8
FAILURES: #/YEAR	139.8	158.9	341.8	65.2
INITIAL SPARES: $	137539.7	397916.2	93548.5	16145368.5
ORGANIZATION SPARES: $/YEAR	293.6	60796.8	31977.3	131580.9
INTERMEDIATE SPARES: $/YEAR	297.1	61526.3	32361.0	76316.9
GSUCT SPARES: $/YEAR	119.8	24805.1	13046.7	15789.7
DEPOT REPAIR LABOR $/YEAR	872.5	991.5	2275.2	813.7
DEPOT REPAIR MATERIAL $/YEAR	788.0	16615.9	10169.8	34874.7
MODIFICATIONS: $/YEAR	17192.5	49739.5	11693.6	2018171.1
OPER MATERIAL: UNITS/YEAR	3250.0	0.0	0.0	0.0
OPER POWER: UNITS/YEAR	5460000.0	9240000.0	2173500.0	1234800.0

FIGURE 61. Resource report.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:40Z
Check the source to verify that this is the current version before use.

MANHOUR RESOURCE REPORT FOR PERSONNEL GROUP 1
DATE: 01/25/84 TIME: 10:05:51

	ARMY CLASS										
	11.1	11.2	11.3	11.4	11.5	11.6	11.7	11.8	11.9	11.10	11.
ANNUAL EXCESS WORK MANYRS/YR											
GSUCT MAINT.				0.9							
ANNUAL EXCESS MANYRS/YR											

MANHOUR RESOURCE REPORT FOR PERSONNEL GROUP 2
DATE: 01/25/84 TIME: 10:05:59

	ARMY CLASS										
	11.1	11.2	11.3	11.4	11.5	11.6	11.7	11.8	11.9	11.10	11.
ANNUAL EXCESS WORK MANYRS/YR											
ORGANIZATION MAINT.			0.2								
OPERATOR			667.0								
ANNUAL EXCESS MANYRS/YR											

FIGURE 61. Resource report. - Continued

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:40Z
Check the source to verify that this is the current version before use.

COMPARISION REPORT

RESEARCH AND DEVELOPMENT COSTS FOR SAMPLE

IN THOUSANDS OF CONSTANT 1983 DOLLARS

DATE 01/25/84
TIME 10:29:34

LIFE CYCLE COST ELEMENTS	BASE	CURRENT	CURR-BASE
REPORTS USED:	1	2	
110 DEMONSTRATION & VALIDATION	70550.	70550.	0.
111 CONTRACTOR	70139.	70139.	0.
111.11 PRIME MISSION EQUIP (PME)	53435.	53435.	0.
111.12 SYSTEM, PROJECT MANAGEMENT	16132.	16132.	0.
111.13 SYSTEM TEST & EVALUATION	117.	117.	0.
111.14 TRAINING	139.	139.	0.
111.15 DATA	128.	128.	0.
111.17 SOFTWARE CENTER	189.	189.	0.
112 GOVERNMENT	411.	411.	0.
112.12 PROGRAM MNGMNT	133.	133.	0.
112.13 GVRNMNT TEST (DT/OT I)	189.	189.	0.
112.14 TRAINING	89.	89.	0.
120 FULL SCALE DEVELOPMENT	14612.	14612.	0.
121 CONTRACTOR	14173.	14173.	0.
121.11 PRIME MISSION EQUIP (PME)	12203.	12203.	0.
121.12 SYSTEM, PROJECT MANAGEMENT	55.	55.	0.
121.13 SYSTEM TEST & EVALUATION	1000.	1000.	0.
121.14 TRAINING	72.	72.	0.
121.15 DATA	658.	658.	0.
121.17 SOFTWARE CENTER	185.	185.	0.
122 GOVERNMENT	438.	438.	0.
122.12 PROGRAM MNGMNT	178.	178.	0.
122.13 GVRNMNT TEST (DT/OT II)	146.	146.	0.
122.14 TRAINING	115.	115.	0.
TOTAL COSTS FOR RESEARCH AND DEVELOPMENT	85162.	85162.	0.

THE R&D PHASE WILL BE EXTENDED DUE TO TEST FAILURES

FIGURE 62. Life cycle cost compare report.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:40Z
Check the source to verify that this is the current version before use.

PRODUCTION COSTS FOR SAMPLE

IN THOUSANDS OF CONSTANT 1983 DOLLARS

DATE 01/25/84
TIME 10:29:49

LIFE CYCLE COST ELEMENTS	BASE	CURRENT	CURR-BASE
REPORTS USED:	1	2	
210 PRODUCTION (NONRECURRING)	1343.	1343.	0.
211 CONTRACTOR	1048.	1048.	0.
211.11 PRIME MISSION EQUIP	8.	8.	0.
211.12 SYSTEM/PROJECT MNGMNT	245.	245.	0.
211.13 TRAINING	175.	175.	0.
211.14 PRODUCTION STARTUP	189.	189.	0.
211.15 DATA	245.	245.	0.
211.17 SYSTEM TEST & EVAL SUPT	122.	122.	0.
211.18 SOFTWARE CENTER	22.	22.	0.
211.19 CONTRACTOR TECH SUPPORT	43.	43.	0.
212 GOVERNMENT	294.	294.	0.
212.12 INITIAL TRAINING	65.	65.	0.
212.13 SYSTEM TEST & EVALUATION	170.	170.	0.
212.14 TEST SITE ACTIVATION	39.	39.	0.
212.17 INVENTORY MANAGEMENT	21.	21.	0.
220 PRODUCTION(RECURRING)	243891.	221089.	-22802.
221 CONTRACTOR	243286.	220485.	-22802.
221.11 PRIME MISSION EQUIP	209742.	190060.	-19682.
221.16 ENGINEERING CHANGES	16460.	14915.	-1545.
221.18 INITIAL SPARES/REPAIR PARTS	16774.	15200.	-1575.
222 GOVERNMENT	604.	604.	0.
222.12 PROGRAM MANAGEMENT	313.	313.	0.
222.13 TRANSPORTATION	49.	49.	0.
222.14 OPERATIONAL/SITE ACTIVATION	91.	91.	0.
222.15 QUALITY CONTROL & INSPECT	85.	85.	0.
222.18 SYSTEM TEST & EVAL	67.	67.	0.
TOTAL COSTS FOR PRODUCTION	245234.	222432.	-22802.

THE PRODUCTION SCHEDULE HAS BEEN SHORTENED DUE TO THE INTRODUCTION OF ROBOTICS
STRATEGIC MATERIALS ARE NO LONGER AN ISSUE

FIGURE 62. Life cycle cost compare report. - Continued

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:40Z
Check the source to verify that this is the current version before use.

OPERATIONS AND SUPPORT COSTS FOR SAMPLE
IN THOUSANDS OF CONSTANT 1983 DOLLARS

DATE 01/25/84
TIME 10:30:20

LIFE CYCLE COST ELEMENTS REPORTS USED:	BASE 1	CURRENT 2	CURR-BASE
310 OPERATIONS	257106.	252602.	-4503.
311 OPERATOR PERSONNEL	21406.	21406.	0.
311.1 CREW	21406.	21406.	0.
311.1.1 MILITARY CREW	21406.	21406.	0.
312 MATERIAL CONSUMPTION	216.	195.	-22.
312.3 OTHER MATERIAL	122.	110.	-12.
312.4 MATERIAL TRANSPORTATION	94.	85.	-9.
313 ENERGY CONSUMPTION	44818.	40336.	-4482.
313.2 ELECTRIC POWER	44818.	40336.	-4482.
314 OPERATIONAL FACILITIES	5512.	5512.	0.
315 EQUIPMENT LEASEHOLDS	2520.	2520.	0.
316 OPERATIONAL TRANSPORTATION	180383.	180383.	0.
317 OTHER OPERATIONS COSTS	2250.	2250.	0.
320 MAINTENANCE	37041.	36230.	-811.
321 ORGANIZATIONAL MAINTENANCE	9584.	9205.	-379.
321.1 PERSONNEL	702.	639.	-63.
321.1.1 MILITARY MAINT PERS	702.	639.	-63.
321.2 MAINT MATERIAL	3370.	3054.	-316.
321.2.2 REPAIR MATERIAL	3370.	3054.	-316.
321.4 ORG MAINT FACILITIES	5512.	5512.	0.
322 INTERMEDIATE MAINTENANCE	6678.	6346.	-332.
322.1 INTER MAINT PERSONNEL	135.	121.	-13.
322.1.1 MILITARY MAINT PERS	135.	121.	-13.
322.2 MAINT MATERIAL	3364.	3048.	-316.
322.2.1 DISCARDED REPARABLES	1348.	1221.	-126.
322.2.2 REPAIR MATERIAL	2016.	1827.	-189.
322.3 TRANSPORTATION	30.	27.	-3.
322.4 INTER MAINT FACILITIES	3150.	3150.	0.
323 DEPOT REPAIR	1053.	953.	-100.
323.1 LABOR	74.	67.	-7.
323.2 MATERIAL	937.	848.	-88.
323.3 TRANSPORTATION	42.	38.	-4.
325 OPER SOFTWARE SUPPORT	17741.	17741.	0.
325.1 SOFTWARE MAINT PERSONNEL	16951.	16951.	0.
325.1.1 MILITARY S/W PERS	16951.	16951.	0.
325.2 SOFTWARE CENTER	490.	490.	0.
325.3 CONTRACT S/W MAINTENANCE	300.	300.	0.
326 MAINT SOFTWARE SUPPORT	304.	304.	0.
326.2 SOFTWARE CENTER	270.	270.	0.
326.3 CONTRACT S/W MAINTENANCE	34.	34.	0.
327 CONTRACT MAINTENANCE	1680.	1680.	0.
330 MODIFICATIONS	31452.	28500.	-2952.

FIGURE 62. Life cycle cost compare report. - Continued

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:40Z
Check the source to verify that this is the current version before use.

OPERATIONS AND SUPPORT COSTS FOR SAMPLE

IN THOUSANDS OF CONSTANT 1983 DOLLARS

DATE 01/25/84
TIME 10:30:57

LIFE CYCLE COST ELEMENTS	BASE	CURRENT	CURR-BASE
REPORTS USED:	1	2	
340 SUPPLY SUPPORT	1458.	1456.	-1.
341 SUPPLY PERSONNEL	15.	14.	-1.
341.1 ORGANIZATIONAL SUPPLY	13.	12.	-1.
341.2 INTERMEDIATE SUPPLY	2.	2.	-0.
342 SUPPLY FACILITIES	1305.	1305.	0.
342.1 ORG SUPPLY	525.	525.	0.
342.2 INTER SUPPLY	300.	300.	0.
342.4 BONDED STORAGE	480.	480.	0.
343 INVENTORY ADMINISTRATION	137.	137.	0.
343.1 INVENTORY MANAGEMENT	137.	137.	0.
350 TECH DATA REVISIONS	112.	112.	0.
360 OTHER LOGISTIC SUPT COSTS	8250.	8250.	0.
TOTAL COSTS FOR OPERATIONS AND SUPPORT	335419.	327150.	-8268.
DEPLOYMENT WILL BE DELAYED DUE TO O&M FUNDING CONSTRAINTS			
TOTAL LIFE CYCLE COSTS			634744.

FIGURE 62. Life cycle cost compare report. - Continued

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:40Z
Check the source to verify that this is the current version before use.

COMPARE REPORT

UNIT PRODUCTION COSTS FOR SAMPLE

COSTS IN CONSTANT 1983 YEAR DOLLARS
DATE 01/25/84 TIME 10:31:52

WBS #	NAME	NSN/MPN/LCN	LOT	C/GFE	REC #
REPORTS USED BASE 1	CURRENT 2	BASE UPC	CURRENT UPC	CHANGE IN UPC CURRENT-BASE	BASE LOT REC + NR	CURRENT LOT REC + NR
11.4.1	DISC DRIVE	1406Z	1	CFE	1
	11461.64	11567.42	105.77	1721046.61	1563401.02
11.4.2	MASS MEMORY	MM1825P	1	CFE	2
	38261.18	38484.97	223.80	4976952.87	4505741.81
11.4.3	MICRO COMPUTER	29356Q	1	CFE	3
	9354.85	9440.09	85.24	1172355.89	1065009.69
11.3	CONTROL PANEL	CP23.45RCA	3	CFE	4
	134544.74	135460.12	915.39	201817106.00	182871166.00
11.5	OPERATING SYSTEM	ADA2.2	1	CFE	5
	500.00	500.00	0.00	62500.00	62500.00

FIGURE 63. UPC compare report.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:40Z
Check the source to verify that this is the current version before use.