MILITARY SPECIFICATION

AMPLIFIERS, AUDIO FREQUENCY;

AND AMPLIFIER-CONTROL GROUPS-SHIPBOARD ANNOUNCING

This amendment forms a part of Military Specification MIL-A-21577A, dated 27 February 1967, and is approved for use by the Naval Sea Systems Command, Department of the Navy, and is available for use by all Departments and Agencies of the Department of Defense.

PAGE 1

Delete Section 2 and substitute:

"2. APPLICABLE DOCUMENTS

"2.1 Government documents.

"2.1.1 Specifications and standards. Unless otherwise specified, the following specifications and standards of the issue listed in that issue of the Department of Defense Index of Specifications and Standards (DoDISS) specified in the solicitation form a part of this specification to the extent specified herein.

SPECIFICATIONS

MILITARY

MIL-T-27 - Transformers and Inductors (Audio, Power, and High Power Pulse) General Specification for.
MIL-I-983 - Interior Communication Equipment, Naval Shipboard; Basic Design Requirements for.
MIL-E-17362 - Electronic Repair Parts Requirements, Procedures for Provisioning Technical Documentation and Stock Numbering.
MIL-E-17555 - Electronic and Electrical Equipment and Associated Repair Parts, Preparation for Delivery of.
MIL-S-19500 - Semiconductor Devices, General Specification for.

STANDARDS

MILITARY

MIL-STD-275 - Printed Wiring for Electronic Equipment.
MIL-STD-701 - Lists of Standard Semiconductor Devices.

"2.1.2 Other Government drawings. The following other Government drawings form a part of this specification to the extent specified herein.

FSC 5830

Source: https://assist.dla.mil -- Downloaded: 2026-10-19T09:55Z
Check the source to verify that this is the current version before use.

DRAWINGS

NAVAL SEA SYSTEMS COMMAND
9000-S6202-73075 - Switch-Multipole Rotary, Panel Mounted, Type S-UR.
9000-S6202-73295 - Switch-Multipole Rotary, Action Cut-out, Type 4JR.

"(Copies of specifications, standards and drawings required by contractors in conection with specific acquisition functions should be obtained from the contracting activity or as directed by the contracting officer.)

"2.2 Other publications. The following document forms a part of this specification to the extent specified herein. The issues of the documents which are indicated as DoD adopted shall be the issue listed in the current DoDISS and the supplement thereto, if applicable.

AMERICAN NATIONAL STANDARDS INSTITUTE (ANSI)
ANSI/IPC-T-50 - Terms and Definitions for Interconnecting and Packaging Electronic Circuits. (DoD Adopted)

"(Industry association specifications and standards are generally available for reference from libraries. They are also distributed among techical groups and using Federal agencies.)

"2.3 Order of precedence. In the event of a conflict between the text of this specification and the references cited herein, the text of this specification shall take precedence."

3.1, line 1: Delete "Preproduction sample." and substitute "First article.".

PAGE 4

3.4.2.8, last line: Delete "Naval Ship Engineering Center (NAVSEC)" and substitute "Naval Sea Systems Command (NAVSEA)".

PAGE 5

3.5.3: Delete, "Electron tubes, transistors and metallic rectifiers.-" and substitute: "Semiconductors. Semiconductors shall be in accordance with MIL-S-19500, TX and selected as required in MIL-STD-701. Hot filament electronic tubes shall not be used in this equipment."

3.5.3.1: Delete in its entirety.

3.5.3.2: Delete in its entirety.

3.5.4, line 3: Delete "MIL-STD-429" and substitute "ANSI/IPC-T-50"; and delete "NAVSEC" and substitute "NAVSEA".

Source: https://assist.dla.mil -- Downloaded: 20261-19T09:55Z
Check the source to verify that this is the current version before use.

PAGE 14

4.1 Delete and substitute:

"4.1 Responsibility for inspection. Unless otherwise specified in the contract or purchase order, the contractor is responsible for the performance of all inspection requirements as specified herein. Except as otherwise specified in the contract or purchase order, the contractor may use his own or any other facilities suitable for the performance of the inspection requirements specified herein, unless disapproved by the Government. The Government reserves the right to perform any of the inspections set forth in the specification where such inspections are deemed necessary to assure supplies and services conform to prescribed requirements."

4.2, line 1: Delete "Preproduction Inspection" and substitute "First article inspection.". In line 3; delete "preproduction" and substitute "first article".

PAGE 18

5.: Delete and substitute: "PACKAGING".

PAGE 19

6.2: Delete in its entirety and substitute:

"6.2 First article inspection. Invitations for bids should provide that the Government reserves the right to waive the requirement for samples for first article inspection as to those bidders offering a product which has been previously acquired or tested by the Government, and that bidders offering such products, who wish to rely on such production or test, must furnish evidence with the bid that prior Government approval is presently appropriate for the pending contract."

PAGE 21

Index, line 32: Delete "Electron tubes, transistors and metallic rectifiers" and substitute "Semiconductors".

Index, line 33: Delete.

Index, line 34: Delete.

PAGE 23

Index, line 22: Delete "Inspection procedures" and substitute "Responsibility for inspection".

Index, line 23: Delete "Preproduction tests" and substitute "First article inspection".

Index, line 56: Delete "PREPARATION FOR DELIVERY" and substitute "PACKAGING".

Source: https://assist.dla.mil -- Downloaded: 2026-10-19T09:55Z
Check the source to verify that this is the current version before use.

PAGE 24

Index, line 5: Delete "Preproduction" and substitute "First article inspection".

Preparing activity:
Navy - SH
(Project 5830-N062)

Source: https://assist.dla.mil -- Downloaded: 2026-10-19T09:55Z
Check the source to verify that this is the current version before use.