INCH-POUND

A-A-52209
September 12, 1996
SUPERSEDING
MIL-S-15825A
21 June 1972

COMMERCIAL ITEM DESCRIPTION

SCRIBER, DIAMOND POINT

The General Services Administration has authorized the use of this Commercial Item Description for all federal agencies.

1. SCOPE

1.1 Scope. This commercial item description covers diamond marking pencils for inscribing glass surfaces.

2. SALIENT CHARACTERISTICS

2.1 Design and construction. The diamond point scriber shall be the manufacturer's standard commercial product similar to the scriber shown in figure 1. The pencil-type scriber shall have a grade AA natural diamond mounted in a steel or brass nib. The diamond shall be bonded to the nib and coned to an included angle of 105 degrees ± one degree. The diamond shall weigh not less than 2 points before coning.

Beneficial comments, recommendations, additions, deletions, clarifications, etc., and any other pertinent data which may improve this document should be sent to: Commander, U.S. Army Natick Research, Development and Engineering Center, ATTN:SSCNC-WEF, Natick, MA 01760-5018 by using the Standardization Document Improvement Proposal (DD Form 1426) appearing at the end of this document or by letter.

AMSC N/A FSC 5120

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:08Z
Check the source to verify that this is the current version before use.

Loss of weight in shaping shall be not more than 30 percent. The nib shall be securely set in a hexagonal or round, rod-shaped, aluminum handle. The overall length of the scriber shall be 6 inches ± 0.25 inches.

2.2 Material. Materials and components shall be of the quality normally used for this purpose in commercial practice provided the completed diamond point scriber complies with all provisions of this commercial item description.

2.3 Metric products. Products manufactured to metric dimensions will be considered on an equal basis with those manufactured using inch-pound units, provided they fall within the tolerances specified using conversion tables contained in the latest revision of ASTM E 380, and all other requirements of this Commercial Item Description are met. If a product is manufactured to metric dimensions and those dimensions exceed the tolerances specified in the inch-pound units, a request should be made to the contracting officer to determine if the product is acceptable. The contracting officer has the option of accepting or rejecting the product.

2.4 Workmanship. The scriber shall be clean, well made, and free of burrs, scratches, or sharp edges (except for the point of the diamond). The diamond shall be free from fractures or large inclusions. There shall be no defects which impair the durability, appearance, or serviceability of the item.

3. REGULATORY REQUIREMENTS

3.1 Contractor recovered materials. The offeror/contractor is encouraged to use recovered materials to the maximum extent practicable, in accordance with paragraph 23.403 of the Federal Acquisition Regulation (FAR).

4. QUALITY ASSURANCE PROVISIONS

4.1 Product conformance. The products provided shall meet the salient characteristics of this commercial item description, shall conform to the producer's own drawings, specifications, standards, and quality assurance practices, and be the same product that has been sold in the commercial marketplace for two years, or is the same product that has successfully been delivered to the Government on a previous contract or purchase order. The government reserves the right to require proof of such conformance prior to first delivery and thereafter as may be otherwise provided for under the provisions of the contract.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:08Z
Check the source to verify that this is the current version before use.

The following market acceptability criteria are necessary to document the quality of the product to be provided under this CID:

a. The company producing the item must have been producing a product meeting the requirements of this CID for at least 2 years.

b. The company must have sold 50 items meeting this CID, in the commercial or government marketplace over the past 2 years.

5. PACKAGING

5.1 Packaging. Preservation, packing, and marking shall be as specified in the contract or purchase order (see 6.1).

6. NOTES

6.1 Ordering data. Acquisition documents must specify the following:

a. Title, number and date of this document.
b. Packaging requirements (see 5.1).

6.2 National stock number. The following national stock number corresponds to this CID: 5120-00-421-0000.

6.3 Sources for non-Government association documents.

ASTM Standards:

E 380 - Use of the International System of Units (SI) (the Modernized Metric System)

(ASTM standards are available from the American Society for Testing and Materials (ASTM), 100 Barr Harbor Drive, West Conshohocken, PA 19428)

6.4 Sources of supply. The manufacturers whose products are known to meet the CID requirements are listed below. However, competition is not limited to these companies:

Bruce Diamond Corp.
1231 County Street
PO Box 420T
Attleboro, MA 02703-0420

Clipper Diamond Tool Co., Inc.
47-16-T Austell Place
Long Island City, NY 11101

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:08Z
Check the source to verify that this is the current version before use.

Imetra Inc.
200 Clearbrook Road
Elmsford, NY 10523

J&M Diamond Tool, Inc.
43 Roger Williams Avenue
PO Box 16099-T
East Providence, RI 02916

K&D Manufacturing Corp.
PO Box 521
Lebanon, NH 03766

Lunzer Inc.
330 W. 42nd Street
New York, NY 10036

MILITARY INTERESTS:

Custodians

Army - GL
Air Force - 99

Review activities

Navy - CG, MC
Air Force - 03, 84

CIVIL AGENCY COORDINATING ACTIVITY:

GSA/FSS

PREPARING ACTIVITY:

Army - GL

Project No. 5120-0077

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:08Z
Check the source to verify that this is the current version before use.