DATA ITEM DESCRIPTION

Title: Flat File Report

Number: DI-MGMT-82394
ASMC Number: 10353
DTIC Applicable: No
Preparing Activity: AT
Applicable Forms: N/A

Approval Date: 20220829
Limitation: No
GIDEP Applicable: No
Project Number: MGMT-2022-026

Use/relationship: The Flat-File Report is designed to allow for the collection of pre-specified types of contract data in a flat-file format. This data item description (DID) requires its users to define the structure and format of contractor delivered tabular data by defining a flat-file format specification (FFS). The FFS establishes the required list of data field names, data type requirements and parameters, the level of precision, data enumeration requirements, whether data fields are nullable, naming conventions, and the electronic file format. The schema employed by this DID relies on the FFS being defined and attached to the contract and referenced in the contract scope of work and Contract Data Requirements List (DD Form 1423-1) citing this DID. This DID can also be used to define a series of independent reports which are interrelated when keys (for example, primary, secondary, and tertiary keys) are defined as data fields in their respective flat-file format specifications. This DID is best utilized when a one-to-one relationship exists between the data delivered and the analysis to be performed on the data. Multiple points of analysis are best served by multiple citations of this DID in the contract requirements, each with its own unique FFS tailored for a precise analytic application. A clear description of the analytic intent and liberal use of data enumeration in the FFS can be used to ensure the delivered data is narrowly tailored to meet the user's analytic purpose.

1. This DID requires its users to create an FFS which shall be attached to the contract and referenced in the contract scope of work and Contract Data Requirements List (DD Form 1423-1) citing this DID. If multiple data deliverables in the same contract cite this DID, each of those data deliverables requires a unique FFS attachment. See Figure 1 for an example FFS. A minimally viable FFS shall provide the following:

    a. Analytic intent: The analytic intent describes how the data delivered according to the FFS will be used.
    b. Data field names: Data field names are used as column headers to assist in interpreting the meaning of values populated in the rows beneath the data field name.
    c. Data types: A data type identifies the kind of data which populates the rows beneath the data field name. Every data field shall identify a corresponding data type. The data type selected for the data field shall be selected from Figure 2.
    d. Precision: Certain numeric data types require that a precision value be declared in the FFS. The precision value specifies the total length of a numeric expression by defining the total number of digits in the expression. When the data type selected requires the declaration of both precision and scale values, the scale value must be less than or equal to the precision value.
    e. Scale: Certain numeric, date, and time data types require that a scale value be

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:03Z
Check the source to verify that this is the current version before use.

declared in the FFS. The scale value specifies the required accuracy of fractions when depicted as their equivalent decimal values by defining the total number of digits to the right of the decimal point to be expressed. When the data type selected requires the declaration of both precision and scale values, the scale value must be less than or equal to the precision value.

f. String length: Character string data types require that a string length be declared in the FFS. Depending on the character string data type chosen, the string length value shall specify the number of characters in a fixed length string or the maximum number of characters in a variable length string.

g. Enumeration and enumeration constants: The FFS shall declare when enumeration is required. Enumeration is required when entries for a data field are to be selected from a finite set of known values. These known values are called enumeration constants. Whenever enumeration is required, an accompanying set of enumeration constants shall be provided in the FFS.

h. Nullability: The FFS shall declare whether a data field is nullable. A data field is nullable if empty results (null values) are allowed.

i. Description: A data field description shall be provided in the FFS to describe the expected returned values and other data field parameters (for example, formats for character string data types).

j. Electronic file format: The FFS shall declare the type of electronic file used to store the tabular data.

2. This DID contains the format, content, and intended use information for the data deliverable resulting from the work task described in the solicitation.

Requirements:

1. *Reference Documents*. Completion of the flat-file report shall be in accordance with the FFS attached to the contract and cited in the contract scope of work and Contract Data Requirements List (DD Form 1423-1).

2. *Format*. The FFS contains the electronic file format requirements and the data formatting instructions for numeric, date and time, and character string data types.

3. *Content*. The flat-file report shall contain a tabular representation of the requested contract data conforming to the requirements defined in the FFS.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:03Z
Check the source to verify that this is the current version before use.

Flat-File Format Specification								
Analytic Intent								
The contractor data delivered in accordance with this flat-file format specification shall be used to increase the Government's buying power by identifying required funding adjustments on complete or near-complete contracting activities. Projected excesses will be prioritized for deobligation based on data contained in the accounting classification. Projected shortfalls provide situational awareness for future contract modifications for increases in funding.								
Data Field Specification								
Data Field Name	**Data Type**	**Precision**	**Scale**	**String Length**	**Enumeration (Yes/No)**	**Enumeration Constants**	**Nullable (Yes/No)**	**Description**
Contract Number	Char	N/A	N/A	16	Yes	W56HZV-17-C-0067 W56HZV-16-D-0025 W56HZV-18-C-0133	No	Returns the contract number. The string shall be in the XXXXXX-XX-X-XXXX format.
Sub Contract Line Item Number (subCLIN)	Char	N/A	N/A	6	Yes	0001AA 0005BC 0010AC 0011AA 0012BX	No	Returns the subCLIN. The string shall be in the XXXXXX format.
SubCLIN Nomenclature	Varchar	N/A	N/A	255	No	N/A	No	Returns the subCLIN description on contract. No format is specified.
Total Funding Awarded	Decimal	11	2	N/A	No	N/A	No	This data field returns the total amount of funding awarded against subCLINs on contract.
Cumulative Actual Costs to Date	Decimal	11	2	N/A	No	N/A	No	This data field returns the sum of the direct costs, indirect costs, and profit/fee incurred against subCLINs.
Current Estimate at Complete (EAC)	Decimal	11	2	N/A	No	N/A	No	This data field returns the contractor's total expected incurred costs plus profit/fee when the subCLIN contract performance is 100 percent physically complete.
Percent Spent	Decimal	5	4	N/A	No	N/A	No	This data field is the result of dividing the "Cumulative Actual Costs to Date" by the "Total Funding Awarded" expressed as the fractional equivalent of a percentage value (e.g., 0.5712 is the fractional equivalent of 57.12%).
EAC Percent Spent	Decimal	5	4	N/A	No	N/A	No	This data field is the result of dividing the "Cumulative Actual Costs to Date" by the "Current EAC" expressed as the fractional equivalent of a percentage value (e.g., 0.5712 is the fractional equivalent of 57.12%).
Projected Excess/Shortfall At Complete	Decimal	11	2	N/A	No	N/A	No	This data field is the result of subtracting the "Current EAC" from the "Total Funding Awarded". A positive value indicates a projected excess and a negative value indicates a projected shortfall.
SubCLIN Period of Performance Start Date	Date	N/A	N/A	N/A	No	N/A	No	This data field returns the subCLIN's period of performance start date.
SubCLIN Period of Performance End Date	Date	N/A	N/A	N/A	No	N/A	No	This data field returns the subCLIN's period of performance end date.
ACRN Accounting Classification	Varchar	N/A	N/A	255	No	N/A	No	Character string which returns the accounting classification of the ACRN associated with the subCLIN. No format is specified.
Comments	Varchar	N/A	N/A	1,000	No	N/A	Yes	Character string which provides contractor context to the figures presented in the data.
Electronic File Format Specification								
The electronic file format used for this report shall be a delimited text file. The choice of delimiter shall be restricted to any single character which is not returned in any of the data field results.								

FIGURE 1. Example Flat-File Format Specification.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:03Z
Check the source to verify that this is the current version before use.

Data Types			
Exact Numeric			
Name	Lower Range	Upper Range	Description
Bit	0	1	This data type stores 1 or 0.
tinyint	0	255	This data type can store unsigned integers as indicated in the range.
Small-int (signed)	-32,768	32,767	This data type can store signed integers as indicated in the range.
Small-int (unsigned)	0	65,535	This data type can store unsigned integers as indicated in the range.
Int (signed)	-2147483648	2^31-1	This data type can store signed integers as indicated in the range.
Int (unsigned)	0	2^32-1	This data type can store unsigned integers as indicated in the range.
Bigint (signed)	-9.22337E+18	2^63-1	This data type can store signed integers as indicated in the range.
Bigint (unsigned)	0	2^64-1	This data type can store unsigned integers as indicated in the range.
Decimal	1E+38	10^381-1	This data type requires that the precision (i.e., the total length of the expression between 0 and 127 whole digits) and scale (i.e., the total number of whole digits, between 0 and 127, to the right of the decimal point) be specified. The scale value should always be less than or equal to the precision value.
Approximate Numeric			
Name	Lower Range	Upper Range	Description
Float	-1.79E308	1.79E308	This data type is stored as a floating point number as indicated in the range. This data type requires that the precision (i.e., the number of whole digits expressed in the mantissa of a number written in scientific notation, not to exceed 15) be specified.
Date and Time			
Name	Lower Range	Upper Range	Description
Date	0001-01-01	9999-12-31	This data type stores a date value between the value ranges indicated and in the YYYY-MM-DD format.
Timestamp	0001-01-01 00:00:00	9999-12-31 23:59:59.999999	This data type stores a date and time value between the value ranges indicated and in the YYYY-MM-DD hh:mm:ss.ssssss format. This data type requires that the scale (i.e., the number of whole digits to the right of the decimal point, not to exceed 6) be specified.
Timestamp with Time zone	1600-02-28 23:59:59	7911-01-01 00:00	This data type stores a date and time value between the value ranges indicated and in the YYYY-MM-DD hh:mm:ss.ssssss hh:mm format, where the second instance of hh:mm indicates the offset expressed as hours and minutes before (-) or after (+) Coordinated Universal Time (UTC). This data type requires that the scale (i.e., the number of whole digits to the right of the decimal point, not to exceed 7) be specified.
Time	00:00:00.000000	23:59:59.999999	This data type stores time values between the value ranges indicated and in the hh:mm:ss.ssssss format. This data type requires that the scale (i.e., the number of whole digits to the right of the decimal point, not to exceed 6) be specified.
Character Strings			
Name	Lower Range	Upper Range	Description
Char	0 characters	32,767 characters	This data type stores character data in a specified fixed length. This data type requires that the fixed length of the expression (i.e., the number of characters between 0 and 32,767) be specified.
Varchar	0 characters	32,767 characters	This data type stores character data of variable length. This data type requires that the maximum length of the expression (i.e., the number of characters between 0 and 32,767) be specified.

FIGURE 2. Flat-File Format Specification Data Types.

End of DI-MGMT-82394

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:03Z
Check the source to verify that this is the current version before use.