DATA ITEM DESCRIPTION
Title: PARTS, MATERIALS, AND PROCESSES (PM&P) MANAGEMENT EXCEPTION DATA

Number: DI-QCIC-82405A
AMSC Number: 10622
DTIC Applicable: No
Preparing Activity: OSD-SO
Applicable Forms: N/A

Approval Date: 20260225
Limitation:
GIDEP Applicable: No
Project Number: QCIC-2026-001

Use/relationship: The PM&P Management Exception Data will allow the government to assess the possible risk created by selecting or procuring a part in the design of a DoD item and to take action as a function of risk if the rationale for selecting the part and the associated mitigations are insufficient. It will also be used to verify that the contractor's parts selection processes are effective when the government uses the data in the reports to create metrics for specific part selection risks. The contractor's PM&P Management Plan describes its parts, materials, and processes selection, including responsibilities for the evaluation, documentation, and notification of part changes. The selection processes also address the allocation of system performance requirements to parts' technical requirements. The selection processes take into consideration performance tolerances, and define parts' qualification requirements to meet system performance, reliability, quality, and safety requirements. The exceptions identified in the PM&P Management Exception Data indicate areas where the contractor's processes resulted in a part selection that does not meet government preferences. The exceptions therefore identify a minimum set of parts for the government to either approve or reject and help prioritize government efforts if an entire parts list is being reviewed. This data is also used to track operations of DoD weapons systems and ensure DoD is achieving operational readiness objectives.

a. The data may be obtained during any life-cycle phase.

b. This DID contains the format, content, and intended use information for the data product implied by the requirements in the current version of MIL-STD-11991.

Requirements:

1. Reference Documents. The applicable issue of the documents cited herein, including their approval dates and dates of any applicable amendments, notices, and revisions, shall be as specified in the contract.

2. Format. The PM&P Management Exception Data shall be provided in tabular format with the Field Names in Table 1 as the column labels.

3. Content. The data shall contain all the information specified by the Data Element Numbers in Table 1. The data shall meet the requirements as specified in the Definition, Notes and Instructions, and Data Type columns of Table 1.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:03Z
Check the source to verify that this is the current version before use.

Table 1 Data Elements

Data Element Number	Field Name	Definition	Notes and Instructions	Data Type
1.	Type of exception	Indicated in the CDRL that identifies the type of exceptions to be included: 1.1. DMSMS risk. Forecasted availability less than the availability horizon established in the SOW. 1.2. Traceability risk. Microelectronic parts procured from suppliers without traceability to an authorized source. 1.3. Tampering risk. Sufficient efforts have not been taken to lower the risk of unauthorized tampering (e.g., the introduction of malware, unauthorized parts, and unauthorized configuration) for microelectronics. Sufficient efforts are based on the requirements and recommendations of ISO/IEC 20243-1:2018 or the identical open group standard "Open Trusted Technology Provider™ Standard (O-TTPS)—Mitigating Maliciously Tainted and Counterfeit Products." 1.4. Rebranding risk. Obtained from sources that rebrand, remark, reassemble, repackage, refurbish, or upcycle parts that are designed/built by other OCMs/OEMs. 1.5. Sole source risk. Microelectronic sole source parts where there is an indication of foreign contributions to the part (Foreign contributions to the part include (1) either the country of origin or the country of diffusion, if known, are outside of the U.S. or (2) the address of the sole source is outside of the U.S.). 1.6. Assurance risk. Program protection and hardware and software assurance requirements not met.	Required.	Alphanumeric
2.	OEM Item Number	The item number assigned by the Original Equipment Manufacturer (OEM). This may be the same as the Manufacturer's Item Number (Data Element 3) but more often than not it is different. Sometimes referred to the Configuration Part Number or the Drawing Number.	Required.	Alphanumeric

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:03Z
Check the source to verify that this is the current version before use.

Data Element Number	Field Name	Definition	Notes and Instructions	Data Type
3.	Manufacturer's Item Number	The item number assigned by the actual manufacturer of the item referenced in Data Element 1. This number will be used to monitor the item for obsolescence issues.	Required. This number may be the same as Data Element 2 if the item is manufactured by the OEM.	Alphanumeric
4.	Manufacturer's Name	The full legal name of the entity that actually manufactures the item referenced in Data Element 3.	Required.	Alphanumeric
5.	Manufacturer's CAGE	The CAGE code of the entity that actually manufactures the item referenced in Data Element 3.	Required.	Alphanumeric
6.	Reason	The reason why the part was selected despite the risk introduced by violating the exception in Data Element 1.	Required.	Alphanumeric
7.	Mitigation	Mitigations planned to reduce the risk introduced by selecting the part despite the exception in Data Element 1. Also include the cost of the mitigation.	Required.	Alphanumeric
8.	Critical Safety Item Indicator	Yes if item designated as a critical safety item. No if item not designated as a critical safety item. UNK if unknown.	Required	Alphanumeric
9.	Critical Item Indicator	Yes if item designated as a critical item. No if item not designated as a critical item. UNK if unknown.	Required	Alphanumeric

END OF DI-QCIC-82405A

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:03Z
Check the source to verify that this is the current version before use.