DATA ITEM DESCRIPTION

Title: CONTRACTOR FRACAS OR FAILURE REPORTING AND ANALYSIS DATA

Number: DI-SESS-82442
AMSC Number: N10475
DTIC Applicable: No
Preparing Activity: AS
Applicable Forms: N/A

Approval Date: 20240404
Limitation: N/A
GIDEP Applicable: No
Project Number: SESS-2024-014

Use/Relationship: This DID is used for providing failure incident reporting and root cause analysis in a format that can be imported to US government database systems. The scope of the data submission will be one of the two levels, determined by the contracted statement of work:

1. Failure Reporting Analysis and Corrective Actions System (FRACAS) data which includes incident reporting, root cause analysis and basic corrective action information.

2. Failure incident reporting and root cause analysis without corrective action information
This report is used to evaluate the contractor's failure reporting, analysis, and corrective action efforts in accordance with the solicitation.

This Data Item Description (DID) contains the format, content, and intended use information for the data deliverables resulting from the work task described in the contract.

Requirements:

1. Reference Documents. The applicable issue of the documents cited herein, including their approval dates and dates of any applicable amendments, notices, and revisions, shall be as specified in the contract.

2. Format. The Contractor Full FRACAS or Failure Reporting And Analysis Data submission shall adhere to the following characteristics:

2.1. The file shall be named Contractor_Full_FRACAS_or_Failure_Reporting_And_Analysis_Data.csv.

2.2. Formatted as a pipe delimited text file.

2.3. Trimmed field values (no spaces at beginning or end of field values).

2.4. Inclusion of every field listed in this DID; if no data is available for field, leave null between pipe separators.

3. Content.

3.1. This contractor shall provide data to the government that is extracted from the company's own FRACAS system. The files shall include the fields, formats, and any data specifications listed in the table below. Each submission shall be an incremental file that includes data for all records that have been added to or updated in the company's FRACAS system since the last file was submitted to the government. The table below specifies required and optional fields and can be further tailored in the statement of work.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:03Z
Check the source to verify that this is the current version before use.

CONTRACTOR_FULL_FRACAS_OR_FAILURE_REPORTING_AND_ANALYSIS_DATA.csv Fields

This table must include a record for each failure event that occurred and each failure record that has been updated since the previous submission.

Field Name	Data Type	Required / Optional	Description
reporting_period_begin_date	timestamp	Required	**Reporting Period Begin Date** The date and time of the earliest FRACAS records included in the data extract. This shall be the same as the **reporting_period_end_date** of the immediately prior submission.
reporting_period_end_date	timestamp	Required	**Reporting Period End Date** The date and time of the latest FRACAS records included in the data extract.
c_cage	string (5 char)	Required	**Contractor CAGE Code** Five position alphanumeric code that identifies the contractor that is reporting the failure.
discrepancy_report_number	string (max 20 char)	Required	**Discrepancy Report Number** Unique number that identifies this failure incident record from contractor's FRACAS system.
received_date	timestamp	Required	**Received Date** Date that the discrepancy record was created on the contractor's system.
dr_status	string (max 20 char)	Required	**Discrepancy Report Status** Description of the current condition of the discrepancy identified by the **discrepancy_reportno**. Valid values (in bold) and definitions (in parentheses) are: **Monitoring** (Fix has been implemented and monitoring effectiveness) **Inactive** (Problem not being worked right now (for whatever reason) **Archived** (Closed item) **Under Investigation** (Research in progress; open investigation) **Watch Item** (Monitoring to see if problem recurs, is improving or worsening)
jcn	string (9 char)	Optional	**Job Control Number** The Job Control Number, if known, for the maintenance action performed by the government before the item was returned to the contractor.
mcn	string (7 char)	Optional	**Maintenance Control Number** The Maintenance Control Number, if known, for the maintenance action performed by the government before the item was returned to the contractor.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:03Z
Check the source to verify that this is the current version before use.

Field Name	Data Type	Required / Optional	Description
impacted_buno	string (max 30 char)	Optional	**Impacted BUNO** The aircraft BUNO that exhibited the failure under investigation; if BUNOs have not been assigned, this field shall contain the unique identifier assigned by the contractor.
aircraft_type	string (max 30 char)	Optional	**Aircraft Type** Name of the model of aircraft that is affected by the failure.
wra_cage	string (max 5 char)	Required	**Manufacturer Commercial and Government Entity (CAGE) Code** Five position alphanumeric code that identifies the manufacturer of the **wra_pn**.
wra_manufacturer	string (max 20 char)	Required	**Weapons Replaceable Assembly (WRA) Manufacturer** Name of the manufacturer of the failed part associated with the **wra_cage**.
wra_pn	string (max 255 char)	Required	**WRA Part Number** The manufacturer's part number for the failing weapons replaceable assembly that is under investigation.
wra_niin	string (9 char)	Required	**WRA National Item Identification Number (NIIN)** The nine-character National Item Identification Number for the WRA that is under investigation.
wra_name	string (max 255 char)	Required	**WRA Name** The approved item name or the name as designated in the contract documents for the failing WRA.
wra_sn	string (max 255 char)	Required	**WRA Serial Number** The manufacturer's serial number for the WRA that exhibited the failure under investigation.
wra_sw_fw_ver	string (max 20 char)	Required	**WRA Software / Firmware Version** The software / firmware version, if applicable, installed on the WRA at the time of failure.
installed_wra_pn	string (max 255 char)	Conditionally required	**Installed WRA Part Number** If the WRA was replaced as part of the repair action, the manufacturer's part number for new WRA.
installed_wra_sn	string (max 50 char)	Conditionally required	**Installed WRA Serial Number** If the WRA was replaced as part of the repair action, the manufacturer's serial number for new WRA.
sra_pn	string (max 50 char)	Conditionally required	**Shop Replaceable Assembly (SRA) Part Number** If an SRA on the WRA has been identified as the cause of the failure, the manufacturer's part number for that SRA.
sra_niin	string (9 char)	Conditionally required	**SRA NIIN** If an SRA on the WRA has been identified as the cause of the failure, the NIIN for that SRA.

Source: https://assist.dla.mil -- Downloaded: 2026l0-26T11:03Z
Check the source to verify that this is the current version before use.

Field Name	Data Type	Required / Optional	Description
sra_name	string (max 255 char)	Conditionally required	**SRA Name** If an SRA on the WRA has been identified as the cause of the failure, the approved item name or the name as designated in the contract documents for that SRA.
sra_sn	string (max 50 char)	Conditionally required	**SRA Serial Number** If an SRA on the WRA has been identified as the cause of the failure, the manufacturer's serial number for the SRA to which the failure has been attributed.
sra_sw_fw_ver	string (max 20 char)	Conditionally required	**SRA Software / Firmware Version** If an SRA on the WRA has been identified as the cause of the failure, the software / firmware version, if applicable, installed on the SRA at the time of failure.
installed_sra_pn	string (max 50 char)	Conditionally required	**Installed SRA Part Number** If the SRA was replaced as part of the repair action, the manufacturer's part number for new SRA.
installed_sra_sn	string (max 50 char)	Conditionally required	**Installed SRA Serial Number** If the SRA was replaced as part of the repair action, the manufacturer's serial number for new SRA.
ssra_pn	string (max 50 char)	Conditionally required	**Sub Shop Replaceable Assembly (SSRA) Part Number** If an SSRA on the WRA has been identified as the cause of the failure, the manufacturer's part number for that SSRA.
ssra_niin	string (9 char)	Conditionally required	**SSRA NIIN** If an SSRA on the WRA has been identified as the cause of the failure, the NIIN for that SRA.
ssra_name	string (max 50 char)	Conditionally required	**SSRA Name** If an SSRA on the WRA has been identified as the cause of the failure, the approved item name or the name as designated in the contract documents for that SSRA.
ssra_sn	string (max 50 char)	Conditionally required	**SSRA Serial Number** If an SSRA on the WRA has been identified as the cause of the failure, the manufacturer's serial number for the SSRA to which the failure has been attributed.
ssra_sw_fw_ver	string (max 20 char)	Conditionally required	**SSRA Software / Firmware Version** If an SSRA on the WRA has been identified as the cause of the failure, the software / firmware version, if applicable, installed on the SSRA at the time of failure.
installed_ssra_pn	string (max 50 char)	Conditionally required	**Installed SSRA Part Number** If the SSRA was replaced as part of the repair action, the manufacturer's part number for new SSRA.

Source: https://assist.dla.mil -- Downloaded: 202610-26T11:03Z
Check the source to verify that this is the current version before use.

Field Name	Data Type	Required / Optional	Description
installed_ssra_sn	string (max 50 char)	Conditionally required	**Installed SSRA Serial Number** If the SSRA was replaced as part of the repair action, the manufacturer's serial number for new SSRA.
failed_component_pn	string (max 50 char)	Conditionally required	**Failed Component Part Number** If a consumable part has been identified as the cause of the failure, the manufacturer's part number for that consumable.
failed_component_niin	string (9 char)	Conditionally required	**Failed Component Part Number** If a consumable part has been identified as the cause of the failure, the NIIN for that consumable.
failed_component_name	string (max 50 char)	Conditionally required	**Failed Component Name** If a consumable part has been identified as the cause of the failure, the part number for that consumable.
installed_component_pn	string (max 50 char)	Conditionally required	**Installed Component Part Number** If a consumable part has been identified as the cause of the failure, the manufacturer's part number for the new consumable.
replaced_component_pns	string (max 50 char)	Conditionally required	**Replaced Component Part Numbers** Comma delimited list of manufacturer's part numbers for consumables that were replaced as part of the analysis/repair.
failure_description	string (max 2,000 char)	Required	**Failure Description** Text description of how failure manifests, including information such as chronology of how the failure unfolds.
failure_mode	string (max 255 char)	Required	**Failure Mode** The manner by which a failure is observed. Generally describes the way the failure occurs and its impact on equipment operation.
failure_mode_id	string (max 255 char)	Conditionally required	**Failure Mode Identifier** Identifying code or number and title used to associate all the failures that have the same cause.
failure_mechanism	string (max 255 char)	Required	**Failure Mechanism** Description of the catalyst that is the direct cause of the failure.
failure_effects	string (max 255 char)	Required	**Failure Effects** Brief description of the effect of the failure on the component and/or system.
failure_detection_methods	string (max 255 char)	Required	**Failure Detection Methods** Description of how the failure was discovered. For example, was the failure condition was detected by the health management (HM) monitoring and, if yes, did the HM correctly identify the failed item (isolation)?
test_mode	string (max 4,000 char)	Required	**Test Mode** Full description including test bench and use and environmental conditions when the failure occurred.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:03Z
Check the source to verify that this is the current version before use.

Field Name	Data Type	Required / Optional	Description
operation_mode	string (max 4,000 char)	Required	**Operation Mode** Mission mode of operation including environmental and use conditions when the failure occurred. Mission mode can relate to the internal engineering health/status data recorded by on a component/WRA. This data could help with the investigation of the component/WRA at the time of the failure. What mode of operation was the component/WRA functioning in at the time of failure?
contributing_factors	string (max 255 char)	Required	**Contributing Factors** Additional circumstances or conditions not mentioned in the **failure_test_mode** or **failure_operation_mode** that may have had an impact on the development of the failure.
failure_severity	string (max 3 char)	Required	**Failure Severity** 1 – 3 character code that designates the severity classification based upon system level consequences. Valid values are: **I** Catastrophic — Catastrophic - A failure which may cause death or system loss (i.e., aircraft, tank, missile, ship) **II** Critical — A failure which may cause severe injury, major property damage, or major system damage resulting in mission loss. **III** Marginal — A failure that may cause minor injury, minor property damage, or minor system damage which will result in delay or loss of availability or mission degradation. **IV** Minor — A failure not serious enough to cause injury, property or system damage, but which results in unscheduled maintenance or repair.
phase	string (max 20 char)	Optional	**Phase** Program lifecycle phase as defined by the government customer.
test	string (max 255 char)	Conditionally required	**Test** If failure occurred during a test, identify the test being performed when the failure occurred.
accumulated_life	string (max 100 char)	Optional	**Accumulated Test or Operational Life** Value extracted from data recorded on the part along with a descriptor for the unit of measure.
repair_action	string (max 2,000 char)	Required	**Repair Action** Text description of the method used to render the failed item operable.
responsible_engineer	string (max 50 char)	Optional	**Responsible Engineer** Name of the engineer who performed the failure analysis.
failure_analysis	string (max 2 GB)	Required	**Failure Analysis** Summary of the findings of the root cause analysis.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:03Z
Check the source to verify that this is the current version before use.

Field Name	Data Type	Required / Optional	Description
failure_category	string (max 255 char)	Optional	**Failure Category** Description of the current condition of the corrective action.
engineering_analysis_method	string (max 1,000 char)	Required	**Engineering Analysis Method** Text description of the techniques used to derive the **failure_analysis**. Identify the analytical construct employed (such as 5 Whys, failure mode and effects analysis (FMEA), fault tree analysis, or BIT diagnosis) and the process by which it was applied.
notes	string (max 2 GB)	Optional	**Notes** Any additional comments recorded by the analyst.
previous_corrective_actions	string (max 1,000 char)	Optional	**Previous Corrective Actions** Brief description of previous corrective actions that attempted to eliminate or improve the issue identified in the failure analysis. Did the previous corrective actions address the same **wra_pn**.
temporary_corrective_action	string (max 1,000 char)	Required	**Temporary Corrective Action** Text description of the short term fix to improve the issue identified in the failure analysis while a permanent correction is developed and implemented.
permanent_corrective_action	string (max 1,000 char)	Required	**Permanent Corrective Action** Text description of the permanent fix to eliminate or improve the issue identified in the failure analysis.
corrective_action_status	string (max 100 char)	Required	**Corrective Action Status** Description of the current condition of the corrective action. Valid values (in bold) and definitions (in parentheses) are: **Monitoring** (Fix has been implemented and monitoring effectiveness) **Inactive** (Problem not being worked right now (for whatever reason) **Archived** (Closed item) **Under Investigation** (Research in progress; open investigation) **Watch Item** (Monitoring to see if problem recurs, is improving or worsening)

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:03Z
Check the source to verify that this is the current version before use.

<table>
<tr><th>Field Name</th><th>Data Type</th><th>Required / Optional</th><th>Description</th></tr>
<tr><td>predicted_fix_effectiveness_factor</td><td>decimal
(1,1)</td><td>Required</td><td>Predicted Effectiveness Factor
An estimation of the ability for the solution to return the part to as good as new operation. The effectiveness factor has a value between 0 and 1. The following table defines the calculation method for determining predicted effectiveness factor. Assign a score to each of the three columns and add the figures to calculate a total factor score.
<table>
<tr><th>Rating</th><th colspan="2">Root Cause</th><th colspan="2">Method of fix</th><th colspan="2">Confidence in fix</th><th>Total Factor (X 100 for %)</th></tr>
<tr><td>High</td><td>0.3</td><td>Root cause is known</td><td>0.3</td><td>ECP or process change confirmed as fix</td><td>0.3</td><td>Design is mature with no new failure modes</td><td></td></tr>
<tr><td>Medium</td><td>0.2</td><td>Root cause not confirmed</td><td>0.2</td><td>Vendor process change</td><td>0.2</td><td>Design is not mature, potential for new failure modes</td><td></td></tr>
<tr><td>Low</td><td>0.1</td><td>Symptoms understood, root cause not identified</td><td>0.1</td><td>No vendor input</td><td>0.1</td><td>No confidence in design change and/or vendor</td><td></td></tr>
<tr><td>Score</td><td></td><td>+</td><td></td><td>+</td><td></td><td>=</td><td></td></tr>
</table></td></tr>
<tr><td>close_date</td><td>Timestamp</td><td>Required</td><td>Close Date
The date and time that the analysis and corrective action are officially marked as complete or, if they cannot be completed, the date and time that the item is closed. If the analysis and corrective action process are still in work, this field shall be null.</td></tr>
<tr><td>overdue_analysis_rationale</td><td>string
(max 250 char)</td><td>Conditionally required</td><td>Overdue Analysis Rationale
If failure analysis is still incomplete past the contract specified timeline, a description of the factors or conditions that prevented completion.</td></tr>
</table>

End of DI-SESS-82442

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:03Z
Check the source to verify that this is the current version before use.