PPP-B-636J
AMENDMENT-1
January 20, 1982

FEDERAL SPECIFICATION

BOXES, SHIPPING, FIBERBOARD


This amendment, which forms a part of Federal Specification PPP-B-636J, dated June 12, 1981, was approved by the Commissioner, Federal Supply Service, General Services Administration, for the use of all Federal agencies.

Insert the following:


Figures 1 thru 18, after page 26.

FSC 8115


Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:50Z
Check the source to verify that this is the current version before use.




BOX BODY WITH FLAPS



BOX BODY FOR FULL TELESCOPE CONTAINER




BOX BODY FOR INTERLOCKING DOUBLE COVER



BOX BODY

FIGURE 1. FIBERBOARD BOX DIMENSIONING

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:50Z
Check the source to verify that this is the current version before use.



NOTE: THE JOINT TAB MAY BE INTEGRAL WITH END OR SIDE PANEL; STITCHES MAY BE HORIZONTAL OR DIAGONAL IN ACCORDANCE WITH STANDARD MANUFACTURING PRACTICE.

FIGURE 1A. BOX, FIBERBOARD; DETAIL OF MANUFACTURE JOINT CONSTRUCTION FOR CLASS WEATHER RESISTANT AND WWVR BOXES

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:50Z
Check the source to verify that this is the current version before use.





FIGURE 2. BOX, FIBERBOARD; RSC-REGULAR SLOTTED BOX.


Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:50Z
Check the source to verify that this is the current version before use.



OUTER FLAPS OVERLAP AS SPECIFIED; INNER FLAPS SAME LENGTH AS OUTER FLAPS.

FIGURE 3. BOX, FIBERBOARD; OSC-OVERLAP SLOTTED BOX

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:50Z
Check the source to verify that this is the current version before use.



OUTER FLAPS FULL OVERLAP (SEE DETAIL REQUIREMENTS)
INNER FLAPS SAME LENGTH AS OUTER FLAPS

FIGURE 4. BOX, FIBERBOARD; FOL - FULL OVERLAP SLOTTED BOX

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:50Z
Check the source to verify that this is the current version before use.





FIGURE 5. BOX, FIBERBOARD; SFF-SPECIAL FULL FLAP SLOTTED BOX

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:50Z
Check the source to verify that this is the current version before use.




OUTER FLAPS MEET
INNER FLAPS MEET — CSSC

OUTER FLAPS OVERLAP
AT RANDOM NO FLAP CUTTING
INNER FLAPS MEET — CSOSC

FIGURE 6. BOX, FIBERBOARD, CSSC-CENTER SPECIAL SLOTTED BOX AND CSOSC-CENTER SPECIAL OVERLAP SLOTTED BOX.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:50Z
Check the source to verify that this is the current version before use.







FIGURE 7. BOX, FIBERBOARD; HSC HALF SLOTTED BOX WITH COVER

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:50Z
Check the source to verify that this is the current version before use.






FIGURE 8. BOX, FIBERBOARD; DBLCC - DOUBLE COVER

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:50Z
Check the source to verify that this is the current version before use.





FIGURE 9. BOX, FIBERBOARD, IC-INTERLOCKING DOUBLE COVER

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:50Z
Check the source to verify that this is the current version before use.

OPTIONAL FLAP ARRANGEMENTS



NOTE - UNLESS OTHERWISE SPECIFIED, COVER DEPTH SHALL EQUAL OVER-ALL OUTSIDE HEIGHT OF BODY; & BODY SLOTTING SHALL BE AT RIGHT ANGLES TO COVER SLOTTING.




FIGURE 10. BOX, FIBERBOAD; FTC-FULL TELESCOPE

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:50Z
Check the source to verify that this is the current version before use.





FIGURE.11. FOLDER, FIBERBOARD, CPF - ONE PIECE FOLDER

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:50Z
Check the source to verify that this is the current version before use.






FIGURE 12. FOLDER, FIBERBOARD; FPF-FIVE PANEL FOLDER

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:50Z
Check the source to verify that this is the current version before use.




FIGURE 13. BOX, FIBERBOARD; TS - TRIPLE SLIDE BOX

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:50Z
Check the source to verify that this is the current version before use.




FIGURE 14. FOLDER, FIBERBOARD; TSC-TONGUE AND SLOT CLOSURE

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:50Z
Check the source to verify that this is the current version before use.






FIGURE 15. BOX, FIBERBOARD; SL - SLEEVE


Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:50Z
Check the source to verify that this is the current version before use.



TYPE I STITCH LOCK




TYPE II FRICTION LOCK



TYPE III FLANGE INTERLOCK

FIGURE 16. COVER ASSEMBLY

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:50Z
Check the source to verify that this is the current version before use.



NOTE: ★ DIMENSION AND CUBE (SEE3.5.J) ★ ★ CAN BE BOXMAKER'S CERTIFICATE, ROUND OR RECTANGULAR AS APPLICABLE, AND IT MAY BE LOCATED ON THE BOX WHERE IT IS CUSTOMARILY PLACED.


★ ★ DIMENSIONS & CUBE OTHER THAN SPECIFIED IN MIL-STD-129 SHALL BE PRINTED ONLY ON GOVERNMENT PROCURED BOXES MINIMUM BURSTING STRENGTH - PSI

FIGURE 17. COMPLIANCE MARKING FOR CLASS WEATHER - RESISTANT AND WWVR BOXES

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:50Z
Check the source to verify that this is the current version before use.

MEASURE SAMPLES OF FINISHED STITCHES BEFORE DRIVING INTO FIBERBOARD. THE SAMPLE STITICHES ARE TO BE MADE UNDER POWER AND UNCLINCHED.

BOTH FLAT SECTIONS HAVE SAME MEASUREMENT WHEN ARCED



WIRE IN JAWS OF MICROMETER FOR MEASUREMENT OF THICKNESS.

WIRE IN JAWS OF MICROMETER FOR MEASUREMENT OF WIDTH.

INDICATED POSITION FOR UNIFORM MEASUREMENT OF CROWN FORMATION.

PPP-B-636J

FIGURE 18. METHOD OF MEASURING FORMED WIRE STITCH

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:50Z
Check the source to verify that this is the current version before use.

PPP-B-636J

MILITARY INTERESTS:

PREPARING ACTIVITY:

GSA-FSS

Custodians

Army - GL
Navy - SA
Air Force - 69

Review Activities

Army - ME, MI, SM, WC
Navy - AS, SH, YD
Air Force - 70, 71, 82, 84

User Activities

Navy - EC, MC, OS.
Air Force - 80

Source: https://assist.dla.mil -- Downloaded: 202640-26T12:50Z
Check the source to verify that this is the currentversion before use.