PPP-B-636J
INT. AMENDMENT-4 (SA)
SEPTEMBER 9, 1988

INTERIM AMENDMENT
TO
FEDERAL SPECIFICATION

BOXES, SHIPPING, FIBERBOARD

This interim amendment was developed by Navy Ships Parts Control Center, Mechanicsburg, Pa 17055-0788, based upon currently available technical information. It is recommended that Federal agencies use it in procurement and forward recommendations for changes to the preparing activity at the address shown above.

The General Services Administration has authorized the use of this interim amendment as a valid exception to PPP-B-636J, dated June 12, 1981.

PAGE 1

1.2.1, under "Type CF": Add the following:

"Class - Weather-resistant/Fire Retardant
Variety SW (single-wall).
Grades V3c, W5c, and W6c.
Variety DW (double-wall)
Grades VIIc, V13c, and V15c"

"Class - Domestic/Fire Retardant
Variety SW - (single-wall)
Grades 125, 175, 200, 275, and 350
Variety DW - (double-wall)
Grades 200, 275, 300, 500, and 600"

Under "Type SF": Add the following:

"Class - Weather-resistant/Fire Retardant
Grades V2s, V3s, V4s, W5s, and W6s."

"Class - Domestic/Fire Retardant
Grades 125, 175, 200, 275, 350, 500, and 600."

AMSC N/A FSC 8115

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:50Z
Check the source to verify that this is the current version before use.

PAGE 4

Table I title, after "domestic": Add "and domestic/ fire retardant".

Table II title, after "weather-resistant": Add "and weather-resistant/fire retardant."

PAGE 6

3.4.1, line 1, after "weather-resistant": Add "and weather-resistant/fire retardant".

Line 2, after "weather-resistant": Add "and weather-resistant/fire retardant".

PAGE 7

3.4.1.1, line 1, after "weather-resistant": Add "and weather-resistant/fire retardant".

3.4.1.2, in title, after "weather-resistant": Add "and weather-resistant/fire retardant".

Line 1, after "weather-resistant": Add "and weather-resistant/fire retardant".

Line 2, after "weather-resistant": Add "and weather-resistant/fire retardant".

3.4.1.3, in title, after "weather-resistant": Add "and weather-resistant/fire retardant".

Line 1, after "weather-resistant": Add "and weather-resistant/fire retardant".

3.4.2, line 1, after "domestic": Add "and domestic/ fire retardant".

PAGE 8

3.4.2.1, line 1, after "domestic": Add "and domestic/ fire retardant".

Source: https://assist.dla.mil -- Downloaded: 2026-10-20T12:50Z
Check the source to verify that this is the current version before use.

3.4.2.2, line 1, after "domestic": Add "and domestic/fire retardant".
Line 2, after "domestic": Add "or domestic/fire retardant".

At end of paragraph: Add "Liners for the class domestic boxes shall be class domestic. Liners for class domestic/fire retardant boxes shall be class domestic/fire retardant".

3.5.1, in title, after "weather-resistant": Add "and weather-resistant/fire retardant".

Line 1, after "weather-resistant": Add "and weather-resistant/fire retardant".

Add the following paragraph:

"(6) For class weather-resistant/fire retardant boxes, the words "FIRE RETARDANT" shall be marked below the boxmaker's certification".

PAGE 9

3.5.2, line 1, after "domestic": Add "and domestic/fire retardant".
Line 8, after "more than one panel.": Add the following: For class domestic/fire retardant boxes, the words "FIRE RETARDANT" shall be marked below the boxmaker's certification.

Add the following paragraph:

3.7, Additional Requirements. The supplier must certify that the product supplied contains at least 40% post consumer recovered material.

PAGE 11

4.3.1.1, (cont'd), lines 1 thru 3, under "Examine": Delete in its entirety and substitute the following "Weather-resistant, weather-resistant/fire retardant, WWVR, domestic, and domestic/fire retardant boxes"

Line 7, under "Examine", line 7, after "domestic": Add "and domestic/fire retardant boxes".

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:50Z
Check the source to verify that this is the current version before use.

PAGE 13

4.3.1.2, (cont'd), under "Examine", line 11, after "Class domestic": Add "and domestic/fire retardant".

PAGE 14

4.3.1.2, (cont'd), under "Examine", line 3, after "Class weather-resistant": Add "and weather-resistant/ fire retardant".

PAGE 15

Add the following paragraph:

"6.1.3, Fire retardant boxes. Fire retardant boxes are intended to reduce the risks and hazards of fire aboard Navy ships and to improve readiness by reducing losses due to fire destruction in compliance with the Navy Passive Fire Protection Program."

6.2 (y), after "method" delete "IV, V, or".

Line 1, after "weather-resistant": Add "and weather-resistant/fire retardant".

PAGE 16

6.2 (bb), after "weather-resistant": Add "and weather-resistant/fire retardant".

6.3, in title, after "weather-resistant": Add "and weather-resistant/fire retardant".

Line 1, after "weather-resistant": Add "and weather-resistant/fire retardant".

PAGE 17

30.1, after "domestic": Add "and domestic/fire retardant".

PAGE 18

30.2, after "weather-resistant": Add "and weather-resistant/fire retardant".

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:50Z
Check the source to verify that this is the current version before use.

30.3.1, line 1, after "domestic": Add "and domestic/ fire retardant in two places".

30.3.1.1, line 1, after "Domestic": Add "and domestic fire retardant".

30.3.1.2, line 1, after "Domestic": Add "and domestic/ fire retardant".

PAGE 19

30.3.2, in title, after "weather-resistant": Add "and weather-resistant/fire retardant".

Line 1, after "weather-resistant": Add "and weather-resistant/fire retardant".

Lines 2 and 3, delete and substitute: "securely closed in accordance with methods III, V, or IV, as applicable or with method IV when specified (see 6.2) and as specified herein."

30.3.2.1, delete "method III" and substitute "Closure methods".

30.3.2.1.1, at beginning of title, Insert "Method III".

Line 1, delete "When" and substitute "Except as"

30.3.2.1.3, line 2, delete "When specified (see 6.2)".

PAGE 20

30.4, lines 1 and 2, after "weather-resistant": Add "and weather-resistant/fire retardant".

30.5.1, lines 1 and 2, after "domestic": Add "and domestic/fire retardant".

30.5.2, lines 1 and 2, after "weather-resistant": Add "and weather-resistant/fire retardant".

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:50Z
Check the source to verify that this is the current version before use.

PAGE 23

30.5.4.1, lines 1 and 2, after "domestic": Add "and domestic/fire retardant".

PAGE 24

40.1.1, (cont'd), under "Examine", lines 6 and 14, after "Domestic": Add "and domestic/fire retardant".

Lines 8 and 19, after "Weather-resistant": Add "and weather-resistant/fire retardant".

PAGE 25

50.1.4, after "domestic": Add "and domestic/fire retardant".

50.1.4.1, line 1, after "domestic": Add "and domestic/fire retardant".

PAGE 26

50.1.4.2, line 1, after "domestic": Add "and domestic/fire retardant".

50.1.5, after "weather-resistant": Add "and weather-resistant/fire retardant".

50.1.5.1, after "weather-resistant": Add "and weather-resistant/fire retardant".

50.1.5.2, after "weather-resistant": Add "and weather-resistant/fire retardant".

After page 26: Insert the attached figures 1 thru 18.

Custodian:


Navy - SA

Preparing activity

Navy - SA

Project No. 8115-N504

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:50Z
Check the source to verify that this is the current version before use.



NOTE: THE JOINT TAB MAY BE INTEGRAL WITH END OR SIDE PANEL; STITCHES MAY BE HORIZONTAL OR DIAGONAL IN ACCORDANCE WITH STANDARD MANUFACTURING PRACTICE.

FIGURE 1A. BOX, FIBERBOARD; DETAIL OF MANUFACTURE JOINT CONSTRUCTION FOR CLASS WEATHER RESISTANT AND WWVR BOXES

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:50Z
Check the source to verify that this is the current version before use.





FIGURE 2. BOX, FIBERBOARD; RSC-REGULAR SLOTTED BOX


Source: https://assist.dla.mil -- Downloaded: 20261O-26T12:50Z
Check the source to verify that this is the current version before use.



OUTER FLAPS OVERLAP AS SPECIFIED; INNER FLAPS SAME LENGTH AS OUTER FLAPS.

FIGURE 3. BOX, FIBERBOARD; OSC-OVERLAP SLOTTED BOX

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:50Z
Check the source to verify that this is the current version before use.



OUTER FLAPS FULL OVERLAP (SEE DETAIL REQUIREMENTS)
INNER FLAPS SAME LENGTH AS OUTER FLAPS

FIGURE 4. BOX, FIBERBOARD; FOL-FULL OVERLAP SLOTTED BOX

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:50Z
Check the source to verify that this is the current version before use.





FIGURE 5. BOX, FIBERBOARD; SFF-SPECIAL FULL FLAP SLOTTED BOX

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:50Z
Check the source to verify that this is the current version before use.




OUTER FLAPS MEET
INNER FLAPS MEET — CSSC

OUTER FLAPS OVERLAP
AT RANDOM NO FLAP CUTTING
INNER FLAPS MEET — CSOSC

FIGURE 6. BOX, FIBERBOARD, CSSC-CENTER SPECIAL SLOTTED BOX AND CSOSC- CENTER SPECIAL OVERLAP SLOTTED BOX.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:50Z
Check the source to verify that this is the current version before use.






FIGURE 7. BOX, FIBERBOARD; HSC HALF SLOTTED BOX WITH COVER

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:50Z
Check the source to verify that this is the current version before use.





FIGURE 8. BOX, FIBERBOARD; DBLCC - DOUBLE COVER

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:50Z
Check the source to verify that this is the current version before use.






FIGURE 9. BOX, FIBERBOARD, IC-INTERLOCKING DOUBLE COVER

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:50Z
Check the source to verify that this is the current version before use.

OPTIONAL FLAP ARRANGEMENTS




FIGURE 10. BOX, FIBERBOARD; FTC-FULL TELESCOPE

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:50Z
Check the source to verify that this is the current version before use.





FIGURE.11. FOLDER, FIBERBOARD, CPF - ONE PIECE FOLDER

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:50Z
Check the source to verify that this is the current version before use.






FIGURE 12. FOLDER, FIBERBOARD; FPF-FIVE PANEL FOLDER

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:50Z
Check the source to verify that this is the current version before use.




FIGURE 13. BOX, FIBERBOARD; TS - TRIPLE SLIDE BOX

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:50Z
Check the source to verify that this is the current version before use.




FIGURE 14. FOLDER, FIBERBOARD; TSC-TONGUE AND SLOT. CLOSURE

Source: https://assist.dla.mil - Downloaded: 2026/10-26T12:50Z
Check the source to verify that this is the current version before use.






FIGURE 15. BOX, FIBERBOARD; SL - SLEEVE


Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:50Z
Check the source to verify that this is the current version before use.



TYPE I STITCH LOCK




TYPE II FRICTION LOCK



TYPE III FLANGE INTERLOCK

FIGURE 16. COVER ASSEMBLY

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:50Z
Check the source to verify that this is the current version before use.



NOTE: ★ DIMENSION AND CUBE (SEE3.5.J) ★ ★ CAN BE BOXMAKER'S CERTIFICATE, ROUND OR RECTANGULAR AS APPLICABLE, AND IT MAY BE LOCATED ON THE BOX WHERE IT IS CUSTOMARILY PLACED.


★ ★ DIMENSIONS & CUBE OTHER THAN SPECIFIED IN MIL-STD-129 SHALL BE PRINTED ONLY ON GOVERNMENT PROCURED BOXES
MINIMUM BURSTING STRENGTH - PSI

FIGURE 17. COMPLIANCE MARKING FOR CLASS WEATHER - RESISTANT AND WWVR BOXES

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:50Z
Check the source to verify that this is the current version before use.

MEASURE SAMPLES OF FINISHED STITCHES BEFORE DRIVING INTO FIBERBOARD. THE SAMPLE STITICHES ARE TO BE MADE UNDER POWER AND UNCLINCHED.

BOTH FLAT SECTIONS HAVE SAME MEASUREMENT WHEN ARCED



WIRE IN JAWS OF MICROMETER FOR MEASUREMENT OF THICKNESS.

WIRE IN JAWS OF MICROMETER FOR MEASUREMENT OF WIDTH.

INDICATED POSITION FOR UNIFORM MEASUREMENT OF CROWN FORMATION.

FIGURE 18. METHOD OF MEASURING FORMED WIRE STITCH

Source: https://assist.dla.mil -- Downloaded: 202640-26T12:50Z
Check the source to verify that this is the current version before use.