MIL-D-37095A
26 March 1975
SUPERSEDING
MIL-D-37095
25 November 1974

MILITARY SPECIFICATION

DIAZEPAM TABLETS, USP

This specification is approved for use by all Departments and Agencies of the Department of Defense.

1. SCOPE

1.1 Scope. This specification covers Diazepam Tablets, USP.

1.2 Classification. The tablets covered by this specification shall be the following sizes and strengths (See 6.2):

Size 1 - Individually Sealed, 100s
Size 2 - Bottle of 50s
Size 3 - Bottle of 500s
Strength 1 - 2 mg
Strength 2 - 5 mg
Strength 3 - 10 mg

2. APPLICABLE DOCUMENTS

2.1 The following documents, of the issue in effect on date of invitation for bids or request for proposals, form a part of this specification to the extent specified herein:

SPECIFICATIONS

Federal

PPP-C-186	Containers, Packaging and Packing for Drugs, Chemicals, and Pharmaceuticals. (See 6.4).

STANDARDS

Federal

FED-STD-140	Tablets (for Medicinal Purposes).

FSC 6505

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T09:57Z
Check the source to verify that this is the current version before use.

Military

MIL-STD-105 Sampling Procedures and Tables for Inspection by Attributes.

(Copies of specifications and standards required by contractors in connection with specific procurement functions should be obtained from the procuring activity or as directed by the contracting officer.)

2.2 Other publications. The following documents form a part of this specification to the extent specified herein. Unless otherwise indicated, the issue in effect on date of invitation for bids or request for proposals shall apply.

AMERICAN PHARMACEUTICAL ASSOCIATION PUBLICATION

National Formulary.

(Application for copies should be addressed to the Mack Publishing Company, Easton, PA 18042.)

U.S. DEPARTMENT OF HEALTH, EDUCATION, AND WELFARE, FOOD AND DRUG ADMINISTRATION

Federal Food, Drug, and Cosmetic Act and Regulations Promulgated Thereunder.

(Application for copies should be addressed to the Food and Drug Administration, Washington, DC 20204.)

U. S. PHARMACOPEIAL CONVENTION, INC.

Pharmacopeia of the United States.

(Application for copies should be addressed to the Mack Publishing Company, Easton, PA 18042.)

3. REQUIREMENTS

3.1 Material. Shall be Diazepam Tablets, USP, and shall be in accordance with all applicable requirements of FED-STD-140, and as specified herein:

Source: https://assist.dla.mil -- Downloaded: 20261O-21T09:57Z
Check the source to verify that this is the currentversion before use.

S2. Classification. Shall be type I, class 1.

S5.2 The following is added to this paragraph:

Strength 1. Tablets shall contain 2 mg of Diazepam per tablet, within the applicable assay limits for the tablets.

Strength 2. Tablets shall contain 5 mg of Diazepam per tablet, within the applicable assay limits for the tablets.

Strength 3. Tablets shall contain 10 mg of Diazepam per tablet, within the applicable assay limits for the tablets.

The Diazepam used in the manufacture of the tablets shall comply with the tests, standards, and requirements of the N.F.

All other ingredients used in the manufacture of the tablets shall comply with S5.1.

3.2 Potency period. The potency period (Expiration dating period) shall be 60 months.

4. QUALITY ASSURANCE PROVISIONS

4.1 Supplier responsibility for inspection. Unless otherwise specified in the contract or purchase order, the supplier is responsible for the performance of all inspection requirements as specified herein. Except as otherwise specified in the contract or order, the supplier may use his own or any other facilities suitable for the performance of the inspection requirements specified herein, unless disapproved by the Government. The Government reserves the right to perform any of the inspections set forth in the specification where such inspections are deemed necessary to assure supplies and services conform to prescribed requirements.

4.1.1 Records of examinations and tests performed by or for the contractor shall be maintained by the contractor and made available to the Government, upon the Government's request, at any time, or from time to time, during the performance of the contract and for a period of 5 years after delivery of the supplies to which such records relate.

4.1.2 No company supplying any ingredient(s) to the contractor will be considered an acceptable facility for the performance of any inspection requirements specified herein.

Source: https://assist.dla.mil -- Downloaded: 20261O-21T09:57Z
Check the source to verify that this is the current version before use.

4.2 Sampling and examination. Sampling and examination shall be conducted in accordance with FED-STD-140.

4.3 Tests. Test and examinations shall be performed to determine compliance with all requirements of this document and all referenced documents.

4.4 Examination of Preparation for Delivery. An examination shall be made to determine whether the packaging, packing, and marking comply with the requirements of Section 5. Defects shall be scored as specified in Table. Sampling shall be in accordance with MIL-STD-105. The sample unit shall be one container fully prepared for delivery. The lot shall be the number of containers offered for inspection at one time. The Inspection Level shall be S-2 and the acceptable quality level shall be 4.0 defects per hundred units.

Table - Examination of Preparation for Delivery

Examination	Defect
Containers	Not as specified.
Quantity	Quantity in interior packages and shipping containers not as specified.
Materials	Any component missing or damaged.
Workmanship	Inadequate application of components such as incomplete closure of container flaps, tape improperly applied, or containers distorted.
Markings	Omitted, incorrect, illegible, improper size, location, sequence, or method of application.

5. PREPARATION FOR DELIVERY

5.1 Preparation for Delivery shall be in accordance with all applicable requirements of PPP-C-186, and as specified herein.

5.2 Packaging. Packaging shall be Level A or C as specified (see 6.1).

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T09:57Z
Check the source to verify that this is the current version before use.

5.2.1 Unit of issue. One bottle containing fifty tablets or five hundred tablets or one box containing one hundred individually packaged tablets constitutes one unit of issue.

5.2.2 Level A.

5.2.2.1 Immediate containers. Immediate containers for size 1 tablets shall be a commercially available blister or strip package so designed that each tablet is contained in its own compartment. Immedicate container for size 2 and size 3 tablets shall be a commercially available bottle. Immediate containers shall be considered acceptable to the Food and Drug Administration (FDA) for the product contained therein and shall be of such compatibility that neither the contents nor the container are altered in any way by each other. The closure for size 2 shall be a closure P-child-proof.

5.2.2.2 Unit package. Size 1 tablets of the strength specified shall be packaged as specified in paragraph 5.2.5 of PPP-C-186. At the option of the contractor, size 2 and size 3 tablets may be packaged as specified in 5.2.5 of PPP-C-186.

5.2.2.3 Intermediate package. Ten units of size 1, strength 2, or twelve units of size 3, strength 2 shall be packaged as specified in 5.2.8 of PPP-C-186. Ten units of size 1, strength 1 or 3; ten units of size 2, or twelve units of size 3, strength 1 shall be packaged as specified in 5.2.7.1 of PPP-C-186.

5.2.3 Level C. Units shall be packaged in standard commercial containers of the size and kind commonly used, which will afford the degree of protection required for shipment and use of the product for its intended purpose.

5.3 Packing. Packing shall be level A, B or C as specified (see 6.1).

5.3.1 Level A. Four intermediate packages of size 3, strength 2; eight intermediate packages of size 1, strength 3; ten intermediate packages of size 1, strength 1 or 2; twelve intermediate packages of size 3, strength 1, or sixty intermediate packages of size 2 shall be packed in an exterior container as specified in 5.4.4 of PPP-C-186.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T09:57Z
Check the source to verify that this is the current version before use.

5.3.2 Level B. Ten intermediate packages of size 1, strength 1 or 3; twelve intermediate packages of size 3, strength 1, or sixty intermediate packages of size 2 shall be packed in an exterior container as specified in 5.4.3.1.1 of PPP-C-186. Four intermediate packages of size 3, strength 2, or eight intermediate packages of size 1, strength 2, shall be packed in an exterior container as specified in 5.4.3.2 of PPP-C-186.

5.3.3 Level C. The subject commodity shall be packed in substantial commercial containers of the type, size, and kind commonly used for the purpose, so constructed as to insure acceptance and safe delivery by common or other carriers, at the lowest rate to point of delivery called for in the contract or purchase order.

5.4 Marking.

5.4.1 Labeling. Labeling shall be in accordance with the requirements of the Federal Food, Drug and Cosmetic Act and shall include the information required below:

5.4.1.1 Immediate container. Each immediate container label shall bear the following information:

(a) Size 1 and size 3 tablets

1) label information in accordance with commercial practice.
2) the expiration date.

(b) Size 2

1) A bi-part label in accordance with commercial practice.
2) the expiration date.

5.4.1.2 Unit package. Each unit package shall bear the following:

(a) labeling information in accordance with commercial practice.
(b) the National Stock Number.

NOTE: The National Stock Number shall not be preceded by any prefix.

Strip labeling may be used.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T09:57Z
Check the source to verify that this is the current version before use.

Label adhesion test shall not apply.

If a unit package is not supplied, the National Stock Number shall appear on the immediate container label.

5.4.2 Intermediate package. Each intermediate package shall be marked as specified in 5.5.3 of PPP-C-186. In addition, marking shall include Type I Shelf Life marking as specified in MIL-STD-129 and the following legend:

"STORE AT CONTROLLED ROOM TEMPERATURE (59° - 86° F)".

5.4.3 Exterior container. Exterior containers shall be marked as specified in 5.5.4 of PPP-C-186. Type I Shelf Life marking as specified in MIL-STD-129 shall be shown. Marking shall also include the legend:

"STORE AT CONTROLLED ROOM TEMPERATURE (59° - 86° F)".

6. NOTES

6.1 Ordering data. Procurement documents should specify the following:

(a) Title, number and date of this specification.
(b) the National Stock No.
(c) Selection of applicable levels of packaging and packing (see 5.2 and 5.3).

6.2 This specification covers the following item:

National Stock Number	Item Identification
6505-00-117-5679	DIAZEPAM TABLETS, USP, 5 mg, Individually Sealed, 100's
6505-00-132-0318	DIAZEPAM TABLETS, USP, 2 mg, Individually Sealed, 100's
6505-00-132-0332	DIAZEPAM TABLETS, USP, 10 mg, Individually Sealed, 100's
6505-00-133-5443	DIAZEPAM TABLETS, USP, 5 mg, 50s
6505-00-783-7218	DIAZEPAM TABLETS, USP, 5 mg, 500s
6505-00-900-0900	DIAZEPAM TABLETS, USP, 2 mg, 500s

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T09:57Z
Check the source to verify that this is the current version before use.

6.3 This specification does not cover all types, classes, grades, or sizes of the commodity indicated by the title of this specification, or those which are commercially available, but is intended to cover the types which are normally procured to meet Military requirements.

6.4 All reference to PPP-C-186 refer to Interim Federal Specification PPP-C-00186B which is mandatory for use until superceded by a revision.

Custodians:
Army - MD
Navy - MS
Air Force - 03

Preparing activity:
Defense Supply Agency - DM

Project No. 6505-1338
cs

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T09:57Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

OMB Approval
No. 22-R255

INSTRUCTIONS: The purpose of this form is to solicit beneficial comments which will help achieve procurement of suitable products at reasonable cost and minimum delay, or will otherwise enhance use of the document. DoD contractors, government activities, or manufacturers/vendors who are prospective suppliers of the product are invited to submit comments to the government. Fold on lines on reverse side, staple in corner, and send to preparing activity. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or to amend contractual requirements. Attach any pertinent data which may be of use in improving this document. If there are additional papers, attach to form and place both in an envelope addressed to preparing activity.

DOCUMENT IDENTIFIER AND TITLE

MIL-D-37095A

NAME OF ORGANIZATION AND ADDRESS

CONTRACT NUMBER

MATERIAL PROCURED UNDER A

☐ DIRECT GOVERNMENT CONTRACT ☐ SUBCONTRACT

1. HAS ANY PART OF THE DOCUMENT CREATED PROBLEMS OR REQUIRED INTERPRETATION IN PROCUREMENT USE?
   A. GIVE PARAGRAPH NUMBER AND WORDING.

   B. RECOMMENDATIONS FOR CORRECTING THE DEFICIENCIES

2. COMMENTS ON ANY DOCUMENT REQUIREMENT CONSIDERED TOO RIGID

3. IS THE DOCUMENT RESTRICTIVE?

   ☐ YES ☐ NO *(If "Yes", in what way?)*

4. REMARKS

SUBMITTED BY *(Printed or typed name and address - Optional)*

TELEPHONE NO.

DATE

DD FORM 1 JAN 72 1426 REPLACES EDITION OF 1 JAN 66 WHICH MAY BE USED

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T09:57Z
Check the source to verify that this is the current version before use.

FOLD

DEFENSE PERSONNEL SUPPORT CENTER
2800 South 20th Street
Philadelphia, Pa. 19101

POSTAGE AND FEES PAID
DEFENSE SUPPLY AGENCY
DoD - 304

U.S.MAIL

OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE $300

HEADQUARTERS, DEFENSE PERSONNEL SUPPORT CENTER
ATTN: DIRECTORATE OF MEDICAL MATERIEL, CODE ATT
2800 SOUTH 20TH STREET
PHILADELPHIA, PA. 19101

FOLD

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T09:57Z
Check the source to verify that this is the current version before use.