INCH - POUND

MIL-DTL-3943/346A
2 November 2012
SUPERSEDING
MIL-DTL-3943/346
8 May 2012

DETAIL SPECIFICATION SHEET

DECORATION, STATE AND LOCAL LAW ENFORCEMENT, CONGRESSIONAL BADGE OF BRAVERY, U.S. DEPARTMENT OF JUSTICE

This specification is approved for use by all
Departments and Agencies of the Department of Defense.

The requirements for acquiring the product described herein shall consist of this specification sheet and the latest issue of MIL-DTL-3943.



OBVERSE



REVERSE

MATERIAL: Red Brass 85/15 (UNS Alloy No. C-230)

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T02:11Z
Check the source to verify that this is the current version before use.

DIMENSIONS:

HEIGHT: 2-5/8 inches (REF)

WIDTH: 1-7/8 inches (REF)

THICKNESS (across center of shield): 0.175 inch ± 0.010 inch

PIERCINGS: Piercings shall be as indicated above.

FINISH:

OBVERSE:

NICKEL: Borders of pendant cross and star band, stars within star band, Capitol Dome and wreath shall be Nickel Plated, Matte Finish, Polished Highlights, and shall match The Institute of Heraldry (TIOH) Metal Finish Chip Number 18.

GOLD: Central badge and all elements of the Congressional Seal on it shall be 24K Gold Plated, Matte Finish, Polished Highlights, and shall match TIOH Metal Finish Chip Number 8.

EPOXY: Epoxy enamel shall be applied as indicated below, and shall match TIOH Hard Enamel Color Chip Numbers listed:

TIOH HARD ENAMEL COLOR CHIP NUMBER	LOCATION
Blue #20	Star Band
White #28	Arms of Cross

REVERSE:

NICKEL: Borders of pendant cross, designation band and lettering within designation band, back of Capitol Dome, and wreath shall be Nickel Plated, Matte Finish, Polished Highlights, and shall match TIOH Metal Finish Chip Number 18.


GOLD: Central badge and lettering on it shall be 24K Gold Plated, Matte Finish, Polished Highlights, and shall match TIOH Metal Finish Chip Number 8. The nameplate portion of the badge's surface shall be made suitable for engraving.

EPOXY: Hard epoxy enamel shall be applied as indicated below, and shall match TIOH Hard Enamel Color Chip Number listed:

TIOH HARD ENAMEL COLOR CHIP NUMBER	LOCATION
White #28	Arms of Cross

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T02:11Z
Check the source to verify that this is the current version before use.

ATTACHING DEVICE: The suspension ring through which the neckband passes shall be made of Red Brass 85/15 (UNS Alloy C-230), conform to the dimensions specified below, The pendant ring shall be hard soldered to the reverse of the pendant as shown and in such a way that it is not visible when viewing the pendant's obverse.



NECKBAND: The neckband shall conform to Figure 9 in the latest version of MIL-DTL-3943, except that the manufacturer may deviate from this drawing by increasing the finished length of the neckband to 26 inches + 1/2 inch - 0.

DECORATION CASE: The decoration set shall consist of a neckband with pendant, a service ribbon with ribbon attachment, and a lapel button all packaged in a decoration case conforming to MIL-C-14633, Type XV, Style 3, with a Type I Class 1 pad. The following shall be inscribed on the top of the decoration case using three lines: (Line 1) CONGRESSIONAL (Line 2) BADGE OF BRAVERY (Line 3) STATE AND LOCAL.

NOTES:

1. The term (REF) refers to the measurements taken from the obverse Government furnished hub or die.

2. The manufacturer may deviate from MIL-DTL-3943 by using nickel underplating prior to plating with 24K gold.

3. Hard cloisonné enamel may be used in lieu of epoxy. If hard cloisonné enamel is used, the required base material is Gilding Metal 95/5 (UNS Alloy C-210).

4. The specification slash sheet for the ribbon for the neckband and service ribbon is MIL-DTL-11589/639.

5. The specification slash sheet for the ribbon attachment is MIL-DTL-41819/49.

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T02:11Z
Check the source to verify that this is the current version before use.

6. The specification slash sheet for the lapel button is MIL-DTL-11484/340.

7. This item is not authorized for commercial sale, and may be produced only under Government contract and at the request of the U.S. Department of Justice.

CHANGES FROM PREVIOUS ISSUE: The margins of this specification are marked with vertical lines to indicate where changes from the previous issue were made. This was done as a convenience only and the Government assumes no liability whatsoever for any inaccuracies in these notations. Bidders and contractors are cautioned to evaluate the requirements of this document based on the entire content irrespective of the marginal notations and relationship to the last previous issue.

Custodian:
Army - IH

Civil agency:
DOJ - BJA

Preparing activity:
Army - IH

(Project No. 8455-2012-161)

NOTE: The activities listed above were interested in this document as of the date of this document. Since organizations and responsibilities can change, you should verify the currency of the information above using the ASSIST Online database at https://assist.dla.mil.

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T02:11Z
Check the source to verify that this is the current version before use.