NOT MEASUREMENT SENSITIVE

MIL-DTL-3943/348B
08 March 2022
SUPERSEDING
MIL-DTL-3943/348A
17 May 2017


DETAIL SPECIFICATION SHEET

MEDAL, EXCEPTIONAL CIVILIAN SERVICE,
DEFENSE TECHNICAL INFORMATION CENTER

This specification is approved for use by all
Departments and Agencies of the Department of Defense.

The requirements for acquiring the product described herein shall consist of this specification sheet and the latest issue of MIL-DTL-3943.

Areas shaded gray shall be filled with BLUE #20.



OBVERSE



REVERSE

DASH NUMBERS:
-1 Regular Size
-2 Miniature Size

MATERIAL: Red Brass 85/15 (UNS Alloy No. C-230)

FINISH (-1 and -2): 24K Gold Plated, Matte Finish, Polished Highlights, and shall match The Institute of Heraldry (TIOH) Metal Finish Chip Number 8.

AMSC N/A FSC 8455

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T02:12Z
Check the source to verify that this is the current version before use.

DIMENSIONS:
HEIGHT (with integral lug):
-1: 1-3/4 inches (REF)
-2: 3/4 inch (REF)
WIDTH:
-1: 1-5/8 inches (REF)
-2: 23/32 inch (REF)
THICKNESS (across center insignia):
-1: 0.190 inch ± 0.010 inch
-2: 0.148 inch ± 0.010 inch

EPOXY (-1 and -2): Epoxy enamel shall be applied to the Obverse of the pendant only as indicated above, and shall match TIOH Hard Enamel Color Chip Number listed:

TIOH HARD ENAMEL COLOR CHIP NUMBER	LOCATION
Blue #20	Stylized Center Square

DECORATION SET AND CASE: The decoration set shall consist of a regular size medal, a miniature size medal, a lapel button, and a service ribbon all packaged in a decoration case conforming to MIL-DTL-14633, Type XVI, with a Class 2 or 4 pad.

NOTES:
1. The term (REF) refers to the measurements taken from the Government furnished obverse hub or die.

2. The manufacturer may deviate from MIL-DTL-3943 by using nickel underplating prior to plating with 24K gold.

3. The specification slash sheet for the ribbon for the pendant drape and service ribbon is MIL-DTL-11589/645.

4. The specification slash sheet for the lapel button is MIL-DTL-11484/342.

5. This item is not authorized for commercial sale, and may be produced only under Government contract and at the request of the Defense Technical Information Center.

CHANGES FROM PREVIOUS ISSUE: The margins of this specification are marked with vertical lines to indicate where changes from the previous issue were made. This was done as a convenience only and the Government assumes no liability whatsoever for any inaccuracies in these notations. Bidders and contractors are cautioned to evaluate the requirements of this document based on the entire content irrespective of the marginal notations and relationship to the last previous issue.

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T02:12Z
Check the source to verify that this is the current version before use.

Custodian:
Army - IH

Preparing activity:
Army - IH

Review Activity:
DLA - CT

(Project No. 8455-2022-073)

NOTE: The activities listed above were interested in this document as of the date of this document. Since organizations and responsibilities can change, you should verify the currency of the information above using the ASSIST Online database at https://assist.dla.mil.

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T02:12Z
Check the source to verify that this is the current version before use.