MILITARY SPECIFICATION SHEET

ANTENNA, BLADE, UHF, AT-256A/ARC (SERIES N CONNECTOR)

This specification is approved for use by all Departments and Agencies of the Department of Defense.

The complete requirements for procuring the antenna described herein shall consist of this document and the latest issue of Specification MIL-A-5815.




FIGURE 1. Dimensions and configuration

FSC 5985

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T05:50Z
Check the source to verify that this is the current version before use.

INCHES	MM	INCHES	MM	INCHES	MM	INCHES	MM
.003	.08	.219	5.56	.630	16.00	1.813	46.05
.005	.13	.250	6.35	.687	17.45	2.000	50.80
.010	.25	.260	6.60	75	19.05	2.187	55.55
.030	.76	.375	9.53	.770	19.56	2.375	60.33
.031	.79	.385	9.78	1.062	26.97	2.75	69.85
.054	1.37	.430	10.92	1.187	30 15	3.625	92.08
.062	1.57	.500	12.70	1.343	34.11	4.375	111.13
.125	3.18	.520	13.21	1.375	34.93	5.000	127.00
.187	4.75	.531	13.49	1 625	41.28	9.014	237.96
.205	5.21						

NOTES
1. Dimensions are in inches.
2. Metric equivalents are in parentheses.
3. Metric equivalents (to the nearest .01 mm) are given for general information only and are based upon 1 inch = 25 4 mm.
4. Unless otherwise specified, tolerances are ±.005 (.13 mm) for three place decimals and ±.02 (.51 mm) for two place decimals, angles are ±0.5°.
5. Any alternate bolt or bolt head configuration may be used within the cited maximum limits so long as the antenna meets the performance requirements of this specification.
6 The cover may be of a one or two piece construction

FIGURE 1. Dimensions and configuration - Continued.

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T05:50Z
Check the source to verify that this is the current version before use.

REQUIREMENTS.

Dimensions and configuration See figure

Class of equipment. Class 2

Materials

Base Aluminum alloy per QQ-A-591, Alloy 13, 13A or 380

Cover Suitable material that will resist erosion of impinging particles at velocities up to Mach 0 95

Finish. Anodize all aluminum alloy surfaces, with the exception of the surface that interfaces with the skin of aircraft, per MIL-A-8265, Type I

Temperature operating range -54°C to 125°C, and intermittent to 150°C

Static load 8 psi applied perpendicular to the blade, with an ultimate of 12 psi

Frequency range 225 to 400 MHz

Characteristics impedance 50 ohms, nominal

VSWR 2 1 maximum from 225 to 400 MHz

Radiation power 50 watts, average

Polarization test frequency 315 MHz

Seal test 70,000 feet

Weight 24 ounces, maximum

Part number M5815/1-01

Custodians
Army - EL
Air Force - 85

Review activities
Army - AV
Air Force - 11, 99
DSA - ES

Preparing activity
Air Force - 85

(Project 5985-0808-1)

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T05:50Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

OMB Approval
No 22-R255

INSTRUCTIONS The purpose of this form is to solicit beneficial comments which will help achieve procurement of suitable products at reasonable cost and minimum delay, or will otherwise enhance use of the document DoD contractors, government activities, or manufacturers/ vendors who are prospective suppliers of the product are invited to submit comments to the government Fold on lines on reverse side, staple in corner and send to preparing activity Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or to amend contractual requirements Attach any pertinent data which may be of use in improving this document If there are additional papers, attach to form and place both in an envelope addressed to preparing activity

DOCUMENT IDENTIFIER AND TITLE

MIL-A-5815/1 Antenna, Blade,UHF, AT-256A/ARC (Series N Connector) FSC 5985

NAME OF ORGANIZATION AND ADDRESS

CONTRACT NUMBER

MATERIAL PROCURED UNDER A

[ ] DIRECT GOVERNMENT CONTRACT [ ] SUBCONTRA

1 HAS ANY PART OF THE DOCUMENT CREATED PROBLEMS OR REQUIRED INTERPRETATION IN PROCUREMENT USE?

A GIVE PARAGRAPH NUMBER AND WORDING

B RECOMMENDATIONS FOR CORRECTING THE DEFICIENCIES

2 COMMENTS ON ANY DOCUMENT REQUIREMENT CONSIDERED TOO RIGID

3 IS THE DOCUMENT RESTRICTIVE?

[ ] YES [ ] NO *(If "Yes", in what way?)*

4 REMARKS

SUBMITTED BY *(Printed or typed name and address - Optional)*

TELEPHONE NO

DATE

FORM 1 JAN 72 1426

REPLACES EDITION OF 1 JAN 68 WHICH MAY BE USED

C 1 6 0 f 1

Source: https://assist.dla.mil -- Downloaded: 202610-17T05:50Z
Check the source to verify that this is the current version before use.

FOLD

OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE $300

POSTAGE AND FEES PAID
DEPARTMENT OF THE AIR FORCE
DoD-318



AFLC/LOIE/Standardization
Wright-Patterson AFB OH 45433

FOLD

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T05:50Z
Check the source to verify that this is the current version before use.