MILITARY SPECIFICATION

PIN, SPRING, TUBULAR (COILED AND SLOTTED)

This amendment forms a part of Military Specification, MIL-P-10971E, dated 23 May 1969, and is approved for use by all Departments and Agencies of the Department of Defense.

PAGE 2

2.1 Under Federal Specifications: Add "PPP-H-1581 - Hardware, (Fasteners and Related Items), Packaging and Packing for Shipment and Storage of".

2.1 Under Military Specifications: Delete "MIL-H-3982 - Hardware (Fasteners and Related Items), Packaging and Packing for Shipment and Storage of".

2.1 Under Military Standards: Add "MIL-STD-1312 - Fasteners, Test Methods".

2.1 Under Military Standards: Delete "MS33547 - Pins, Spring, Functional Limitations of a Design Standard".

PAGE 3

2.2 Line 13: Delete and substitue "400 Commonwealth Drive, Warrendale, PA 15096".

PAGE 7

4.2.4 Delete in its entirety.

PAGE 9

4.3.4 Delete and substitute: "4.3.4 Packaging inspection. - The sampling and inspection of the preservation - packaging, packing, and container marking shall be in accordance with the requirements of PPP-H-1581."

4.4.3.1 Delete and substitute: "4.4.3.1 Type I, slotted pins. - Slotted pins shall be tested for hardness in accordance with MIL-STD-1312, Test 6, Hardness. The hardness shall be within the hardness limits of 3.5."

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T14:50Z
Check the source to verify that this is the current version before use.

PAGE 10

4.4.3.2 Delete and substitute: "4.4.3.2 Type II, coiled pins. - Coiled pins shall be tested for hardness on the inside surface of the outside half coil of the pin in accordance with MIL-STD-1312, Test 6, Hardness. The hardness shall be within the hardness limits of 3.5."

PAGE 11

5. Delete in its entirety and substitute:

"5. PACKAGING

5.1 Packaging requirements. - The requirements for packaging shall be in accordance with PPP-H-1581 (see 6.2)."

6.1 Delete "See MS33547 for functional limitations" and substitute "(For functional limitations, see 6.4)".

6.2 e. and f. Delete and substitute: "e. Applicable levels of packaging (see 5.1)".

6.4 Delete in its entirety and substitute new paragraph as follows: "6.4 Functional limitations. - Functional limitations of spring pins conforming to MIL-P-10971 are specified in MS33547. It is essential that proper performance of spring pins be taken into consideration when used in the design and construction of military equipment."

Add new paragraph as follows: "6.5 Standard hardness conversion tables. - Standard hardness conversion data is specified in ANSI/ASTM E 140-79. Standard Hardness Conversion Tables for Metals. ANSI/ASTM E 140-79 states, "Conversion of hardness values should be used only when it is impossible to test the material under the conditions specified, and when conversion is made it should be done with discretion and under controlled conditions. Each type of hardness test is subject to certain errors, but if precautions are carefully observed, the reliability of hardness readings made on instruments of the indentation type will be found comparable. Differences in sensitivity within the range of a given hardness scale (for example, Rockwell B) may be greater than between two different scales or types of instruments. The conversion values now in use are only approximate and may be inaccurate for specific application. Note 1 - The values stated in US customary units are to be regarded as the standard."

Source: https://assist.dla.mil -- Downloaded: 202610-17T14:50Z
Check the source to verify that this is the current version before use.

Custodians:
Army - AR
Navy - OS
Air Force - 99

Review activities:
Army - AT, ER, MI
DLA - IS
NSA - NS

User activities:
Army - AV, ME
Navy - MC, SA, SH

Preparing activity:
Army - AR

(Project No. 5315-0338)

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T14:50Z
Check the source to verify that this is the current version before use.