MILITARY SPECIFICATION SHEET

HOSE, RUBBER: HYDRAULIC PRESSURE-TYPE; TYPE 100R2 DOUBLE-WIRE-BRAID REINFORCEMENT HOSE

This specification is approved for use by all Departments and Agencies of the Department of Defense.

The complete requirements for procuring the hose described herein shall consist of this document and the latest issue of specification MIL-H-52471.

REQUIREMENTS:

1. The hose shall be in accordance with tables I and II, figure 1, and as specified herein.

2. Inside and outside diameters are measured at least 2 inches from the end.

3. This hose must be listed on QPL-52471.

AMSC N/A FSC 4720

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T21:20Z
Check the source to verify that this is the current version before use.

TABLE I. Dimensions, type 100R2 hose.

Nominal hose size I.D.	Dash number	A Inner tube					
		Inside diameter		I.D. tolerance			
		inch	mm	inch		mm	
1/4	-4	0.250	6.4	+0.023	-0.008	+0.6	-0.2
3/8	-6	0.375	9.5	+0.023	-0.008	+0.6	-0.2
1/2	-8	0.500	12.7	+0.031	-0.015	+0.8	-0.4
3/4	-12	0.750	19.0	+0.031	-0.015	+0.8	-0.4
1	-16	1.000	25.4	+0.040	-0.015	+1.0	-0.4
1-1/4	-20	1.250	31.8	+0.047	-0.015	+1.2	-0.4
1-1/2	-24	1.500	38.1	+0.047	-0.015	+1.2	-0.4
2	-32	2.000	50.8	+0.047	-0.015	+1.2	-0.4

Source: https://assist.dla.mil -- Downloaded: 2026-02-22T21:20Z
Check the source to verify that this is the current version before use.

TABLE I. Dimensions, type 100R2 hose. (continued)

Nominal hose size I.D.	Dash number	B Cover				B Cover alternate	
		Maximum Outside diameter		Minimum Outside diameter		Maximum Outside diameter	
		inch	mm	inch	mm	inch	mm
1/4	-4	0.719	18.3	0.656	16.7	0.619	15.7
3/8	-6	0.875	22.2	0.812	20.6	0.777	19.7
1/2	-8	1.000	25.4	0.938	23.8	0.908	23.1
3/4	-12	1.281	32.5	1.219	31.0	1.190	30.2
1	-16	1.609	40.9	1.516	38.5	1.531	38.9
1-1/4	-20	2.062	52.4	1.938	49.2	1.953	49.6
1-1/2	-24	2.312	58.7	2.188	55.6	2.203	56.0
2	-32	2.812	71.4	2.688	68 3	2.703	68.6

Source: https://assist.dla.mil -- Downloaded: 2026/0-22T21:20Z
Check the source to verify that this is the current version before use.

TABLE I. Dimensions, type 100R2 hose. (continued)

Nominal hose size I.D.	Dash number	C Wire reinforcement				T Alternate cover thickness range			
		Maximum Outside diameter		Minimum Outside diameter		Maximum		Minimum	
		inch	mm	inch	mm	inch	mm	inch	mm
1/4	-4	0.523	13.3	0.477	12.1	0.060	1.52	0.031	0.79
3/8	-6	0.681	17.3	0.633	16.1	0.060	1.52	0.031	0.79
1/2	-8	0.812	20.6	0.750	19.0	0.060	1.52	0.031	0.79
3/4	-12	1.094	27.8	1.031	26.2	0.060	1.52	0.031	0.79
1	-16	1.406	35.7	1.344	34.1	0.085	2.16	0.042	1.07
1-1/4	-20	1.797	45.6	1.703	43.2	0.100	2.54	0.050	1.27
1-1/2	-24	2.047	52.0	1.953	49.6	0.100	2.54	0.050	1.27
2	-32	2.547	64.7	2.453	62.3	0.100	2.54	0.050	1.27

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T21:20Z
Check the source to verify that this is the current version before use.

TABLE I. Dimensions, type 100R2 hose. (continued)

Nominal hose size I.D.	Dash number	Maximum working pressure	
		psi	MPa
1/4	-4	5000	34.5
3/8	-6	4000	27.6
1/2	-8	3500	24.1
3/4	-12	2250	15.5
1	-16	2000	13.8
1-1/4	-20	1625	11.2
1-1/2	-24	1250	8.6
2	-32	1125	7.8


TABLE II. Concentricity.

Nominal hose I.D.	Concentricity (FIR) between			
	Tube I.D. (A) and cover O.D. (B)		Tube I.D. (A) and reinforcement O.D. (C)	
inch	inch	mm	inch	mm
1/4	0.030	0.8	0.021	0.5
3/8, 1/2, 3/4	0.040	1.0	0.028	0.7
1, 1-1/4, 1-1/2, 2	0.050	1.3	0.035	0.9

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T21:20Z
Check the source to verify that this is the current version before use.

CATALOGING DATA: The military specification part number is a definitive part number which corresponds to the size of hoses covered by this specification sheet. The specification sheet number and the size dash number are combined to form a definitive military specification part number.

EXAMPLE:



Custodian:
Army - ME

Preparing activity:
Army - ME

Review activities:
Army - GL
DLA - CS

Project 4720-0629

User activity:
Army - AR
Navy - SH
Air Force - 99

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T21:20Z
Check the source to verify that this is the current version before use.