|INCH-POUND|
MIL-C-81975B
INT. AMENDMENT 1 (AS)
16 JUL 90

MILITARY SPECIFICATION

COUPLING, REGULATED, AERIAL PRESSURE REFUELING
TYPE MA-3

This amendment forms part of Military Specification MIL-C-81975B, dated 1 April 1982, and is approved for use by all Departments and Agencies of the Department of Defence.

PAGE 26

Figure 1: Delete and substitute the attached figure 1. Figure 1 forms page 2, 3, and 4 of this amendment.

PAGE 28

Figure 2: Delete page number "28" and substitute 29.

PAGE 29

Figure 3: Delete page number "29" and substitute 30.

PAGE 30

Figure 4: Delete page number "30" and substitute 31.

PAGE 31

Figure 5: Delete page number "31" and substitute 32.

Custodians:
Navy - AS
Air Force - 11

Review:
Air Force - 82

Preparing Activity
Navy - AS
(Proj. No. 1680-0584)

AMSC N/A

FSC 1680

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T06:33Z
Check the source to verify that this is the current version before use.





FIGURE 1. Coupling dimensions.

(SHEET 1 of 3)

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T06:33Z
Check the source to verify that this is the current version before use.



MAXIMUM DIMENSIONS

DIMENSION	INCHES
A	0.75
B	0.25

NOTE: Dimensions A and B represent maximum allowable clearances between the locking roller and the locking roller window edges.

FIGURE 1. Coupling dimensions. - (continued)

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T06:33Z
Check the source to verify that this is the current version before use.




FIGURE 1. Coupling dimensions. - (continued)

(SHEET 3 of 3)

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T06:33Z
Check the source to verify that this is the current version before use.