MIL-T-58093A(AV)
AMENDMENT 1
17 October 1980

MILITARY SPECIFICATION

TESTER, GYRO INDICATOR, PITCH AND ROLL

This amendment forms a part of Military Specification MIL-T-58093A, dated 5 January 1976, and is approved for use by all Departments and Agencies of the Department of Defense.

PAGE 1

Add boxed paragraph to bottom center of page.

Beneficial comments (recommendations, additions, deletions) and any pertinent data which may be of use in improving this document should be addressed to: US Army Aviation Research and Development Command, ATTN: DRDAV-ERS, St. Louis, MO 63120, by using the self-addressed Standardization Document Improvement Proposal (DD Form 1426) appearing at the end of this document or by letter.

PAGE 2

2.1 Delete:

QQ-P-416	Plating, Cadmium (Electrodeposited)
MIL-I-5741	Indicator, Directional, Gyroscopic, Type C-5C

PAGE 3

2.1 Add:

MIL-G-23827	Grease, Aircraft and Instrument, Gear and Actuator Screw.

FSC 4920

Source: https://assist.dla.mil -- Downloaded: 2026l0-23T00:00Z
Check the source to verify that this is the current version before use.

PAGE 5

3.3.1 Delete second and third sentence and substitute: Dimensions shall be approximately 20 inches long by 18 inches wide by 28 inches high, with the fork in the vertical position. The weight shall not exceed 100 pounds.

PAGE 6

3.3.2 Delete: Cadmium QQ-P-416.

PAGE 7

3.4.4 Delete last sentence.

3.4.7 Delete first sentence and substitute: The drive motor and speed control system shall be designed to meet the requirements of paragraph 3.4.10.

3.4.9 At end of paragraph change colon to a comma and add: or be supplied with a lubricant suitable for the entire temperature range of Table II such as MIL-G-23827.

PAGE 11

5.1 Change "A or C" to "A, B or C."

5.1.2 Delete and substitute:

5.1.2 Level B. Same as 5.1.1 except that the unit container may be domestic type of PPP-B-601.

Add new paragraph 5.1.3.

5.1.3 Level C. Each tester shall be given water-vaporproof protection (with desiccant) in accordance with MIL-STD-1188.

5.2 Delete and substitute:

5.2 No packing required. The unit container is the shipping container.

5.3 Change period to a comma and add: "except that Level C may be marked in accordance with MIL-STD-1188."

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T00:00Z
Check the source to verify that this is the current version before use.

Add new paragraph 6.3:

6.3 Reclaimed Materials. The use of reclaimed materials shall be encouraged to the maximum extent possible.

Custodian:
Army - AV

Review activity:
Army - ER

User activity:
Army - AT

Preparing activity:
Army - AV

Project No. 4920-A369

Source: https://assist.dla.mil -- Downloaded: 202640-23T00:00Z
Check the source to verify that this is the current version before use.

Source: https://assist.dla.mil -- Downloaded: 202640-23T00:00Z
Check the source to verify that this is the current version before use.

FOLD

POSTAGE AND FEES PAID



OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE $300

FOLD

Source: https://assist.dla.mil -- Downloaded: 202640-23T00:00Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

INSTRUCTIONS: This form is provided to solicit beneficial comments which may improve this document and enhance its use. DoD contractors, government activities, manufacturers, vendors, or other prospective users of the document are invited to submit comments to the government. Fold on lines on reverse side, staple in corner, and send to preparing activity. Attach any pertinent data which may be of use in improving this document. If there are additional papers, attach to form and place both in an envelope addressed to preparing activity. A response will be provided to the submitter, when name and address is provided, within 30 days indicating that the 1426 was received and when any appropriate action on it will be completed.

NOTE: This form shall not be used to submit requests for waivers, deviations or clarification of specification requirements on current contracts. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or to amend contractual requirements.

DOCUMENT IDENTIFIER (Number) AND TITLE

MIL-T-5307.3A Comment 1

NAME OF ORGANIZATION AND ADDRESS OF SUBMITTER

☐ VENDOR ☐ USER ☐ MANUFACTURER

1. ☐ HAS ANY PART OF THE DOCUMENT CREATED PROBLEMS OR REQUIRED INTERPRETATION IN PROCUREMENT USE? ☐ IS ANY PART OF IT TOO RIGID, RESTRICTIVE, LOOSE OR AMBIGUOUS? PLEASE EXPLAIN BELOW.

A. GIVE PARAGRAPH NUMBER AND WORDING

B. RECOMMENDED WORDING CHANGE

C. REASON FOR RECOMMENDED CHANGE(S)

2. REMARKS

SUBMITTED BY (Printed or typed name and address — Optional)

TELEPHONE NO.

DATE

DD FORM 1426 1 OCT 76

EDITION OF 1 JAN 72 WILL BE USED UNTIL EXHAUSTED

Source: https://assist.dla.mil -- Downloaded: 202640-23T00:00Z
Check the source to verify that this is the current version before use.