[INCH-POUND]

A-A-2757
December 15, 1991

COMMERCIAL ITEM DESCRIPTION

PENCIL, CARPENTER

The General Services Administration has authorized the use of this Commercial Item Description in preference to Federal Specification SS-P-166D, Type I.

This commercial item description covers wood cased lead pencils for use as a marking medium on lumber.

I. Salient characteristics.

A. Pencils shall be wood cased with black lead 0.150 inches in diameter (minimum). The casing shall be oval or flat finished with bright colored lacquer. The length of the pencil shall be not less than 6.75 inches in conformance with normal commercial practice (See section II A).

B. Lead shall be centered within the casing and securely bonded (glued) to the casing throughout the entire length. Lead shall be continuously smooth marking, make clearly visible lines, and not crumble or dust.

C. The wood casing shall be straight, the two halves securely bonded (glued) throughout the entire length of the pencil and in conformance with normal commercial practice.

D. When sharpened the wood casing shall not split, splinter or tear, shall present a smooth finish, and the lead shall not crumble or break.

E. Pencils shall be marked with the manufacturer's name or trademark, and the color of the case shall be in accordance with normal commercial practice.

DISTRIBUTION STATEMENT A: Approved for public release; distribution is unlimited.

FSC 7510

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:25Z
Check the source to verify that this is the current version before use.

F. Workmanship. Pencils shall be free from splits, splinter, blisters and any other imperfections which affect the appearance, might impair usage and or may cause injury to the end user.

G. When used for purpose intended, pencils will pass the performance test (See section II B).

II. TESTS.

A. Length - Measurements shall be made once per each specimen selected, using a device with precision of at least 0.1 inch.

B. Performance Test - Each sample shall be sharpened and tested by drawing a line 24 inches under ordinary writing pressures. The lines shall show uniformity of color and evenness as required by this specification. When drawing a line, the lead shall work smoothly without grittiness on dressed or planed lumber.

III. Regulatory requirements. The offerer/contractor is encouraged to use recovered materials in accordance with Public Law 94-580, as amended, to the maximum extent practicable.

IV. Hazardous material requirements.

A. Toxicity. Use of any toxic substance must be in accordance with all applicable federal statutes. The use of any known carcinogens as ingredients is prohibited. The harmful substances shall be defined as the poison and injurious substances as designated in Fed Std. 313. The vendor shall prepare a certification that the pencil conforms to the above requirements.

B. Material safety data sheets. Safety data shall be furnished in accordance with Fed. Std. 313. The pertinent government mailing addresses for submission of data are listed in appendix B of Fed. Std. 313.

C. Labeling. Containers shall be labeled to comply with the "Federal Hazardous Substances Act Regulations", 16 Code of Federal Regulations, Part 1500.

V. Quality assurance requirements.

A. Responsibility for inspection. Unless otherwise specified in the contract or purchase order (see VIII), the supplier is responsible for the performance of all inspection requirements as specified herein. Except as otherwise specified, the supplier may utilize his own facilities or any commercial laboratory acceptable to the Government. The Government reserves the right to perform any of the inspections set forth in the

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:25Z
Check the source to verify that this is the current version before use.

specification where such inspections are deemed necessary to assure that supplies and services conform to prescribed requirements.

B. Lot definition. Each lot of pencils shall be inspected for conformance to the requirements herein. Inspection shall be in accordance with MIL-STD-105 using the sampling plans specified below. The lot shall be expressed in pencils manufactured from the same materials, at essentially the same time.

C. Examination of the end item for visual defects. The sample unit for this examination shall be one pencil. A random sample shall be taken from each lot in accordance with Inspection Level S-3. The AQL shall be 2.5 percent defective. Samples shall be examined for defects listed below. Any pencil containing one or more defects shall be rejected.

Examine	Defects
Workmanship	See Workmanship paragraph
Appearance	Not as specified
Material	Not as specified
Casing	Not glued together

D. Examination of the end item for dimensional defects. The sample unit for this examination shall be one pencil. A random sample shall be taken from each lot in accordance with Inspection Level S-2. The AQL shall be 4.0 percent defective. Samples shall be examined for defects listed below. Any pencil containing one or more defects shall be rejected.

The examination for the characteristics listed in the following table will be based on the specifications/requirements listed in NOTES (see section (see VIII. B.) for the specific pencil being examined.

Examine	Defects
Pencil Length	Not as specified

E. Tests. Sampling for performance testing shall be performed in accordance with MIL-STD-105. The inspection level shall be level S-2 with an AQL of 4.0 percent defective. The sample unit shall be one pencil.

Performance Test	Does not comply

F. Packaging, Packing, and Marking. Inspection Level S-2 with an AQL of 4.0 percent defective. The sample unit shall be one fully prepared shipping container inspected for conformance with the requirements of section VI.

Source: https://assist.dla.mil Downloaded: 2026-10-26T08:25Z
Check the source to verify that this is the current version before use.

VI. Preparation for delivery.

A. Packaging, and packing. Packaging, and packing shall be as indicated below, unless specified otherwise in the contract or purchase order (see VIII). The normal commercial number of unit packages shall be packed in a close-fitting fiberboard box used commercially for this item and provide product protection against loss and damage during multiple shipments, handling, and storage. The complete pack shall be in compliance with the Uniform Freight Classification and the National Motor Freight Classification. The weight of the shipping container shall not exceed 65 pounds.

B. Marking. Marking shall be as indicated below, unless specified otherwise in the contract or purchase order (see VIII).

1. For Shipment To Civil agencies. In addition to any special marking required by the contract or order, interior packages and exterior shipping containers shall be marked in accordance with Fed. Std. No. 123. Bar code marking is required, unless specified otherwise (See VIII).

2. For Shipment To Military activities. In addition to any special marking required by the contract or order, interior packages and exterior shipping containers shall be marked in accordance with MIL-STD-129. Bar code marking is required, unless specified otherwise (See VIII).

3. Additional marking. The shipping containers shall include any precautionary marking required by the National Motor Freight Classification Item 222, Uniform Freight Classification Rule 41, and Department of Transportation regulations.

VII. Applicable documents.

The following documents, of the issues in effect on the date of invitation for bids or request for proposal, form a part of this document to the extent specified herein.

A. Public Law and Code of Federal Regulations:

Code of Federal Regulations and Federal Acquisition Regulations are for sale by the Superintendent of Documents, U.S. Government Printing Office, Washington, DC 20402.

Public Law 94-580 - Use of Recovered Materials

16 CFR Part 1500 - Federal Hazardous Substances Labeling Act.

Source: https://assist.dla.mil - Downloaded: 2026-10-26T08:25Z
Check the source to verify that this is the current version before use.

B. National Motor Freight Traffic Association, Inc. Agent:

National Motor Freight Classification - Item 222

Application for copies should be addressed to the American Trucking Associations, Inc., Tariff Order Section, 1616 P Street, N.W. Washington, D.C., 20036.

C. Uniform Classification Committee Agent:

Uniform Freight Classification - Rule 41

Application for copies should be addressed to the Uniform Classification Committee, Room 1106, 222 South Riverside Plaza, Chicago, Illinois 60606.

E. Federal Standards, Specifications, and Commercial Item Descriptions:

Federal standards and specifications are available from GSA Business Service Centers and Specification and Consumer Information Distribution Section, Building 197, Washington Navy Yard, Washington DC 20407.

Single copies of this specification and other specifications required by activities outside the Federal Government for bidding purposes are available without charge from Business Service Centers at the General Services Regional Offices in Boston, New York, Washington, D.C., Atlanta, Chicago, Kansas City, Mo., Fort Worth, Denver, San Francisco, Los Angeles, and Auburn, Washington.

FED-STD-123 Marking for Domestic Shipment (Civil Agencies)

FED-STD-313 Material Safety Data, Transportation Data and Disposal Data for Hazardous Materials Furnished to Government Activities.

F. Military Standards:

Military Standards are available from the Standardization Documents Order Dept., Bldg. 4D, 700 Robbins Avenue, Philadelphia, PA 19111-5094.

MIL-STD-105 Sampling Procedures and Tables for Inspection by Attributes.

MIL-STD-129 Marking for Shipment and Storage.

Source: https://assist.dla.mil - Downloaded: 2026-10-26T08:25Z
Check the source to verify that this is the current version before use.

VIII. Notes.

Ordering information. Purchasers should select the required options permitted herein, and include the following information in procurement documents:

A. Title, number, and date of this commercial item description.
B. Purchaser shall specify the pencil specifications.
C. Purchasers should specify arrangement for inspection and inspection facilities, if other than specified (See section VI)
D. Purchasers should specify packaging, packing, and any special marking for shipment, if other than required (See section VI).
E. Identification marking, if other than required.
F. If bar code marking is not required.
G. Material safety data sheets required, in addition to those required by Fed-Std-313.
H. Purchasers should specify palletization , if required.

MILITARY INTERESTS:

NONE: DOD has determined that no military activity has an official interest in this commercial item description.

Preparing Activity:
GSA-FSS

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:25Z
Check the source to verify that this is the current version before use.