[Metric]
A-A-288B
July 25, 1997
Superseding
A-A-288A
January 22, 1990

COMMERCIAL ITEM DESCRIPTION
DATE STAMP
(NON-FIXED LEGEND)

The General Services Administration has authorized the use of this commercial item description by all Federal Agencies.

1. Scope: This Commercial Item Description covers non-fixed dating stamp intended for dating various correspondence, documents and printed material.

2. Salient Characteristics:

Type:
I. - MONTH-DAY-YEAR
II. - DAY-MONTH-YEAR
III. - YEAR-MONTH-DAY

Sizes:

	Commercial No.	Printed Height
A. -	0	2.778 mm (7/64 inch)
B. -	1	3.175 mm (8/64 inch)
C. -	1 1/2	3.572 mm (9/64 inch)
D. -	2	4.763 mm (12/64 inch)
		Tolerance: ± 0.397 mm (1/64-inch)

2.1 Each stamp shall consist of four continuous, commercially acceptable, rubberized fabric bands mounted on a suitable frame. Bands, which consist of a fabric backing with a thin film of rubber to facilitate movement on the drums, shall be considered part of the base.

2.2 Without binding or slipping out of place, each band shall rotate readily and independently on clogged drums by means of a serrated thumbwheel.

Beneficial comments, recommendations, additions, deletions, clarifications, etc. and any data which may improve this document should be sent to General Services Administration, Federal Supply Service, Engineering Branch, 26 Federal Plaza, New York, NY 10278.

FSC 7520

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:06Z
Check the source to verify that this is the current version before use.

2.3 Each stamp shall be provided with a commercially acceptable handle specifically designed to indicate the front of the stamp. The size of the handle shall be in accordance with normal commercial practice.

2.4 Characters shall be raised in relief by a minimum of 0.794 mm (1/32-inch) from a 1.588 mm (1/16-inch) minimum thickness base and vulcanized onto the bands.

2.5 All metal components shall have a commercially acceptable plating or coating. The finish shall be suitable to protect against corrosion. Contractor shall provide certification of plating conformance, upon request by the government.

2.6 The two "day" bands shall have numerals to indicate days "01" through "31" inclusive. The "month" band shall abbreviate the months of the year by capitalizing the first three letters of each month. Each band shall have at least one blank space.

2.7 Type I and II "year" band shall have a minimum of five (5) consecutive four numeral year-dates, beginning with the year of the contract order. Also, the "year" band shall have the legends: "A.M.", "P.M.", "ANS'D", "ENT'D", "PAID", and "REC'D". The apostrophes are optional. Type III "year" band shall have a minimum of two numeral year-dates only.

2.8 Each stamp shall produce clear, distinct, sharp, single impressions of equal intensity, with no closing of characters. Unless otherwise specified, date stamps shall be permanently and legibly marked with the name or trademark of the manufacturer.

2.9 Workmanship. Any fasteners or pins shall be set in accordance with normal commercial practice, including but not limited to exhibiting a firmly tightened, flush seating. The frame and handle (whether metal or plastic) shall be free of defects including, but not limited to burrs, niches, dents, rough or sharp edges, scratches, blisters, crinkling, imbedded foreign matter, and discoloration's. The date stamp shall also be free of defects which may affect appearance or may impair serviceability.

3. Regulatory Requirements: The offerer/contractor is encouraged to use recovered materials to the maximum extent practical, in accordance with paragraph 23.403 of the Federal Acquisition Regulation (FAR).

4. Quality Assurance Provisions:

4.1 Product Conformance. The products provided shall meet the salient characteristics of this commercial item description, conform to the producer's own drawings, specifications, standards and quality assurance practices and be the same product offered for sale in the commercial market. The government reserves the right to require proof of such conformance.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:06Z
Check the source to verify that this is the current version before use.

5. **Packaging:** Packaging, packing, marking, and palletization shall be as specified in the contract or order.

6. **Notes:**

6.1. **Part Identification Number (PIN):**

The following part identification numbering procedure is for government purposes and does not constitute a requirement for the contractor.

A-A-288B - 3 D This example describes Year-Month-Day date stamp, size 2 / 4.763 mm

Size:	A - 0	/ 2.778 mm (7/64 inch)
	B - 1	/ 3.175 mm (8/64 inch)
	C - 1 1/2	/ 3.572 mm (9/96 inch)
	D - 2	/ 4.763 mm (12/64 inch)
Type:	1 - I	- Month-Day-Year
	2 - II	- Day-Month-Year
	3 - III	- Year-Month-Day

6.1 **Source of Documents.** The following documents form a part of the Commercial Item Description to the extent specified herein. Unless otherwise indicated, the issue in effect on the date of invitation for bids or request for proposal shall apply:

6.1.1 Federal Acquisition Regulation (FAR) may be obtained from the Superintendent of Documents, Government Printing Office, Washington. DC 20402.

6.2 **National Stock Number Listing (NSN's).** The following is a list of NSN's assigned which correspond to this commercial item description. The list may not be indicative of all possible NSN's associated with the CID.

7520-00-271-8884	**7520-00-286-5791**
7520-00-272-8043	**7520-00-286-5792**

MILITARY INTERESTS:

NONE: DoD has no registered interest in revisions and amendments to this Commercial Item Description until further notice.

Preparing Activity:

GSA-FSS

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:06Z
Check the source to verify that this is the current version before use.