INCH-POUND

A-A-55003
September 10, 1990
SUPERSEDING
(See Heading)

COMMERCIAL ITEM DESCRIPTION

LAMP, FLUORESCENT, F96T12/(COLOR)/IS, ENERGY SAVING

The General Services Administration has authorized the use of this Commercial Item Description (CID) as replacement for CIDs A-A-1582, A-A-1860, A-A-1861A, A-A-1862A, A-A-1863A, A-A-2216, and Federal Specifications W-L-00116/51, /52, /53, and 54 which are canceled.

1. Abstract. This CID describes the general requirements for procurement of one type fluorescent lamp of certain colors used for typical illumination.

2. Salient characteristics. This Commercial Item Description (CID) covers F96/T-12, Energy Saving Fluorescent lamps, 60 watt, 425 ma, instant-start, 96 inch nominal length, single pin contact base, 12,000 hours average rated life at 3 hrs/start. Lamps are designed to operate on one or two lamp lead circuit, instant start high power factor ballasts that meet ANSI C82 and UL-935 requirements and in ambient temperature of not less than 18°C (65°F) as further described in table I.

Beneficial comments (recommendations, additions, deletions) and any pertinent data which may be of use in improving this document should be sent by letter to: Commander, Defense General Supply Center, ATTN: Parts Control Branch (SSC), Richmond VA 23297-5000.

OMB control number N/A FSC 6240

DISTRIBUTION STATEMENT A: Approval for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:41Z
Check the source to verify that this is the current version before use.

Table I. Color/lumen characteristics.

Color[1] (color temperature) [CRI]	Lite White (4100K) [49]	Cool White (4100K) [62]	White (3500K) [60]	Warm White (3000K) [52]	Daylight (6500K) [75]
Initial lumens[2] (after 100 hrs burning)	5650	5300	5300	5300	4500
Lumens at 4800 hours[2]	5200	4800	4800	4800	4100
CID based part ID number[3]	A55003-1	A55003-2	A55003-3	A55003-4	A55003-5

NOTE: Dimensional and electrical characteristics shall be in accordance with ANSI C78.3.

[1]In compliance with ANSI C78.376, where applicable. Color temperature and color rendering index [CRI] are approximates.

[2]Indicates minimum acceptable value.

[3]These part identification numbers are for government purposes and do not constitute a requirement for the contractor.

3. Contractor certification. The contractor shall certify and maintain substantiating evidence that the product conforms to the producer's own drawings, specifications, standards, and quality assurance practices. The Government reserves the right to require proof of such conformances prior to first delivery and thereafter as may be otherwise provided for under the provisions of the contract.

4. Metric Products. Products manufactured to metric dimensions will be considered on an equal basis with those manufactured using inch-pound units, provided they fall within the tolerances specified using conversion tables contained in the latest revision of Federal Standard No. 376, and all other requirements of this Commercial Item Description are met.

If a product is manufactured to metric dimensions and those dimensions exceed the tolerances specified in the inch/pound units, a request should be made to the contracting officer to determine if the product is acceptable. The contracting officer has the option of accepting or rejecting the product.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:41Z
Check the source to verify that this is the current version before use.

5. Regulatory requirements. The offeror/contractor is encouraged to use recovered materials in accordance with Public Law 94-580 to the maximum extent practical.

6. Preservation, packing, labeling, and marking. The preservation, packaging, packing, labeling, and marking shall be as specified in the contract or order. If not specified in the contract or order shall comply with ASTM D-3951.

6.1. Anti-counterfeit marking. When an item has been deemed to be susceptible to counterfeiting, each item shall be marked in such a manner as to provide the contracting acti vity with an authentication and traceability track to the true manufacturer. The method in which this is done shall be proprietary to the true manufacturer and provided to the quality assurance office of the contracting agency by secure means.

7. Notes. The issues of ANSI C78.3, C78.376, C82, ASTM D-3951, and UL-935 in effect on the date of solicitation shall be used to determine compliance with these requirements.

(Copies of ANSI Standards are available from American National Standards Institute, 1430 Broadway, New York NY 10018.)

(Copies of ASTM Standards are available from the American Society for Testing and Materials, 1916 Race Street, Philadelphia, PA 19103.)

(Copies of UL Standards are available from Underwriters' Laboratories (UL), Inc., 1285 Walt Whitman Rd, Melville, Long Island, New York NY 11747.)

Purchaser should specify the following ordering data;
Title, number and date of this document
CID based part identification number

Source: https://assist.dla.mil -- Downloaded: 202610-26T09:41Z
Check the source to verify that this is the current version before use.

Brand names and National Stock Numbers are listed in table II:

Table II. Brand names and stock numbers

CID part no.	National Stock Numbers (NSNs)	Commercial stock number	Manufacturer CAGE code[1]
A55003-1	6240-01-077-1127	F96T12/LW	08805, 62607, 1HT85
A55003-2	6240-01-029-8652	F96T12/CW.ES	08805, 62607, 1HT85
A55003-3	6240-01-073-4486	F96T12/W	08805, 62607, IHT85
A55003-4	6240-01-074-9407	F96T12/WW	06172, 08805, 62607, 1HT85
A55003-5	6240-01-073-4485	F96T12/D	08805, 62607, IHT85

[1]Footnote to table II: Commercial And Government Entity code definition:

06172 - Marvel Lamp Co. Inc., 2083 Center Ave., Ft. Lee, NJ 07024-4999.
08805 - General Electric Co., Lighting Business Group Nela Park, Cleveland OH 44112.
08808 - General Electric Co., Lamp Glass and Components Dept., 24400 Highland Rd, Richmond Heights, OH 44143-2503.
1HT85 - GTE Products Corp, Sylvania Miniature Lighting Div. W. Main St., Hillsboro , NH 03244.
32011 - Jewett Refrigerator Co. Inc., 2 Letchworth, Buffalo NY 14213-1008.
56589 - 21st Century Enterprises Inc., 725 Industrial Rd., San Carlos, CA 94070-3310.
62607 - North American Phillips Lighting Corp., A Div., 1 Westinghouse Plaza Bloomfield, NJ 07003-4601.
77625 - North American Phillips Lighting Corp, Bank St., Hightstown, NJ 08520.
99207 - General Electric Co. Aircraft Engine Business Group, 1000 Western Ave., West Lynn, MA 01901.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:41Z
Check the source to verify that this is the current version before use.

Military Interests:

Military Coordinating Activity

Navy - AS

Custodians

Air Force - 99
Army - ME
Navy - SH

Civil Agency Coordinating Activities:

GSA - FSS
Commerce - NIST

Preparing Activity:

Navy - AS

Agent:

DLA - GS

Project 6240-1104

FSC 6240

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:41Z
Check the source to verify that this is the current version before use.