COMMERCIAL ITEM DESCRIPTION

WHEEL, POLISHING, FELT

The General Services Administration has authorized the use of this commercial item description in preference to GGG-W-301B, type V.

1. ABSTRACT

1.1 Abstract. This description covers a felt polishing wheel which is normally used for metal and plastic finishing operations.

2. CLASSIFICATION

2.1 Classification. The polishing wheel shall be of one type. The diameter, face width, arbor hole diamter, density, and quantity shall be as specified (see 7.1).

3. SALIENT CHARACTERISTICS.

3.1 Design. The polishing wheel shall be of the square face type and shall be equal to wheels sold to the commercial market. The square face type is defined as a wheel which has the face perpendicular to the sides.

3.2 Material. The polishing wheel shall be manufactured from 100 percent wool felt The felt shall be free from imperfections and contamination that may affect appearance or serviceability.

3.3 Diameter. The diamrter of the polishing wheel to be furnished shall be as specified 7.1), and shall be selected from the following diameters.

6 inch, 8 inch, 10 inch, 12 inch, 14 inch, 16 inch

3.4 Face width. The face width of the polishing wheel to be furnished shall be as specified (see 7.1), and shall be selected from the following widths.

1/2 inch, 5/8 inch, 3/4 inch, 7/8 inch, 1 inch, 1-1/4 inch

Beneficial comments recommendations, additions, deletions, clarifications, etc., and any data which may improve this document should be sent to: Defense Industrial Plant Equipment Center, ATTN: DIPEC-SSG, 2163 Airways Blvd., Memphis, TN 38114-5213.

AMSC N/A FSC 3460
DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:41Z
Check the source to verify that this is the current version before use.

3.5 Arbor hole diameter. The arbor hole diameter for the polishing wheel to be furnished shall be as specified (see 7.1), and shall be selected from the following list of arbor hole diameters.

1/8 inch, 1/2 inch, 5/8 inch, 3/4 inch, 7/8 inch, 1 inch

3.6 Density/hardness. The density/hardness of the polishing wheel to be furnished shall be as specified (see 7.1), and shall be selected from the density/hardness column in table I. The weight of the wheel to be furnished for a specific density/hardness, diameter, and width shall meet the requirements of table I. The weight of the wheel furnished shall be + 10 percent of the stated value.

TABLE I. Wheel weight.

Density/ Hardness	Diameter	Wheel width											
		1/2		5/8		3/4		7/8		1		1-1/4	
		lb	oz	lb	oz	lb	oz	lb	oz	lb	oz	lb	oz
Soft	6	0	4	0	5	0	6	0	7	0	8	0	10
	8	0	7	0	9	0	11	0	12	0	14	1	2
	10	0	11	0	14	1	0	1	3	1	6	1	11
	12	1	0	1	4	1	8	1	12	2	0	2	8
	14	1	6	1	11	2	0	2	6	2	10	3	6
	16	1	12	2	3	2	10	3	0	3	8	4	6
		******		******		******		******		******		*******	
Medium	6	0	6	0	7	0	8	0	9	0	11	0	12
	8	0	10	0	12	0	15	1	1	1	3	1	6
	10	1	2	1	5	1	8	1	10	1	13	2	2
	12	1	10	1	15	2	2	2	6	2	10	3	2
	14	2	4	2	9	3	0	3	6	3	12	4	4
	16	3	0	3	6	3	12	4	4	4	10	5	8
		******		******		******		******		******		*******	
Hard	6	0	8	0	8.5	0	10	0	11	0	12	0	14
	8	0	14	0	15	1	2	1	4	1	6	1	9
	10	1	7	1	8	1	13	2	0	2	3	2	10
	12	2	0	2	3	2	10	2	14	3	2	3	14
	14	2	12	3	0	3	9	3	14	4	4	5	2
	16	3	9	3	12	4	9	5	0	5	8	6	13
		******		******		******		******		******		*******	
Rock Hard	6	0	9	0	10	0	12	0	13	0	15	1	1
	8	1	1	1	3	1	6	1	8	1	11	1	15
	10	1	10	1	13	2	2	2	4	2	11	3	0
	12	2	6	2	10	3	2	3	6	3	13	4	6
	14	3	4	3	9	4	4	4	8	5	3	5	14
	16	4	4	4	11	5	8	6	0	6	12	7	8

NOTE: Weight of wheel is based on 1/8 inch diameter arbor hole.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:41Z
Check the source to verify that this is the current version before use.

3.7 General requirements.

3.7.1 Metric products. Products manufactured to metric dimensions will be considered on an equal basis with those manufactured using inch-pound units, provided they fall within specified tolerances using conversion tables contained in the latest revision of FED-STD-376, and all other requirements of this commercial item description are met. If a product is manufactured to metric dimensions and those dimensions exceed the tolerances specified in the inch-pound units, a request shall be made to the contracting officer to determine if the product is acceptable. The contracting officer has the option of accepting or rejecting the product.

3.7.2 Environmental protection. During the manufacture of the polishing wheels, materials hazardous to the ecological system as prohibited by the Federal, state, or local statutes in effect on the date of the contract shall not be used or emitted.

3.7.3 Reference document. Unless otherwise specified in the contract or purchase order, the document referenced in this commercial item description ‘shall be the issue in effect on the date of issuance of the invitation” for bids or requests for proposal. These documents form a part of this commercial item description to the extent specified. In the event of a conflict between this document and the document referenced herein, this document shall take preference.

4. REGULATORY REQUIREMENTS

4.1 Regulatory requirements. In accordance with section 23.403 of the Federal Acquisition Regulations, the Government’s policy is to acquire items composed of the highest percentage of recovered materials practicable, consistent with maintaining a satisfactory level of competition without adversely affecting performance requirements or exposing suppliers’ employees to undue hazards from the recovered materials.

5. QUALITY ASSURANCE PROVISIONS

5.1 Contractor certification. The contractor shall certify and maintain substantiating evidence that the product offered meets the salient characteristics of this commercial item description, and that the product conforms to the producer’s own drawings, specifications, standards, and quality assurance practices. The Government reserves the right to require proof of such conformance prior to first delivery and thereafter as may be otherwise provided for under the provisions of the-contract.

6. PRESERVATION, PACKAGING, LABELING, AND MARKING

6.1 Preservation, packaging, packing, labeling, and marking. Preservation, packaging, packing, labeling, and marking shall be as specified in the contract.

Source: https://assist.dla.mil -- Downloaded: 202640-26T09:41Z
Check the source to verify that this is the current version before use.

7. NOTES

7.1 Ordering data. Purchasers should select the preferred options permitted herein, and include the following information in procurement documents:

a. Title, number, and date of this commercial item description.

b. Quantity to be furnished.


c. Diameter of wheel.

d. Width of wheel.

e. Diameter of arbor hole.

f. Density/Hardness of wheel.

7.3 CID based part identification number (PIN). The following part identification numbering procedure is for Government purposes and does not constitute a requirement for the contractor.



7.2 Source for documents referenced in this CID.

FED-STD-376 is available from the Standardization Documents Order Desk, Building 4D, 700 Robbins Avenue, Philadelphia, PA 19120-5099.

7.3 National stock numbers. The following National Stock Number is representative of items covered by this document:

3460-00-516-3015

7.4 Preparing activity. This document was prepared at The Defense Industrial Plant Equipment Center, 2163 Airways Blvd., Memphis, TN 38114-5213, phone number, commercial 901-775-4749, DSN 683-4749.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:41Z
Check the source to verify that this is the current version before use.

MILITARY INTEREST:

Custodians

Army - AL
Air Force - 99

Review Activities

Air Force - 84
DLA - GS

CIVIL AGENCY COORDINATION ACTIVITY:

GSA - FSS

PREPARING ACTIVIIY:

DLA - IP

Project 3460-0159

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:41Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

INSTRUCTIONS

1. The preparing activity must complete blocks 1, 2, 3, and 8. In block 1, both the document number and revision letter should be given.
2. The submitter of this form must complete blocks 4, 5, 6, and 7.
3. The preparing activity must provide a reply within 30 days from receipt of the form.

NOTE: This form may not be used to request copies of documents, nor to request waivers, or clarification of requirements on current contracts. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or to amend contractual requirements.

I RECOMMEND A CHANGE:	1. DOCUMENT NUMBER A-A-55011	2. DOCUMENT DATE (YYMMDD) 91 11 19

3. DOCUMENT TITLE
WHEEL, POLISHING, FELT

4. NATURE OF CHANGE (Identify paragraph number and include proposed rewrite, if possible. Attach extra sheets as needed.)

5. REASON FOR RECOMMENDATION

6. SUBMITTER

a. NAME (Last, First, Middle Initial)	b. ORGANIZATION
c. ADDRESS (Include Zip Code)	d. TELEPHONE (Include Area Code) (1) Commercial (2) AUTOVON (If applicable)
	7. DATE SUBMITTED (YYMMDD)

8. PREPARING ACTIVITY

a. NAME Defense Industrial Plant Equipment Center ATTN: DIPEC-SSG	b. TELEPHONE (Include Area Code) (1) Commercial (901)775-4749 (2) AUTOVON DSN 683-4749
c. ADDRESS (Include Zip Code) 2163 Airways Blvd. Memphis, TN 38114-5213	IF YOU DO NOT RECEIVE A REPLY WITHIN 45 DAYS, CONTACT: Defense Quality and Standardization Office 5203 Leesburg Pike, Suite 1403, Falls Church, VA 22041-3466 Telephone (703) 756-2340 AUTOVON 289-2340

Source: https://assist.dla.mil - Downloaded: 2026-10-26T09:41Z
Check the source to verify that this is the current version before use.