COMMERCIAL ITEM DESCRIPTION

MANDRELS, MACHINE, EXPANDING, STEP

The General Services Administration has authorized the use of this commercial item description as a replacement for A-A-51129A, type III.

1. ABSTRACT

1.1 Abstract. This description covers expanding mandrels which are used for supporting workplaces between centers for machining operations.

2. CLASSIFICATION

2.1 Classification. The mandrels shall be of the sizes listed in table I. The size furnished shall be as specified (see table I and 7.1).

TABLE I. Sizes and dimensions.

Size	Sleeve expansion range 1/ (inches)	Arbor length 2/ (inches)	Sleeve length 2/ (inches)
1	1/2 to 1	9-1/4	3-1/4
2	1 to 1-1/2	10-1/2	4
3	1-1/2 to 2	12	4-3/4
4	2 to 3	17	7
5	3 to 4	17	7

1/ Where a range is shown, the dimensions shall be not greater than the lowest figure to not less than the highest figure.

2/ Tolerance of arbor length shall be ±1/2 inch and sleeve length ±1/4 inch.

Beneficial comments, recommendations, additions, deletions, clarifications, etc., and any data which may improve this document should be sent to: Defense General Supply Center, ATTN: DGSC-SS, 8000 Jefferson Davis Highway, Richmond, VA 23297-5100.

AMSC N/A FSC 3460
DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:41Z
Check the source to verify that this is the current version before use.

3. SALIENT CHARACTERISTICS

3.1 Design. The mandrel shall be a cylindrically shaped tool consisting of a solid arbor having a specific taper over the major portion of its length and an expanding sleeve with an inside taper which fits the tapered portion of the arbor. The arbor shall be centered on each end with a milled flat on one end for a holding device. When the sleeve is moved along the length of the arbor, it shall contract or expand as determined by the location on the arbor. The plane of the outside surface of the sleeve shall be parallel with the horizontal center line of the arbor. The mandrel shall be furnished with one or more steps in the sleeve and shall be similar to figure 1.




FIGURE 1. Mandrel, expanding, step type.

3.2 Hardness. The arbors shall have a hardness of 51 to 62 and the sleeves shall have a hardness of 38 to 47 on the Rockwell “C” scale when measured in accordance with ASTM E 18.

3.3 Tolerances and finish. The arbor centers shall be machined to a standard angle of 60 degrees ±30 minutes. The surface roughness average (Ra) of the arbor shall be not greater than 20 microinches using a 0.030 inch cutoff when measured in accordance with ANSI 646.1. The maximum allowable runout shall be not greater than 0.001 inch total indicator reading at the grind diameter. The sleeves shall be finished internally to fit the arbor and shall provide uniform expansion to any size in the range of diameters listed in table I.

3.4 Identification marking. Each mandrel furnished shall be permanently marked with the sleeve size or manufacturers part number and the manufacturer’s name or trademark of such known character that the source of the manufacturer may be identified.

3.5 General requirements.

3.5.1 Environmental protection. During the manufacture of the mandrels, materials hazardous to he ecological system as prohibited by Federal, state, or local statutes in effect on the date of the contract shall not be used.

3.5.2 Reference documents. The documents referenced in this document shall be the issues in effect on the date of issuance of the invitation for bid or request for proposal.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:41Z
Check the source to verify that this is the current version before use.

4. REGULATORY REQUIREMENTS

4.1 Recovered materials. The contractor is encouraged to use recovered materials in accordance with Public Law 94-580 to the maximum extent possible.

5. QUALITY ASSURANCE PROVISIONS

5.1. Contractor certification. The contractor shall certify and maintain substantiating evidence hat the product offered meets the salient characteristics of this commercial item description, and that the product conforms to the producer's own drawings, specifications, standards, and quality assurance practices. The Government reserves the right to require proof of such conformance prior to first delivery and thereafter as may be otherwise provided for under the provisions of the contract.

6. PRESERVATION, PACKING, LABELING, AND MARKING

6.1 Preservation, packing, labeling, and marking. Preservation, packing, labeling, and marking shall be as specified in the contract or order.

7. NOTES

7.1 Ordering data. Purchasers should select the preferred options permitted herein, and include the following information in procurement documents:

a. Title, number, and date of this commercial item description.


b. Size and quantity required.

7.2 Source for documents referenced in this CID.

ANSI B46.1 is available from the American National Standards Institute, ATTN:: Sales Dept., 1430 Broadway, New York, NY 10018-3363.

ASTM E 18 is available from American Society for testing and materials, 1916 Race Street, Philadelphia, PA 19103-1187.

7.3 Part identification number (PIN). The following part identification numbering procedure is for Government purposes and does not constitute a requirement for the contractor.



Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:41Z
Check the source to verify that this is the current version before use.

A-A-55016

MILITARY INTEREST:

Custodians

Army - AL
Navy - YD
Air Force - 99

Review Activities

Air Force - 84
MA - GS

CIVIL AGENCY COORDINATION ACTIVITY:

GSA - FSS

PREPARING ACTIVITY:

DLA - IP

Project 3460-0170

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:41Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

INSTRUCTIONS

1. The preparing activity must complete blocks 1, 2. 3, and 8. In block 1, both the document number and letter should be given.
2. The submitter of this form must complete blocks 4, 5, 6, and 7.
3. The preparing activity must provide a reply within 30 days from receipt of the form.

NOTE: This form may not be used to request copies of documents, nor to request waivers, or clarific requirements on current contracts. Comments submitted on this form do not constitute or imply authoriz waive any portion of the referenced document(s) or to amend contractual requirements.

I RECOMMEND A CHANGE:	1. DOCUMENT NUMBER A-A-55016	2. DOCUMENT DATE (YYMMDD) 92 May 21

3. DOCUMENT TITLE
MANDRELS, MACHINE, EXPANDING, STEP

4. NATURE OF CHANGE *(Identify paragraph number and include proposed rewrite, if possible. Attach extra sheets as needed.)*

5. REASON FOR RECOMMENDATION

6. SUBMITTER

a. NAME *(Last, First, Middle Initial)*	b. ORGANIZATION	
c. ADDRESS *(Include Zip Code)*	d. TELEPHONE *(Include Area Code)* (1) Commercial (2) AUTOVON *(If applicable)*	7. DATE SUBMIT (YYMMDD)

8. PREPARING ACTIVITY

a. NAME Defense Industrial Plant Equipment Center ATTN: DIPEC-SSG	b. TELEPHONE *(Include Area Code)* (1) Commercial (901)775-4749	(2) AUTOVON 683-4749
c. ADDRESS *(Include Zip Code)* 2163 Airways Blvd Memphis, TN 38114-5213	IF YOU DO NOT RECEIVE A REPLY WITHIN 45 DAYS, CONTAC Defense Quality and Standardization Office 5203 Leesburg Pike, Suite 1403, Falls Church, VA 22041-3 Telephone (703) 756-2340 AUTOVON 289-2340	

DD Form 1426, OCT 89 *Previous editions are obsolete.*

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:41Z
Check the source to verify that this is the current version before use.