INCH-POUND

A-A-55067
16 July 1992

COMMERCIAL ITEM DESCRIPTION

SMOCK, FOOD INSPECTOR'S

This General Services Administration has authorized the use of the Commercial Item Description in preference to MIL-S-1820.

Abstract. This commercial item description covers a long white smock made of cotton twill or drill cloth used by personnel of the Military Services engaged in food inspection activities.

Salient Characteristics. The smock shall be single breasted, with a notched lapel, cut-on facings, four front snap fasteners, two breast pockets with pencil pocket within the left breast pocket, two lower patch pockets, two side hand openings, top collar and sleeves finished with adjustable cuffs with snap fasteners (see figure 1). The snap fasteners shall be brass, style 2, finish 2, male and female complete, consisting of a socket with button size 1 or 2, and stud with eyelet size 1 or 2.

Material. The basic material of the smock shall be carded white cotton twill cloth or white cotton drill cloth. The basic material shall conform to the following requirements:

Beneficial comments (recommendations, additions, deletions) and any pertinent data which may be of use in improving this document should be addressed to: Defense Personnel Support Center, Clothing and Textiles Directorate, Attn: DPSC-FSSD, 2800 South 20th Street, Philadelphia, PA 19101-8419, by using the Standardization Document Improvement Proposal (DD Form 1426) appearing at the end of this document or by letter.

AMSC N/A FSC 8415

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 202640-26T09:41Z
Check the source to verify that this is the current version before use.

twill cloth

yarn ply		weight, per yd^2 oz		yarn per inch minimum		breaking strength lbs.		weave
warp	filling	(min)	(max)	warp	filling	warp	filling	
1	1	8.2	8.6	112	50	170	80	3 twill 1 to left

drill cloth

weight per yd^2 oz. min)	yarns per inch (min)		breaking strength lbs		weave
	warp	filling	warp	filling	
6.0	74	44	90	55	3 harness 2 left 1 hand twill

Thread. The cotton thread for seaming and stitching the smocks shall be a soft finish, white, machine thread, ticket No. 30, 3 ply and ticket No. 50, 3 ply.

Sizes. The smock shall be provided in the following sizes:

Sizes - Small, Medium, Large, X-Large

NOTE: Small, Medium, Large and X-Large may be abbreviated as SM, MED, LG and XLG.

Labels. A commercial type label is acceptable, provided that an additional printed cloth containing the contractor's name, contract number, size and National Stock Number (NSN) is caught on the stitching of the commercial label. The commercial label shall include fiber and laundering information.

Patterns. The government shall furnish a single size pattern. The contractor is responsible for grading patterns for additional sizes. The patterns generally provide for a seam allowance of 3/8 inch for joining seams and 1/2 inch for double lapped, double stitched seams. The government patterns shall be used to make the contractor's working patterns. The government patterns shall not be altered in any way. The working patterns may be modified to accommodate automation; however, if the working patterns are modified the design and measurements must be maintained as intended by government patterns.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:41Z
Check the source to verify that this is the current version before use.

Sizes and Measurements. The finished smocks shall conform to the measurements below.

Finished measurements (in inches)

	SIZE				TOLERANCE	
Measurements	Small	Medium	Large	X-Large	Plus	Minus
1/2 Breast 1/	25-7/8	27-7/8	29-7/8	31-7/8	1/2	1/2
Sleeve inseam 2/	17-1/2	17-1/2	17-1/2	17-1/2	1	1/2
Length 3/	49	50-1/2	52	53-1/2	1	1

1/ 1/2 breast taken from side seam to side seam at the base of the armhole with the fronts snapped.

2/ Sleeve length taken along the underarm seam of sleeve from base of armhole to bottom edge of cuff.

3/ Length taken along the center back of smock from collar joining seam to the bottom edge of smock.

Workmanship. After completion, the finished smock shall be thoroughly cleaned, and all loose thread, lint, and foreign matter removed.

Product Demonstration Model. When required, offerers shall submit samples of their intended production. The Product Demonstration Model will consist of units independently developed. Product Demonstration Models will be analyzed and evaluated by the government. Evaluation criteria and basis for award are contained in the solicitation. Product Demonstration Models will be retained by the government. One (1) Product Demonstration Model approved by DPSC under the resultant contract will serve as a manufacturing standard for the corresponding production items delivered under this contract. Offerers are advised that the Product Demonstration Model does not relieve the successful offerer of his responsibility to perform in accordance with the Commercial Item Description requirements specified above.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:41Z
Check the source to verify that this is the current version before use.

Quality Assurance

Certification. The contractor shall certify that the product offered meets the salient characteristics of this description and that the product conforms to the producer's own drawings, specifications, standards and quality assurance practices. The government reserves the right to require proof of such conformance prior to the first delivery and thereafter as may be otherwise provided for, under the provisions of the contract.

Examination. Lots of smocks shall be inspected in accordance with "Sampling Procedures and Tables for Inspection by Attributes", ANSI/ASQC Z1.4, published by the American Society for Quality Control.

Visual Examination. The inspection level for visual examination shall be II and the AQL 2.5 expressed in terms of defects per hundred units. The sample unit is one smock.

Dimensional Examination. The finished smock shall conform to the dimensions specified. Any dimension that is not within the established tolerance shall be classified as a defect. The sample unit shall be one smock; the inspection level shall be S-3 and the AQL shall be 4.0 expressed in terms of defects per hundred units.

Packaging Examination. The fully packaged shipping containers shall be examined in accordance with defects listed below. The lot size shall be the number of shipping containers in the inspection lot. The inspection level shall be S-1 and AQL shall be 2.5 expressed in terms of defects per hundred units.

Examination	Defect
Material	Missing, damaged, not as required.
Content	Number of smocks per shipping container is more or less than required.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:41Z
Check the source to verify that this is the current version before use.

Defects. The smock shall be examined for the following defects: any hole, cut, tear, needle chew, burn, smash, mend or multiple float, slub or shade bar; any part shaded; thread ends not trimmed or loose threads not removed; any spot or stain on outside; one or more shade markings not removed; any component part or operation omitted; any omitted, not securely attached, mismated, or otherwise defective snap fastener; any open seams, raw edges, or runoffs; label missing, incorrect or illegible; measurement of smock not as specified.

Inspection of Packaging. The sampling and inspection for the preservation, packing, marking and palletization requirements shall be in accordance with MIL-STD-2073-1, Table III, Preservation Inspection Provisions for Methods/Submethods of MIL-P-116. The applicable defect descriptions of this table II shall be extended to include the intermediate and shipping containers and the unitized load. Also included shall be a count of the specified container quantity and identification of specified contents, e.g., all items within any one carton shall be limited to one type, class and size.

Packaging, Packing, Marking, and Palletization

Packaging, packing, marking and palletization shall be in accordance with ASTM-D 3951, Standard Practice for Commercial Packaging, as specified for shipments to the Department of Defense, including Section 7.


Preservation. Each smock shall buttoned and folded. Five smocks of one size, shall be stacked with collars alternated and securely tied with cotton tape or twine.


Packing. Twenty (20) smocks of one size only shall be packed in a snug-fitting container conforming to RSC-L, type CF (variety SW) or SF, class domestic, grade 275 of PPP-B-636.

Palletization. When specified in the ordering data, shipping containers shall be palletized on a 4-way entry, wing type pallet in accordance with load type Ia of MIL-STD-147. Each shipping container and each pallet load shall contain items of no more than one NSN.


Marking. Marking shall be in accordance with MIL-STD-129.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:41Z
Check the source to verify that this is the current version before use.





LEFT BREAST POCKET
SHOWING PENCIL POCKET



SIDE
OPENING

FIGURE 1 - SMOCK, FOOD, INSPECTOR'S

Source: https://assist.dla.mil -- Downloaded: 202610-26T09:41Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

INSTRUCTIONS

1. The preparing activity must complete blocks 1, 2, 3, and 8. In block 1, both the document number and revision letter should be given.
2. The submitter of this form must complete blocks 4, 5, 6, and 7.
3. The preparing activity must provide a reply within 30 days from receipt of the form.

NOTE: This form may not be used to request copies of documents, nor to request waivers, or clarification of requirements on current contracts. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or to amend contractual requirements.

I RECOMMEND A CHANGE:	1. DOCUMENT NUMBER A-A-55067	2. DOCUMENT DATE (YYMMDD) 92- 07 - 16

3. DOCUMENT TITLE
Smock, Food Inspector's

4. NATURE OF CHANGE *(Identify paragraph number and include proposed rewrite, if possible. Attach extra sheets as needed.)*

5. REASON FOR RECOMMENDATION

6. SUBMITTER

a. NAME *(Last, First, Middle Initial)*	b. ORGANIZATION	
c. ADDRESS *(Include Zip Code)*	d. TELEPHONE *(Include Area Code)* (1) Commercial (2) AUTOVON *(If applicable)*	7. DATE SUBMITTED *(YYMMDD)*

8. PREPARING ACTIVITY

a. NAME DLA - CT ATTN: DPSC-FSSD (12-3-D)	b. TELEPHONE *(Include Area Code)* (1) Commercial 215-737-8105	(2) AUTOVON 444-8105
c. ADDRESS *(Include Zip Code)* 2800 South 20th Street Philadelphia, PA 19101-8419	IF YOU DO NOT RECEIVE A REPLY WITHIN 45 DAYS, CONTACT: Defense Quality and Standardization Office 5203 Leesburg Pike, Suite 1403, Falls Church, VA 22041-3466 Telephone (703) 756-2340 AUTOVON 289-2340	

DD Form 1426, OCT 89 *Previous editions are obsolete.*

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:41Z
Check the source to verify that this is the current version before use.