INCH-POUND

A-A-55072
3 August 1992

COMMERCIAL ITEM DESCRIPTION

BADGE, IDENTIFICATION, PERSONNEL

The General Services Administration has authorized the use of this commercial item description.

Salient Characteristics. The leather name patch is designed for wear on all Battle Dress Uniforms (BDUs) and the Field Jacket above the left breast pocket. It shall be attached to the uniform with hook and loop fastener tape. The hook fastener tape shall be attached to the back side of the patch. The loop side shall be included with the patch for later stitching to the garment. The patch shall be leather and measure 2 inches wide by 4 inches long. The color of the patch shall be black. The thread for stitching the hook tape to the patch shall be polyester/cotton or nylon. The color of the thread shall be black. The hook and loop fastener tape shall conform to Type I, Class 1 of MIL-F-21840. The tape shall be black. Each tape shall measure 2 inches wide X 4 inches long.

Fabrication. The back of the hook fastener tape shall be attached to the back of the leather name patch by stitching on all four sides 1/16 inch from the edge, with 10-12 stitches per inch. The loop fastener tape shall be affixed to the hook tape after stitching.

Beneficial comments (recommendations, additions, deletions) and any pertinent data which may be of use in improving this document should be addressed to: Defense Personnel Support Center, Clothing and Textiles Directorate, Attn: DPSC-FSSD, 2800 South 20th Street, Philadelphia, PA 19101-8419, by using the Standardization Document Improvement Proposal (DD Form 1426) appearing at the end of this document or by letter.

AMSC N/A FSC 8455

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:42Z
Check the source to verify that this is the current version before use.

Silver Embossed Letters. The silver embossed block letters shall be 3/16 inch. Embossing on the leather patch shall be within the stitching on the patch. There shall be two lines. The first line shall be centered with the first name, middle initial, and last name. The individual's grade and USAF shall be centered on the second line. For the first sergeants, there shall be a third line added for the duty line. One speciality identification or functional badge may be worn. If the badge has a horizontal format it shall be centered at the top of the patch; if the format is vertical, it shall be centered on the right side of the patch.

Workmanship. The finished name patch shall be thoroughly cleaned, and all loose thread, lint, and foreign matter removed. The items shall be uniform in quality and shall be free from irregularities or defects which adversely affect appearance, performance, reliability, or durability.

Product Demonstration Model. When required, offers shall submit a name patch of their intended production. The Product Demonstration Model shall consist of units independently developed. Product Demonstration Model shall be analyzed and evaluated by the government. Evaluation criteria and basis for award are contained in the solicitation. Product Demonstration Models shall be retained by the government.

Quality Assurance

Certification. The contractor shall certify that the product offered meets the salient characteristics of this description and that the product conforms to the producer's own drawings, specifications, standards and quality assurance practices. The government reserves the right to require proof of such conformance prior to the first delivery and thereafter as may be otherwise provided for, under the provisions of the contract.

Examination. Lots of one name patch shall be inspected in accordance with "Sampling Procedures and Tables for Inspection by Attributes", ANSI/ASQC Z1.4, published by the American Society for Quality Control.

Visual Examination. The inspection level for visual examination shall be II and the AQL 2.5 major and 6.5 total defects per hundred units. The sample unit is one name patch.

Dimensional Examination. The finished name patch shall conform to the dimensions specified. Any dimension that is not within the established tolerance shall be classified as a defect. The sample unit shall be one name patch; the inspection level shall be II and the AQL shall be 10.0 defects per hundred units.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:42Z
Check the source to verify that this is the current version before use.

Packaging Examination. The fully packaged shipping containers shall be examined in accordance with defects listed below. The lot size shall be the number of shipping containers in the inspection lot. The inspection level shall be S-1 and AQL shall be 2.5 defects per hundred units.

Defects. The patch shall be examined for the following defects: material defects (any cut, hole/tear, run, blemish, needle chew); component parts twisted or misplaced; shade parts; metallic parts twisted, omitted, misplaced, loose or distorted; any spot or stain; any open seam; any broken stitches; any irregular edge or topstitching. The patch shall not contain any hole, tear, cut, chew spot, stain, or weakening defect.

Packaging, Packing, Marking and Palletization.

Packaging, packing marking and palletization shall be in accordance with ASTM-D 3951, Standard Practice for Commercial Packaging, as specified for shipments to the Department of Defense, including Section 7.

Unitized loads, placing boxes on pallets, shall be used whenever total quantity for shipment to one destination exceeds 250 pounds (excluding the pallet) or 20 cubic feet. Pallets shall have a length of 40 inches and a width of 48 inches. Pallet loads, including the pallet, shall not exceed 54 inches in height, 43 inches in length and 52 inches in width.

The containers shall be bonded onto wing type commercial 4-way entry pallets.

Source of Government Documents. Copies of Military and Federal documents are available from:

Standardization Documents Order Desk
Bldg. 4D
700 Robbins Avenue
Philadelphia, PA 19111-5094

Sources of Nongovernment Documents.

ANSI/ASQC Z1.4 - Sampling Procedures and Tables For Inspection By Attributes

(Applications for copies should be addressed to American National Standards Institute, 1430 Broadway, New York, NY 10018-3308.)

ASTM-D 3951 - Standard Practice for Commercial Packaging

(Applications for copies should be addressed to American Society For Testing and Materials, 1916 Race Street, Philadelphia, PA 19103.)

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:42Z
Check the source to verify that this is the current version before use.

CUSTODIAN:
AIR FORCE - 11

REVIEW ACTIVITY:
AIR FORCE - 45, 82, 99

CIVIL AGENCY COORDINATING ACTIVITY:
GSA- FSS

PREPARING ACTIVITY:
DLA - CT

PROJECT NO.
8455-0654

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:42Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

INSTRUCTIONS

1. The preparing activity must complete blocks 1, 2, 3, and 8. In block 1, both the document number and revision letter should be given.
2. The submitter of this form must complete blocks 4, 5, 6, and 7.
3. The preparing activity must provide a reply within 30 days from receipt of the form.

NOTE: This form may not be used to request copies of documents, nor to request waivers, or clarification of requirements on current contracts. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or to amend contractual requirements.

I RECOMMEND A CHANGE:	1. DOCUMENT NUMBER	2. DOCUMENT DATE (YYMMDD)
	A-A-55072	92/08/03

3. DOCUMENT TITLE

BADGE, IDENTIFICATION, PERSONNEL

4. NATURE OF CHANGE (Identify paragraph number and include proposed rewrite, if possible. Attach extra sheets as needed.)

5. REASON FOR RECOMMENDATION

6. SUBMITTER

a. NAME (Last, First, Middle Initial)	b. ORGANIZATION	
c. ADDRESS (Include Zip Code)	d. TELEPHONE (Include Area Code) (1) Commercial (2) AUTOVON (If applicable)	7. DATE SUBMITTED (YYMMDD)

8. PREPARING ACTIVITY

a. NAME	b. TELEPHONE (Include Area Code) (1) Commercial	(2) AUTOVON
DLA-CT	(215) 737-8105	(DSN) 444-8105
c. ADDRESS (Include Zip Code) DEFENSE PERSONNEL SUPPORT CENTER 2800 S. 20th ST. (DPSC-FSSD/Bldg. 12-3-D) Philadelphia, PA 19101-8419	IF YOU DO NOT RECEIVE A REPLY WITHIN 45 DAYS, CONTACT: Defense Quality and Standardization Office 5203 Leesburg Pike, Suite 1403, Falls Church, VA 22041-3466 Telephone (703) 756-2340 AUTOVON 289-2340	

DD Form 1426, OCT 89 Previous editions are obsolete.

Source: https://assist.dla.mil -- Downloaded: 2020-10-26T09:42Z
Check the source to verify that this is the current version before use.